Straight SMA 2-Hole Flange Mount Jack Receptacle, Solder





Specifications

Connector Body Style Coaxial Termination Connector Mounting

Electrical Specifications

Frequency Range Nominal Impedance Voltage Rating VSWR : Straight Jack Receptacle : Solder

: 2-Hole Flange Mount

: DC 26.5GHz : 50Ω : 500V Max. : 1.17 Max. @ 18GHz 1.21 Max. @ 26.5GHz

Material Specifications Bodies Centre Contact Insulation

: Stainless Steel per JIS SUS 303

- : Beryllium Copper per ASTM B196 UNS C17300
- : PTFE per ASTM D1457 and ASTM D1710

: MIL-STD-348A

: -65°C to +165°C


Mechanical Specification

Interface in accordance with


Environmental Specification

Operating Temperature

Diagram



Dimensions : Millimetres (Inches)



No.	Description	Material	Finish
1	Body	Stainless Steel	Gold 3µ" Min.
2	Insulation	PTFE	-
3	Centre Contact	Beryllium Copper	Gold 50µ" Min.

Part Number Table

Description	Part Number
Straight SMA 2-Hole Flange Mount Jack Receptacle, Solder, 50Ω	MC002928

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence. Multicomp is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com

