



<b>EAN:</b>	4013288012708	<b>Size:</b>	25x12x12 mm
<b>Part number:</b>	05056340001	<b>Weight:</b>	12 g
<b>Article number:</b>	840/1 Z Hex-Plus	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For socket head screws
- Ductile and tough for hard materials
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive (Wera connecting series 1)
- Suitable for Bosch, Fein, Holz-Her, Lecloux, Metabo

Tough viscous Wera bits for hexagon socket screws and universal use. Hex-Plus offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

**Web link**

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_1\\_z\\_hex-plus.html](http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_hexagon_socket_screws_840_1_z_hex-plus.html)

Wera - 840/1 Z Hex-Plus  
05056340001 - 4013288012708

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Hexagon Socket Screws

### Hex-Plus



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

### Web link





[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_1\\_z\\_hex-plus.html](http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_hexagon_socket_screws_840_1_z_hex-plus.html)

Wera - 840/1 Z Hex-Plus  
05056340001 - 4013288012708

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Hexagon Socket Screws

Further versions in this product family:

	 mm	 inch	 mm	
05056303001	1.5		25	1
05056305001	2.0		25	1
05056310001	2.5		25	1
05056315001	3.0		25	1
05056320001	4.0		25	1
05056325001	5.0		25	1
05056330001	6.0		25	1
05056332001	7.0		25	1
05056335001	8.0		25	1
<b>05056340001</b>	<b>10.0</b>		<b>25</b>	<b>1</b>
05135060001		0.05	25	1
05135070001		1/16	25	1
05135071001		5/64	25	1
05135072001		3/32	25	1
05135078001		7/64	25	1
05135073001		1/8	25	1
05135069001		9/64	25	1
05135074001		5/32"	25	1
05135075001		3/16"	25	1
05135079001		7/32"	25	1
05135076001		1/4	25	1
05135077001		5/16"	25	1
05135068001		3/8"	25	1

## Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_1\\_z\\_hex-plus.html](http://products.wera.de/en/tools_for_the_aerospace_segment_the_range_of_bits_bits_for_hexagon_socket_screws_840_1_z_hex-plus.html)

 Wera - 840/1 Z Hex-Plus  
 05056340001 - 4013288012708

 Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de