

7456 ESD Kraftform pre-set adjustable torque screwdrivers with quick-release  
chuck, 0,3 - 1,0 Nm  
ESD Series



<b>EAN:</b>	4013288179050	<b>Size:</b>	170x40x40 mm
<b>Part number:</b>	05074828001	<b>Weight:</b>	134 g
<b>Article number:</b>	7400 ESD vor Halfmoon	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000



- Pre-set Kraftform ESD torque screwdriver
- ESD-safe tool thanks to surface resistance of  $< 10^9$  Ohm
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached

Wera torque screwdriver. Secure protection against electrostatic charge and associated damage. Comes with pre-set torque value for all applications where the same, constant torque and repeat accuracy are required. The torque value can be modified within a specific measurement range. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws. Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

**Web link**

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_screwdrivers\\_esd\\_series\\_7400\\_esd\\_vor\\_halfmoon.html](http://products.wera.de/en/tools_for_the_aerospace_segment_screwdrivers_esd_series_7400_esd_vor_halfmoon.html)

Wera - 7400 ESD vor Halfmoon  
05074828001 - 4013288179050

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

7456 ESD Kraftform pre-set adjustable torque screwdrivers with quick-release  
chuck, 0,3 - 1,0 Nm  
ESD Series



Wera ESD Tools



The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

High protection




The electric surface resistance of the Wera ESD material is  $\leq 10^9$  ohm. This securely protects components against electrostatic energy and associated damage.

Pre-set, adjustable torque screwdrivers



Pre-set torque, adjustable within a defined range. Also available in ESD version (also for HIOS/Halfmoon bits) and with Kraftform Micro handle.

For Halfmoon and HIOS Bits



Features a combination bitholder for both bits with Halfmoon and bits with HIOS drive.

Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_screwdrivers\\_esd\\_series\\_7400\\_esd\\_vor\\_halfmoon.html](http://products.wera.de/en/tools_for_the_aerospace_segment_screwdrivers_esd_series_7400_esd_vor_halfmoon.html)

Wera - 7400 ESD vor Halfmoon  
05074828001 - 4013288179050


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Kraftform



The basic idea for the prototype of the Kraftform handle – that the hand should dictate the design – has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

### Further versions in this product family:

							
	art. no.	mm	nm	nm	mm	inch	
	05074826001	7455 ESD	89	0.015	0.1-0.34	138	5 1/4
	05074826010 <sup>1)</sup>	7455 ESD	89	0.015	0.1-0.34	138	5 1/4
	<b>05074828001</b>	<b>7456 ESD</b>	<b>89</b>	<b>0.035</b>	<b>0.3-1.0</b>	<b>138</b>	<b>5 1/4</b>
	05074828010 <sup>1)</sup>	7456 ESD	89	0.035	0.3-1.0	138	5 1/4

1) Other pre-set values within the adjustable range can be delivered on request

### Web link

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_screwdrivers\\_esd\\_series\\_7400\\_esd\\_vor\\_halfmoon.html](http://products.wera.de/en/tools_for_the_aerospace_segment_screwdrivers_esd_series_7400_esd_vor_halfmoon.html)

Wera - 7400 ESD vor Halfmoon  
 05074828001 - 4013288179050

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)