4mm Banana Plug to Plug Stackable Patchcord - 1mm² PVC





Specifications

Lead Length : 250mm/9.9"

500mm/19.7" 1m / 3.3ft 1.5m / 4.9ft 2m / 6.6ft

Connector Type A : Stacking 4mm Banana Plug
Connector Type B : Stacking 4mm Banana Plug

Voltage Rating : ≤33VAC/≤70VDC

Current Rating : 20A

 $\begin{array}{cc} \text{Resistance} & : 250 \text{mm: } 12 \text{m}\Omega \\ & 500 \text{mm: } 15 \text{m}\Omega \end{array}$

1m: 25mΩ 1.5m: 35mΩ 2m: 45mΩ : 1mm², PVC

Cable : 1mm², PVC

Contact Material : Brass and Beryllium Copper, Nickel Plated

Insulator Material : Polyamide and Polypropylene Insulator Colour : Blue, Yellow, Black, Red and Green

Temperature : -20°C to 80°C

Application

General purpose electric and electronic testing, controlling and measuring.

Part Number Table

Description	Insulator Colour	Lead Length	Part Number
Test Lead, Stacking 4mm Banana Plug to Plug, 1mm² PVC, 33V AC/70V DC, 20A	Blue	250mm	72-13764
	Yellow	250mm	72-13766
	Black	250mm	72-13768
	Red	250mm	72-13770
	Green	250mm	72-13772
	Blue	500mm	72-13774
	Yellow	500mm	72-13776

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



4mm Banana Plug to Plug Stackable Patchcord - 1mm² PVC



Description	Insulator Colour	Lead Length	Part Number
Test Lead, Stacking 4mm Banana Plug to Plug, 1mm² PVC, 33V AC/70V DC, 20A	Black	500mm	72-13778
	Red	500mm	72-13780
	Green	500mm	72-13782
	Blue	1m	72-13734
	Yellow	1m	72-13736
	Black	1m	72-13738
	Red	1m	72-13740
	Green	1m	72-13742
	Blue	1.5m	72-13744
	Yellow	1.5m	72-13746
	Black	1.5m	72-13748
	Red	1.5m	72-13750
	Green	1.5m	72-13752
	Blue	2m	72-13754
	Yellow	2m	72-13756
	Black	2m	72-13758
	Red	2m	72-13760
	Green	2m	72-13762

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Tenma is the registered trademark of the Group. © Premier Farnell Limited 2016.



