



# 181015389 Si1153 Revision B

**PRCN Issue Date:** 10/15/2018

**Effective Date:** 1/21/2019

**PCN Type:** Product Revision

## Description of Change

Silicon Labs is pleased to announce the release of revision B of the Si1153 devices. Revision B is backwards compatible with revision A parts. The changes to the device are as follows:

- Added window threshold mode where an interrupt will be generated if ADC codes leave or enter the window threshold area. This aids in the detection of when an object leaves or enters the proximity space.
- Reconfigured parameter register THRESHOLD2\_H address 0x29 to be UPPER\_THRESHOLD\_H representing the upper value of the higher window range used to generate an interrupt.
- Reconfigured parameter register THRESHOLD2\_L address 0x2A to be UPPER\_THRESHOLD\_L representing the lower value of the higher window range used to generate an interrupt.
- Added parameter register LOWER\_THRESHOLD\_H address 0x2C representing the upper value of the lower window range used to generate an interrupt.
- Added parameter register LOWER\_THRESHOLD\_L address 0x2D representing the lower value of the lower window range used to generate an interrupt.

## Reason for Change

Feature addition

## Impact on Form, Fit, Function, Quality, Reliability

The function of the device has been enhanced with the new features described in the change description. Revision B is compatible in systems that were previously using Revision A devices. There is no impact on form, fit, quality or reliability.

## Product Identification

Existing Part #	Replacement Part #	DropInCompInd.
SI1153-AA00-GM	SI1153-AB00-GM	Yes
SI1153-AA00-GMR	SI1153-AB00-GMR	Yes
SI1153-AA09-GM	SI1153-AB09-GM	Yes
SI1153-AA09-GMR	SI1153-AB09-GMR	Yes
SI1153-AA9X-GM	SI1153-AB9X-GM	Yes
SI1153-AA9X-GMR	SI1153-AB9X-GMR	Yes

**Last Date of Unchanged Product:** 1/21/2019

## Qualification Samples

Available upon request.

## Customer Response

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change, Ref. JEDEC-J-STD-046.

To request further data or inquire about this notification, please contact your Silicon Labs sales representative. A list of Silicon Labs sales representatives is available at <http://www.silabs.com>.


Customers may approve early PCN acceptance by emailing approval, along with PCN # to [PCNEarlyAcceptance@silabs.com](mailto:PCNEarlyAcceptance@silabs.com)

## User Registration

Register today to create your account on Silabs.com. Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

## Qualification Data

Available upon request.



#### Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

#### Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISModem®, Micrium, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



**Silicon Laboratories Inc.**  
 400 West Cesar Chavez  
 Austin, TX 78701

<http://www.silabs.com>