



Home > Products > Power Management > Computing Power VRM/IMVP > Multiphase Controllers > ISL95812

ISL95812

Multiphase PWM Regulator for VR12.5, VR12.6 and VR12.6+ CPUs

DATA SHEET 

[Request Full Data Sheet](#)

KEY FEATURES

- Serial data bus
- Output configurable 3-, 2- or 1-phase using two integrated gate drivers
- Precision core voltage regulation
- 0.5% system accuracy over-temperature
- Enhanced load line accuracy
- Supports multiple current sensing methods
 - Lossless inductor DCR current sensing
 - Precision resistor current sensing
- Differential remote voltage sensing
- Programmable V_{BOOT} voltage at start-up
- Resistor programmable I_{CCMAX} and voltage transition slew rate
- Adaptive body diode conduction time reduction

TYPICAL DIAGRAM

Diagram Not Shown

[PURCHASE](#)

DESCRIPTION

Fully compliant with Intel VR12.5, VR12.6 and VR12.6+™ specifications, the ISL95812 provides a complete solution for microprocessor core power supply. It provides a Voltage Regulator (VR) with two integrated and one external gate drivers. The VR can be configured as 3-, 2- or 1-phase, providing maximum flexibility. The VR uses the serial control bus (SVID) to communicate with the CPU and achieves lower cost and smaller board area.

Based on Intersil's Robust Ripple Regulator (R3) technology™, the PWM modulator compared to traditional modulators, has faster transient settling time, variable switching frequency during load transients and has improved light load efficiency with its ability to automatically change switching frequency.

The ISL95812 has several other key features. The output supports DCR current sensing with single NTC thermistor for DCR temperature compensation or accurate resistor current sensing. The output comes with remote voltage sense, programmable V_{BOOT} voltage, programmable I_{CCMAX} , programmable voltage transition slew rate, adjustable switching frequency, overcurrent protection and Power-Good output.

APPLICATIONS

- Notebook computers
- Desktop computers



[Legal](#) | [Privacy](#) | [Investor Relations](#) | [Feedback](#) | [Site Map](#) © Intersil Americas LLC



Home > Products > Power Management > Computing Power VRM/IMVP > Multiphase Controllers > ISL95812

ISL95812

Multiphase PWM Regulator for VR12.5, VR12.6 and VR12.6+ CPUs

DATA SHEET



Request Full Data Sheet

PARAMETERS	ISL95812	ALTERNATIVES		
		ISL6261	ISL6266	ISL6266A
V _{IN} (min) (V)	4.5	4.75	4.75	4.75
V _{IN} (max) (V)	28	5.25	5.25	5.25
V _{OUT} (min) (V)	0.5	0.3	0.3	0.3
V _{OUT} (max) (V)	2.3	1.5	1.5	1.5
I _{OUT} (max) (A)	90	30	60	60
V _{BIAS} (V)	4.75 to 5.25		4.75 to 5.25	4.75 to 5.25
Applications	VR12.5, VR12.6 and VR12.6+™	IMVP-6	IMVP-6+	IMVP-6+
Max # of Outputs	1		1	1
Max # of Phases	3		2	2
VID	Yes	Yes	Yes	Yes
Droop	Yes		Yes	Yes
Integrated MOSFET Driver(s)	Yes		No	No



Legal | Privacy | Investor Relations | Feedback | Site Map | © Intersil Americas LLC











Home > Products > Power Management > Computing Power VRM/IMVP > Multiphase Controllers > ISL95812

ISL95812

Multiphase PWM Regulator for VR12.5, VR12.6 and VR12.6+ CPUs

DATA SHEET 

[Request Full Data Sheet](#)

Part Number	Package Type	Weight (g)	Pins	MSL Rating	Peak Temp (°C)	RoHS Status
ISL95812HRZ	 32 Ld QFN	0.05	32	3	260	 Details
ISL95812HRZ-T	 32 Ld QFN T+R	0.05	32	3	260	 Details
ISL95812IRZ	 32 Ld QFN	0.05	32	3	260	 Details
ISL95812IRZ-T	 32 Ld QFN T+R	0.05	32	3	260	 Details



[Legal](#) | [Privacy](#) | [Investor Relations](#) | [Feedback](#) | [Site Map](#) | © Intersil Americas LLC