

Data brief

STM32 Nucleo pack for IO-Link device fully compatible with IO-Link v1.1 (PHY and stack)





Product summary		
STM32 Nucleo pack for IO-Link (PHY) device fully compatible with IO-Link v1.1 (PHY and stack)	P-NUCLEO-IOD01A1	
IO-Link device evaluation board based on L6362A with Arduino connectors for STM32 Nucleo	STEVAL-IOD003V1	
IO-Link communication transceiver device IC	L6362A	
Motion MEMS and environmental sensor expansion board for STM32 Nucleo	X-NUCLEO-IKS01A2	

Features

- Equipped with Arduino UNO R3 connectors and compatible with STEVAL-IOD003V1, X-NUCLEO-IKS01A2 and NUCLEO-L073RZ boards.
- The STEVAL-IOD003V1 features:
 - IO-Link (PHY) device layer based on L6362A
 - Operating voltage range 6.5 to 35 V
 - Dedicated CQ overload pin (wake-up)
 - Diagnostics pin (UVLO, overtemperature and cut-off)
 - UART interface
 - Linear regulators for independent supply from +24 V bus (12 mA 3.3 V and 100 mA 12 V)
 - LEDs for status and diagnostics
 - Overload and overheating protections with non-dissipative cut-off function
 - Full reverse polarity on IO-Link interface pins
 - EMC protections according to IO-Link v1.1 and IEC 60947-5-2
 - Ground and V_{CC} wire break protections
- The X-NUCLEO-IKS01A2 features:
 - LSM6DSL 3D accelerometer and 3D gyroscope
 - LSM303AGR 3D accelerometer and 3D magnetometer
 - LPS22HB pressure sensor
 - HTS221 capacitive digital relative humidity and temperature
 - DIL24 socket for additional MEMS adapters and other sensors
 - Free comprehensive development firmware library and samples for all sensors compatible with STM32Cube firmware
- The NUCLEO-L073RZ features:
 - STM32L073RZT6 32-bit microcontroller based on ARM® Cortex®-M0+ core
 - Pre-programmed IO-Link device stack (v1.1 compatible)
 - Arduino UNO R3 connectivity and ST morpho extension pin headers
 - Mbed-enabled (http://mbed.org)
 - On-board ST-LINK/V2-1 debugger/programmer with SWD connector

Description

The P-NUCLEO-IOD01A1 is an STM32 Nucleo pack composed of the NUCLEO-L073RZ development board, the STEVAL-IOD003V1 evaluation board and the X-NUCLEO-IKS01A2 expansion board.

The STEVAL-IOD003V1 offers an IO-Link device PHY layer (L6362A) while the NUCLEO-L073RZ runs an IO-Link demo stack (developed by and property of TEConcept Gmbh) compatible with rev 1.1 and firmware controlling the X-NUCLEO-IKS01A2 sensors.

The STM32 Nucleo pack provides an affordable and easy-to-use solution for the development of IO-Link and SIO applications, L6362A communication features and robustness, together with the STM32L073RZT6 computation performance.



1 P-NUCLEO-IOD01A1 main blocks

IO-LINK PHY
(STEVAL-IOD003V1)

(NUCLEO-L073RZ + STACK)

(NUCLEO-IKS01A2)

Figure 1. P-NUCLEO-IOD01A1 block details

DB3635 - Rev 3 page 2/4



Revision history

Table 1. Document revision history

Date	Version	Changes
06-Jun-2018	1	Initial release.
04-Jul-2018	2	Removed schematic diagrams.
09-Oct-2018	3	Updated cover page features.

DB3635 - Rev 3 page 3/4



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics - All rights reserved

DB3635 - Rev 3 page 4/4