

USB-C Multiport Adapter with HDMI and VGA - 1x USB-A - 95W PD 3.0

Product ID: DKT30CHVGPD



Maximize your productivity during business travel. This USB-C multiport adapter with HDMI and VGA is like four adapters in one, giving you flexible video output, a USB 3.0 port and Gigabit Ethernet port, a hideaway cable, plus robust power and charging.

With easy plug-and-play installation on most operating systems, the USB-C adapter doesn't require additional drivers or software. It's the perfect accessory for MacBook, Dell XPS, Chromebook or other USB-C laptops.

Connect a UHD 4K HDMI or VGA Monitor

The USB-C to HDMI and VGA adapter keeps you prepared for business travel. Extend your laptop's display by connecting to a 4K HDMI (4096 x 2160 or 3840 x 2160 resolution) or VGA (1920 x 1200) monitor or projector, to make presentations or set up a workstation.

Powerful Laptop Charging

With support for 95W Power Delivery 3.0 (PD 3.0), the USB Type-C multiport adapter provides up to 85W laptop charging while also powering your peripheral when connected to a USB-C power adapter. PD 3.0 features Fast Role Swap to prevent USB data disruption when you unplug to switch power sources (USB-C power adapter to bus power).

Convenient Cable Management

With multiple ports and an easily accessible hideaway cable, the USB-C all-in-one adapter makes an ideal travel dock. Plus, it's bus powered for easy portability.

Enhance Productivity

The USB-C adapter lets you add a flash drive, mouse or other device using the Type-A port. Add wired network connectivity with the GbE port.

DKT30CHVGPD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Make presentations in the boardroom or classroom, connecting to an HDMI or VGA monitor
- Ideal laptop accessory for mobile workers, including laptop charging
- Convenient travel dock when working out of hotel room
- Works well in small, shared and temporary workstations

Features

- Connect your laptop to an external HDMI or VGA monitor with this USB-C multiport adapter
- Power both the adapter and your laptop with 95W Power Delivery 3.0 (85W laptop charging)
- Convenient hideaway attached cable, for enhanced cable management and portability
- Connect a USB 3.0 Type-A device, like a flash drive or mouse
- Add wired network connectivity with the Gigabit Ethernet RJ45 port

Hardware	Warranty	3 Years
	4K Support	Yes
	Bus Type	USB-C
	Chipset ID	VIA/VLI - VL102 Realtek - RTS5411 Parade Technologies - PS8338B Parade Technologies - PS176 ITE Tech - IT6516 Realtek - RTL8153
	Displays Supported	1
	Fast-Charge Port(s)	No
	Industry Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0 and 1.1
	Performance	Auto MDIX
	Compatible Networks	10/100/1000 Mbps
	Full Duplex Support	Yes
	Maximum Analog Resolutions	1920 x 1200p @ 60Hz (VGA)
	Maximum Data Transfer Rate	5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)
	Maximum Digital Resolutions	4096 x 2160p @ 24Hz or 3840 x 2160p @ 30Hz (HDMI)
	Type and Rate	USB 3.0 - 5 Gbit/s
	UASP Support	Yes
Connector(s)	Connector Type(s)	1 - USB Type-C (24 pin) USB 3.0 Male 1 - HDMI (19 pin) Female 1 - VGA (15 pin, High Density D-Sub) Female 1 - RJ-45 Female 1 - USB Type-A (9 pin) USB 3.0 Female 1 - USB Type-C (24 pin) USB 3.0 Female
Software	OS Compatibility	Windows® 7, 8, 8.1, 10 Mac OS® 10.11 to 10.14 Chrome OS™
Special Notes / Requirements	Note	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your laptop USB-C port supports DP alt mode. Only one video output port can be used at the same time (HDMI or VGA). If two displays are connected, the HDMI port takes priority.

A 4K-capable display is required to achieve 4K x 2K resolution (4K is also known as 4K x 2K).

USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.

Your laptop may have specific requirements for charging. This USB-C multiport adapter supports USB Power Delivery 3.0, up to 95W. When using your laptop's USB-C power adapter, the multiport adapter powers both the adapter (with attached peripheral) and your laptop - with up to 85W charging available for laptop charging. For more information on your laptop's charging requirements, refer to the manufacturer of your laptop.

Through support of USB Power Delivery 3.0, the multiport adapter supports Fast Role Swap which prevents USB data disruption when you unplug to switch power sources (USB-C power adapter to bus power).

System and Cable Requirements

Host laptop with an available USB-C port (to ensure full functionality, the laptop's USB-C port must support DP alt mode).

Power	Laptop Charging via Power Delivery	85W
	Power Consumption (In Watts)	10W
	Power Delivery	95W
	Power Source	USB-Powered
Environmental	Humidity	0~95% RH (Non-condensing)
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 65°C (14°F to 149°F)
Physical Characteristics	Cable Length	85 mm [3.3 in]
	Color	Black & Space Gray
	Enclosure Type	Aluminum
	Product Height	18 mm [0.7 in]
	Product Length	110 mm [4.3 in]
	Product Weight	166 g [5.9 oz]
	Product Width	60 mm [2.4 in]
Packaging Information	Shipping (Package) Weight	0.2 kg [0.4 lb]
What's in the Box	Included in Package	1 - Multiport Adapter 1 - Quick-Start Guide

Product appearance and specifications are subject to change without notice.