


TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

Series: V-Thinity





Installed Antenna

All dimensions are in mm / inches

Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998

Features:

- 450-490 MHz UHF operation
- · Aesthetically pleasing:
 - 1.5mm (0.060 inch) thickness to ceiling
- VSWR < 2:1
- Optimized To Low-Frequency In-Building Environments
- Size 15.75 x 15.75 inch (400 x 400 mm)

Applications:

- IN-building repeater systems
- · Police, Fire, Government
- · Low profile ceiling mounting
- Enhanced for In-Building:
 - Multi-floor coverage
 - Voids the nulls of traditional dipoles





TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

Series: V-Thinity

ELECTRICAL SPECIFICATIONS

Frequency	450-490MHz
Nominal Impedance	50 Ω
VSWR *	2:1
Peak Gain *	4.5 dBi
Total Efficiency *	70 %
Power Withstand	6 watts
* See test setup definition	

MECHANICAL SPECIFICATIONS

Antenna Color / Material Weight Connector Type Cable Type Cable length Cable retention: Pull off Fixing system

White 700g (TBC) N Female RG402 Ø 4mm / 0.16" 500mm / 19.7" 30 N 4pcs M6 hex slot bolt & nut

ENVIRONMENTAL SPECIFICATIONS

Storage temperature

Temperature shock

MIL STD 801G: 24h at 85C and 24h at -40C

MIL STD 810G: Method 503.5, -40 for 1 hr to +85C for 1 hr @ 15 deg.C/min rate of change; 3 cycles

Humidity

Vibration

MIL STD 810G: 24h at 60C and 95%RH

MIL STD 810G: 514.6 C-II

Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




2



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

Series: V-Thinity

MECHANICAL DRAWING



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




3



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

MECHANICAL DRAWING



Issue: 1713


In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


5

RoHS



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

CHARTS



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.


CONFIDENTIAL AND PROPRIETARY INFORMATION


6



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

CHARTS





Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





7



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

CHARTS





Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION




8



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

CHARTS



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

30

9

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

-30

0

theta, deg


floor at theta=0deg



TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

CHARTS

Vertical cut, Phi=0deg



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

PACKAGING


- Each antenna packed in a plastic bag and a single box
- 1 label on each antenna with Part number, Description, Serial number, date code
- 34 single boxes of antennas (TBD) packed in a master carton.
- 1 label on each carton with Qty, Part number, Date code.





TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF


Option - 1 Spacer Mount on Ceiling (The Spacers are assemoved)



P.S.: View from the Downside of the Ceiling.

12

RoHS



lssue: 1713


In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION




TECHNICAL DATA SHEET Description: In Building Public Safety Antenna 450-490 MHz PART NUMBER: PSIBUHF

Option - 2 Flush Mount on Ceiling (The Spacers are removed)



P.S.: View from the Downside of the Ceiling.



Issue: 1713

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

