

User Manual

USB 3.1 Type-C to USB3.0 + HDMI (1080P @ 60HZ) + Type-C Charging Adapter



User Manual

1. Introduction

This is a USB-C to USB 3.0 with HDMI and Type-C charging port hub. The USB3.0 port allows you to connect a USB device to a host computer or another hub, the USB-C female port can charge for the host computer and supply power for the adapter at the same time, and the HDMI port (DP Altmode) allows you to connect an extra monitor so that you can watch videos or slideshows on a big screen. It can work on Macbook or Google new Chromebook Pixel and other USB-C supported devices.

2. Features

- Support USB-C input, USB3.0 and HDMI output
- Support USB 3.0 super speed (5Gbps) transmission, downward compatible USB2.0
- Support HDMI resolution up to 1080P@60HZ
- USB 3.0 port supports to charge and transmit data for the USB device simultaneously
- Support to charge for Macbook or Google new Chromebook Pixel and other USB-C supported devices and supply power for the adapter at the same time
- Multiple USB-C interfaces support plug and play, hot swap
- USB-C female port supplies power up to 60W(20V/3A)
- Easy to use and carry

3. Specifications

Input/Output Connector	
Input	USB-C Male × 1
	USB-C Female × 1
Output	HDMI Female × 1
	USB 3.0 Female × 1
Resolutions	
Resolutions	Up to 1080P@60HZ
Warranty	
Limited Warranty	1 Year
Environmental	
Operating Temperature	0°C to +45°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +70°C
Storage Humidity	5% to 90 % RH (no condensation)
Power Supply	
USB3.0 Port	UP to 5W (5V/1A)
USB-C Female Charging Port	Up to 60W (20V/3A)
Regulatory Approvals	
Certifications	FCC,CE
Accessory	
User Manual	English Version

User Manual

4. Package Contents

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:


- Main unit x1
- User Manual x1

5. Operation

- 1) Connect the USB-C male port of this product to Macbook or Chromebook
- 2) Connect HDMI output of this product to HDTV with one HDMI cable
- 3) Connect the USB 3.0 output of this product to a USB 3.0/2.0 device
- 4) Connect the USB-C charging port, it can charge for the host computer and support this adapter to work simultaneously

Note: When connecting the USB-C male port of the adapter to Chromebook, the mouse to be connected to the USB 3.0 port will not work immediately, it will have seconds' delay. This problem is caused by the incompatibility of Chromebook, not by the product itself.

6. Connection Diagram



Part Number

83-17117
