HDMI Splitter 1X2 - 3D

pro-signal



Features

- · 1 HDMI input signal split to 2 HDMI output devices
- Support 4K*2K video signal transmit
- Support 36bit Deep Full HD,Full 3D Video
- · Super IR control system, EDID management
- · Support CEC bypass control function

Specifications

HDMI Version : HDMI V1.4 HDCP Version : HDCP V1.3

Support HDMI Resolution: 4K*2K/3D_Video/1080P/1080i/

720p/576p/576i/480p/480i

Support Audio Format : Standard audio ,DSD audio and

HD(HBR) Audio

Output Cable Length : ≤7.5m 28AWG Cable
Input Cable Length : ≤7m 28AWG Cable
Video bandwidth : 340MHz/10.2Gbps

Support Deep Colour : 30bit/36bit

DC Power Supply : AC Input:100~240V;Output:5V
Operating Humidity : 5 to 90%RH(No Condensation)

Operating Temperature : $0 \sim +40^{\circ}$ C Storage Temperature : -20° C $\sim +70^{\circ}$ C

Chassis Materia : Metal Silkscreen Colour : White

Dimension : 111mm × 75mm × 23.5mm ESD protection : Human body model:

> ±4kV (contact discharge) ±8kV (air-gap discharge)

Note: When displaying a 3D signal with a higher bandwidth than 225Mhz or a 4K×2K resolution source, a High Speed HDMI cable V1.4 is required.

Part Number Table

Description	Part Number
HDMI Splitter 1X2 - 3D	33-12710

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of the Group. @ Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

