

Infrared Thermometer



Features

- °C / °F Selection
- LCD Backlight
- Laser Switch
- Display Hold: 8 Seconds
- Data Hold
- Auto Power Off
- Low Battery Indication
- MIN / MAX Mode
- High / Low Temperature Alarm

General Characteristics

Power	: 9V Battery (6F22)
LCD Size	: 22mm × 22mm
Colour	: Orange and Grey
Net Weight	: 185g
Dimensions	: 153mm × 108mm × 40mm

Standard Accessories

Battery and Instruction Manual

Specifications

Temperature Range	: -20°C to +400°C (-4°F to +752°F)
Accuracy	: ±2°C or ±2%
Repeatability	: ±0.5°C or ±0.5%
Resolution	: 0.1°C / 0.1°F
Distance to Spot Size	: 12:1
Response Time	: 500ms
Emissivity	: 0.10 ~ 1.0 Adjustable
Laser Type	: Class 2 (II)
Laser Power	: <1mW
Laser Wavelength	: 630nm to 670nm
Spectral Response	: 8µm to 14µm



Part Number Table

Description	Part Number
Infrared Thermometer, -20°C to +400°C	72-8732.

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Tenma is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com
www.farnell.com
www.newark.com
www.cpc.co.uk

