muRata Capacitor Data Sheet ZRB157R61E225ME11# "#" indicates a package specification code.

In Production General	85 °C max.	Low acoustic noise	Reflow OK	RoHS	REACH
-----------------------	---------------	--------------------------	--------------	------	-------

< List of part numbers with package codes > ZRB157R61E225ME11D , ZRB157R61E225ME11J

Shape

Interposer board termination		
L size	1.0 +0.22/-0.2mm	
W size	0.5 ±0.2mm	
T size	0.7 ±0.15mm	
External terminal width e	0.1 to 0.4mm	
Distance between external terminals g	0.3mm min.	
Size code in inch(mm)	0402 (1005M)	

References
I I CICICII CC3

Packaging	Specifications	Minimum quantity
D	φ180mm Paper taping	8000
J	φ330mm Paper taping	30000

Mass (typ.)		
1 piece	3.4mg	
φ180mm Reel	145g	

Specifications

Capacitance	2.2µF ±20%
Rated voltage	25Vdc
Temperature characteristics (complied standard)	X5R(EIA)
Capacitance change rate	±15.0%
Temperature range of temperature characteristics	-55 to 85℃
Operating temperature range	-55 to 85℃

🔔 Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2. This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.