


Attn.: _____

HIROSE ELECTRIC CO., LTD.
5-23, OSAKI 5-CHOME, SHINAGAWA-KU, TOKYO, JAPAN

Product Change Notification

We are writing today to inform you that we will make some product changes for the reasons described below.

We will announce them in advance.

1	Products affected	Please refer to attachments for the affected product names. 
2	Substitute products	Please refer to attachments for the substitute product names.
3	Classification of change	For discontinued sales.
4	Reason for change	Due to scarce demand and aging of the production facilities.
5	Date of final reception of orders for the current product	June 30, 2021
6	Date of final shipment of the current product	June 30, 2022
7	Date of your acknowledgement	By June 30, 2020

We kindly request that you let a Hirose business representative know you acknowledge this matter by the aforementioned date of your acknowledgement.

In the absence of a response by the acknowledgement date, please be advised that your products for delivery will be changed as described above.

If you should have any questions, please feel free to contact a Hirose business representative.

Your understanding and cooperation are highly appreciated.

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
336	586-1811-6-80	FH28-60S-0.5SH(80)	586-1811-6-05	FH28-60S-0.5SH(05)	Tin reflow plating	Gold plating
337	586-1855-1-05	FH28B-20S-0.5SH(05)	-	-	-	-
338	586-1855-1-98	FH28B-20S-0.5SH(98)	-	-	-	-
339	586-1847-3-98	FH28B-40S-0.5SH(98)	-	-	-	-
340	586-1840-4-98	FH28B-50S-0.5SH(98)	-	-	-	-
341	586-1846-0-98	FH28B-68S-0.5SH(98)	-	-	-	-
342	586-1856-4-05	FH28BH-80S-0.5SH(05)	-	-	-	-
343	586-1856-4-98	FH28BH-80S-0.5SH(98)	-	-	-	-
344	586-1819-8-06	FH28D-68S-0.5SH(06)	586-1819-8-05	FH28D-68S-0.5SH(05)	Metal fitting tin plating: 3µm	Metal fitting tin plating: 1µm
345	586-1819-8-39	FH28D-68S-0.5SH(39)	-	-	-	-
346	580-0313-5-99	FH29B-40S-0.2SHW(99)	-	-	-	-
347	580-0314-8-05	FH29B-44S-0.2SHW(05)	580-0337-3-05	FH29DJ-44S-0.2SHW(05)	Without metal fitting Halogen containing	With metal fitting Halogen free
348	580-0319-1-05	FH29B-90S-0.2SHW(05)	580-0340-8-05	FH29DJ-90S-0.2SHW(05)	Without metal fitting Halogen containing	With metal fitting Halogen free
349	580-0319-1-99	FH29B-90S-0.2SHW(99)	580-0340-8-99	FH29DJ-90S-0.2SHW(99)	Without metal fitting Halogen containing	With metal fitting Halogen free
350	580-0332-0-05	FH29BF-100S-0.2SHW(05)	580-0335-8-05	FH29DJ-100S-0.2SHW(05)	Without metal fitting	With metal fitting
351	580-0333-2-05	FH29BF-120S-0.2SHW(05)	580-0342-3-05	FH29DJ-120S-0.2SHW(05)	Without metal fitting	With metal fitting
352	580-0331-7-88	FH29BJ-34S-0.2SHW(88)	-	-	-	-
353	580-0330-4-05	FH29BJ-60S-0.2SHW(05)	580-0343-6-05	FH29DJ-60S-0.2SHW(05)	Without metal fitting	With metal fitting
354	580-0330-4-99	FH29BJ-60S-0.2SHW(99)	580-0343-6-99	FH29DJ-60S-0.2SHW(99)	Without metal fitting	With metal fitting
355	580-0329-5-99	FH29BJ-80S-0.2SHW(99)	580-0341-0-99	FH29DJ-80S-0.2SHW(99)	Without metal fitting	With metal fitting
356	580-0334-5-99	FH29BJ-90S-0.2SHW(99)	580-0340-8-99	FH29DJ-90S-0.2SHW(99)	Without metal fitting Halogen containing	With metal fitting Halogen free
357	580-0325-4-48	FH29BW-22S-0.2SHW(48)	-	-	-	-
358	580-0323-9-88	FH29BW-24S-0.2SHW(88)	-	-	-	-
359	580-0324-1-05	FH29BW-44S-0.2SHW(05)	580-0337-3-05	FH29DJ-44S-0.2SHW(05)	Without metal fitting	With metal fitting
360	580-1307-8-10	FH33-19S-0.5SH(10)	580-1332-5-10	FH33J-19S-0.5SH(10)	Halogen containing	Halogen free
361	580-1307-8-40	FH33-19S-0.5SH(40)	-	-	-	-
362	580-1313-0-10	FH33-4S-0.5SH(10)	580-1329-0-10	FH33J-4S-0.5SH(10)	Halogen containing	Halogen free
363	580-1324-7-40	FH33J-10S-0.5SH(40)	-	-	-	-
364	580-1331-2-99	FH33J-16S-0.5SH(99)	-	-	-	-
365	580-1332-5-10	FH33J-19S-0.5SH(10)	-	-	-	-
366	580-1332-5-48	FH33J-19S-0.5SH(48)	-	-	-	-
367	580-1332-5-99	FH33J-19S-0.5SH(99)	-	-	-	-
368	580-1325-0-40	FH33MHJ-65S-0.4SH(40)	-	-	-	-
369	580-1325-0-45	FH33MHJ-65S-0.4SH(45)	-	-	-	-
370	580-1321-9-10	FH33W-6S-0.5SH(10)	-	-	-	-
371	580-1321-9-48	FH33W-6S-0.5SH(48)	-	-	-	-
372	580-2915-9-44	FH35C-39S-0.3SHW(44)	-	-	-	-
373	580-2909-6-35	FH35C-45S-0.3SHW(35)	-	-	-	-
374	580-2903-0-25	FH35RW-21S-0.3SHW(25)	-	-	-	-
375	580-1618-8-50	FH36-15S-0.3SHW(50)	580-1623-8-50	FH36W-15S-0.3SHW(50)	Halogen containing	Halogen free
376	580-1619-0-50	FH36-25S-0.3SHW(50)	580-1610-6-50	FH36W-25S-0.3SHW(50)	Halogen containing	Halogen free
377	580-1615-0-50	FH36-33S-0.3SHW(50)	580-1622-5-50	FH36W-33S-0.3SHW(50)	Halogen containing	Halogen free
378	580-1604-3-10	FH36-35S-0.3SHW(10)	580-1604-3-50	FH36-35S-0.3SHW(50)	Contact with different shapes	Standard
379	580-1601-5-10	FH36-51S-0.3SHW(10)	580-1605-6-50	FH36W-51S-0.3SHW(50)	Halogen containing Contact with different shapes	Halogen free Standard
380	580-1601-5-50	FH36-51S-0.3SHW(50)	580-1605-6-50	FH36W-51S-0.3SHW(50)	Halogen containing	Halogen free
381	580-1600-2-50	FH36-61S-0.3SHW(50)	580-1611-9-50	FH36W-61S-0.3SHW(50)	Halogen containing	Halogen free
382	580-1610-6-99	FH36W-25S-0.3SHW(99)	-	-	-	-
383	580-1806-8-43	FH39-25S-0.3SHW(43)	-	-	-	-
384	580-1806-8-99	FH39-25S-0.3SHW(99)	-	-	-	-
385	580-1805-5-99	FH39-27S-0.3SHW(99)	-	-	-	-
386	580-1807-0-43	FH39-29S-0.3SHW(43)	-	-	-	-
387	580-1817-4-99	FH39J-23S-0.3SHW(99)	-	-	-	-
388	580-1819-0-99	FH39J-27S-0.3SHW(99)	-	-	-	-
389	580-1814-6-10	FH39J-33S-0.3SHW(10)	-	-	-	-
390	580-1814-6-99	FH39J-33S-0.3SHW(99)	-	-	-	-
391	580-2110-9-00	FH40-60(30)SB-1SV	-	-	-	-
392	580-2110-9-99	FH40-60(30)SB-1SV(99)	-	-	-	-
393	580-2112-4-99	FH40-80(40)SB-1SV(99)	-	-	-	-
394	580-2208-1-00	FH41-28S-0.5SH	-	-	-	-
395	580-2810-0-66	FH43B-21S-0.2SHW(66)	580-2208-1-05	FH41-28S-0.5SH(05)	Ground contact with different shape	Standard
396	580-2804-8-66	FH43B-25S-0.2SHW(66)	580-2822-0-10	FH43BW-21S-0.2SHW(10)	Halogen containing Metal fitting gold plating	Halogen free Metal fitting tin plating
397	580-2812-6-10	FH43B-45S-0.2SHW(10)	580-2830-0-10	FH43BW-25S-0.2SHW(10)	Halogen containing Metal fitting gold plating	Halogen free Metal fitting tin plating
398	580-2802-2-10	FH43B-81S-0.2SHW(10)	580-2815-4-10	FH43BW-45S-0.2SHW(10)	Halogen containing	Halogen free
399	580-2802-2-66	FH43B-81S-0.2SHW(66)	-	-	-	-
400	580-2816-7-88	FH43BW-61S-0.2SHW(88)	-	-	-	-
401	580-3323-5-71	FH52-12S-1SH(71)	-	-	-	-
402	580-3500-9-00	FH54-41S-0.2SHW	-	-	-	-
403	321-4453-2-01	FL-2LP41-1.5DW-A-T-350ARS	-	-	-	-
404	321-4453-2-02	FL-2LP41-1.5DW-A-T-500ARS	-	-	-	-
405	321-4453-2-03	FL-2LP41-1.5DW-A-T-600ARS	-	-	-	-
406	321-4453-2-04	FL-2LP41-1.5DW-A-T-650ARS	-	-	-	-
407	573-1009-1-00	FX12MB-80P-0.4SV	-	-	-	-
408	573-1010-0-00	FX12MB-80S-0.4SV	-	-	-	-
409	575-3212-9-00	FX16-31P-GND(A)	-	-	-	-
410	755-0004-7-20	GT5-1S-HU(20)	-	-	-	-
411	755-0014-0-72	GT5-21P-DS(72)	-	-	-	-
412	755-0045-4-35	GT5-2PP-HU(35)	755-0045-4-70	GT5-2PP-HU(70)	Packing unit: 500	Packing unit: 100 Ground terminal
413	755-0063-6-70	GT5-2PP-HU(A)(70)	755-0099-3-70	GT5-2PP-HU(C)(70)	PBT color: Brown, (A)	PBT color: Blue, (C)
414	755-0064-9-70	GT5-2PP-HU(B)(70)	755-0045-4-70	GT5-2PP-HU(70)	PBT color: Green, (B)	PBT color: Light Gray, (Standard)
415	757-0032-5-00	GT7RA-2022SC	-	-	-	-
416	763-0018-6-72	GT13SC-21PP-DS(72)	-	-	-	-
417	763-0013-2-30	GT13SC-2PP-DS(30)	-	-	-	-
418	763-0013-2-31	GT13SC-2PP-DS(31)	-	-	-	-
419	763-0013-2-72	GT13SC-2PP-DS(72)	-	-	-	-
420	763-0013-2-73	GT13SC-2PP-DS(73)	-	-	-	-
421	763-0074-7-00	GT13SH-11RS-HU	-	-	-	-
422	763-0075-0-00	GT13SH-11RS-R	-	-	-	-
423	321-4860-6-02	H.FL-2LP(A)-111-AC-(100)A	-	-	-	-
424	321-4860-6-03	H.FL-2LP(A)-111-AC-(150)A	-	-	-	-
425	321-1890-0-12	H.FL-2LP(A)-FH5B-A-(120)	-	-	-	-
426	321-1890-0-14	H.FL-2LP(A)-FH5B-A-(140)	321-2638-7-31	H.FL-2LP(A)-111-A-(140)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
427	321-1890-0-16	H.FL-2LP(A)-FH5B-A-(160)	321-2638-7-32	H.FL-2LP(A)-111-A-(160)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
428	321-1890-0-17	H.FL-2LP(A)-FH5B-A-(170)	321-2638-7-33	H.FL-2LP(A)-111-A-(170)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
429	321-1890-0-21	H.FL-2LP(A)-FH5B-A-(210)	-	-	-	-
430	321-1890-0-22	H.FL-2LP(A)-FH5B-A-(220)	321-2638-7-20	H.FL-2LP(A)-111-A-(220)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
431	321-1890-0-25	H.FL-2LP(A)-FH5B-A-(250)	321-2638-7-34	H.FL-2LP(A)-111-A-(250)	Cable: Made by Hitachi Metals (Black)	Cable: Made by Junkosha(Gray)
432	321-1388-6-19	H.FL-2LP-0733-A-(190)	321-0101-0-07	H.FL-2LP(A)-066N1-A-(190)	Cable: Made by Junkosha(Gray)	Cable: Made by Nissei Electric co., LTD.(Gray)
433	321-1567-5-27	H.FL-2LP-111-A-(170)	321-2638-7-33	H.FL-2LP(A)-111-A-(170)	Plug: 3 parts component	Plug: 2 parts component (Shell, Ferrule integrated structure)
434	321-1567-5-23	H.FL-2LP-111-A-(470)	-	-	-	-
435	321-2151-2-26	H.FL75-2LP-084H-A-190	321-5165-3-22	H.FL75-2LP-084N2-A-190	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
436	321-2151-2-23	H.FL75-2LP-084H-A-800	321-5165-3-13	H.FL75-2LP-084N2-A-800	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
437	321-2151-2-06	H.FL75-2LP-084H-A-90	321-5165-3-21	H.FL75-2LP-084N2-A-90	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
438	321-2149-0-08	H.FL75-2LP-084N-A-110	321-5165-3-04	H.FL75-2LP-084N2-A-110	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)
439	321-2149-0-01	H.FL75-2LP-084N-A-40	321-5165-3-20	H.FL75-2LP-084N2-A-40	Cable: Made by Hitachi Metals (Black)	Cable: Made by Nissei Electric co., LTD.(Black)

No.	Current product		Substitute product		Remarks			
	Product code	Product name	Product code	Product name	Current product	Substitute product		
553	333-0054-5-40	HRMM-202-1.5DQS(40)	We have no plan to sell substitute products.		-	-		
554	333-0053-2-40	HRMM-208-1.5DQS(40)	We're sorry to cause any inconvenience to you.		-	-		
555	333-0056-0-40	HRMM-208-1-C(40)	333-0056-0-41	HRMM-208-1-C(41)	Heat-shrinkable tubing: SUMITUBE A	Heat-shrinkable tubing: SUMITUBE F(Z)		
556	333-0022-9-40	HRMM-208-2(40)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
557	321-4280-6-03	HRMM-2LP-FCCAF1-L4-262RS			-	-		
558	333-0060-8-40	HRMM-300-26-2(40)			-	-		
559	333-0047-0-40	HRMM-400-11E-1(40)			-	-		
560	353-0120-2-50	HRMM-602A(50)			-	-		
561	333-0042-6-00	HRMM-A-JJ-1			-	-		
562	333-0040-0-00	HRMM-A-PJ			-	-		
563	321-4498-0-04	HRMM-LP-1.5DHV-A-1-140RS			-	-		
564	321-4498-0-02	HRMM-LP-1.5DHV-A-1-290RS			-	-		
565	321-4498-0-03	HRMM-LP-1.5DHV-A-1-300RS			-	-		
566	321-4279-7-02	HRMM-LP-DTR178-12-460RS	-	-				
567	323-0854-4-40	HRM-P200-1.5WBN(40)	323-0710-4-40	HRM-200-1.5WPBN-S(40)	Coupling: Brass	Coupling: Stainless steel		
568	323-0860-7-00	HRM-PJ100-2.19BG2	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
569	323-0861-0-00	HRM-PJ100-3.58BG2	323-0857-2-00	HRM-100-3.58PJBG2	Full length: 14.25mm	Full length: 13.98mm		
570	321-4077-2-01	HRMPJ1-PO62P-F0-LA1-225RS	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
571	321-4077-2-02	HRMPJ1-PO62P-F0-LA2-225RS			-	-		
572	321-5931-8-02	HRMP-PO51MJ-1.5W-A10-250B			-	-		
573	321-5931-8-03	HRMP-PO51MJ-1.5W-A11-250B			-	-		
574	321-5930-5-01	HRMP-PO51MJ-1.5W-A1-1300A			-	-		
575	321-5931-8-04	HRMP-PO51MJ-1.5W-A12-250B			-	-		
576	321-5931-8-05	HRMP-PO51MJ-1.5W-A13-250B			-	-		
577	321-5931-8-06	HRMP-PO51MJ-1.5W-A14-250B			-	-		
578	321-5931-8-07	HRMP-PO51MJ-1.5W-A15-250B			-	-		
579	321-5931-8-08	HRMP-PO51MJ-1.5W-A16-250B			-	-		
580	321-5166-6-01	HRMP-PO51MJ-1.5W-A1-780			-	-		
581	321-5930-5-02	HRMP-PO51MJ-1.5W-A2-1300A			-	-		
582	321-5166-6-02	HRMP-PO51MJ-1.5W-A2-780			-	-		
583	321-5930-5-03	HRMP-PO51MJ-1.5W-A3-1300A			-	-		
584	321-5166-6-03	HRMP-PO51MJ-1.5W-A3-780			-	-		
585	321-5930-5-04	HRMP-PO51MJ-1.5W-A4-1300A			-	-		
586	321-5930-5-05	HRMP-PO51MJ-1.5W-A5-1300A			-	-		
587	321-5930-5-06	HRMP-PO51MJ-1.5W-A6-1300A			-	-		
588	321-5930-5-07	HRMP-PO51MJ-1.5W-A7-1300A			-	-		
589	321-5931-8-01	HRMP-PO51MJ-1.5W-A9-250B			-	-		
590	321-5166-6-04	HRMP-PO51MJ-1.5W-B1-780			-	-		
591	321-5166-6-05	HRMP-PO51MJ-1.5W-B2-780			-	-		
592	321-5166-6-06	HRMP-PO51MJ-1.5W-B3-780			-	-		
593	321-4403-4-00	HRMP-SMPMJ-FCCA1-AT-60RS			We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
594	321-4482-0-03	HRMP-SMPMJ-FCCA1-AA185RS					-	-
595	321-4482-0-01	HRMP-SMPMJ-FCCA1-AA46RS					-	-
596	321-4482-0-02	HRMP-SMPMJ-FCCA1-AA65RS					-	-
597	353-0001-3-50	HRM-TM-025(50)					-	-
598	353-0015-8-50	HRM-TM-025-10(50)					-	-
599	353-0027-7-50	HRM-TM-025-11(50)					-	-
600	353-0013-2-50	HRM-TM-025-6(50)					-	-
601	353-0023-6-50	HRM-TM-025-9(50)					-	-
602	353-0080-0-40	HRM-TM-10-2(40)					-	-
603	704-0226-6-63	HSC2-PH3-B1(63)			-	-		
604	704-0227-9-63	HSC2-PH3-B2(63)			-	-		
605	821-0004-8-40	HSC2-TM-P1(40)			-	-		
606	550-0280-6-00	HT102/DF1BE-30P			-	-		
607	353-0112-4-00	HT-2-1			-	-		
608	640-1082-9-71	IC11S-BD-PEJL(71)			-	-		
609	640-1081-6-71	IC11S-BD-PEJR(71)			-	-		
610	640-1065-0-71	IC11S-BUR-PEJR(71)	-	-				
611	640-0026-2-72	IC1G-68PD-1.27DS-EJ-E(72)	-	-				
612	640-0032-5-72	IC1GA-68PD-1.27DS-EJ-E(72)	-	-				
613	641-2156-5-23	IT2-380PM1-17H(23)	-	-				
614	641-2155-2-23	IT2-380PS-17H(23)	-	-				
615	641-2255-7-03	IT2-380PS-26H(03)	-	-				
616	641-2001-9-03	IT2-380S-BGA(03)	641-2001-9-36	IT2-380S-BGA(36)	Soft tray, Gold plating: 0.76µm	Hard tray(Deoxygenated packing) + Included in suction cap + Gold plating: 0.2µm		
617	114-2026-6-75	JR16WR-10P(75)	114-2026-6-31	JR16WR-10P(31)	O ring: SIR	O ring: NBR		
618	301-0001-4-45	JUG-536/U(45)	301-0001-4-40	JUG-536/U(40)	Outer: Nickel plating	Outer: Silver plating		
619	588-0255-1-71	MA18A-44DA-2DSB(71)	621-0766-0-71	A3D-44DA-2DSE(71)	External dimensions(4X44x4.5), Lead length: 2.5mm	External dimensions(4X44x4.2), Lead length: 1.27mm		
620	588-0398-9-81	MA43D-44D-2DSL(81)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-		
621	589-0173-5-00	MCN43A-30P-2.54PFD			-	-		
622	312-0235-9-40	MCX-R-PF(40)			-	-		
623	243-0001-8-00	MD60-19P			-	-		
624	243-3001-4-00	MD60X-19P			-	-		
625	547-0040-0-32	MDF7-12S-2.54DSA(32)			-	-		
626	547-0139-5-57	MDF7-13S-2.54DSA(57)			-	-		
627	547-0146-0-55	MDF7-23S-2.54DSA(55)			-	-		
628	547-0146-0-56	MDF7-23S-2.54DSA(56)			-	-		
629	547-0147-3-56	MDF7-24S-2.54DSA(56)			-	-		
630	547-0421-3-01	MDF38-10P-2.54DSA(01)			-	-		
631	547-0422-6-01	MDF38-14P-2.54DSA(01)			-	-		
632	703-0083-4-51	MF44S-WRL03-1200(51)			-	-		
633	709-9006-0-20	MFL22-P1-FSL1-100M(20)			-	-		
634	709-9004-5-20	MFL22-P1-FSL1-30M(20)			-	-		
635	709-9005-8-20	MFL22-P1-FSL1-60M(20)			-	-		
636	703-1011-9-20	MFL22R1-CA-AM(20)			-	-		
637	703-1012-1-20	MFL22R1-CA-BM(20)			-	-		
638	703-1013-4-20	MFL22R1-CA-CM(20)			-	-		
639	703-1014-7-20	MFL22R1-CA-DM(20)			-	-		
640	703-1015-0-20	MFL22R1-CA-EM(20)			-	-		
641	703-1016-2-20	MFL22R1-CA-FM(20)			-	-		
642	230-0234-0-50	MJ-R-PC(50)			-	-		
643	364-0006-0-00	MK-6AT-TM-1			-	-		
644	337-0026-5-40	ML51-LR-1A(40)			-	-		
645	339-0014-9-40	MMCX-LP-FH5B-1(40)			339-0007-3-40	MMCX-LP-FH5B(40)	Height: 8.5mm	Height: 7mm
646	339-0015-1-40	MMCX-P-FCCA2F(40)			We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
647	325-0001-4-42	MP2.5CP(42)			325-0001-4-40	MP2.5CP(40)	Heat-shrinkable tubing: 20mm	Heat-shrinkable tubing: 15mm
648	325-0013-3-40	MP2.5CPJ-1(40)			325-0005-5-40	MP2.5CPJ(40)	Panel thickness: 3mm	Panel thickness: 1mm
649	206-2446-5-00	MQ212-10P			We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
650	206-2477-9-00	MQ212-10S					-	-
651	206-2506-5-00	MQ212B-10P					-	-
652	313-1102-7-40	MRF01-J-178(40)					-	-
653	311-0290-0-40	MRF01J-HRMJ(40)					-	-
654	311-0289-1-40	MRF01P-HRMJ(40)					-	-
655	313-1100-1-40	MRF01-PR-1(40)					-	-
656	313-1101-4-40	MRF01-R-1(40)					-	-
657	321-4152-6-01	MRF03-2X6P-SBCX75-600RS					-	-
658	313-0570-0-40	MRF1.6/5.6-LR-PC-2(40)					-	-
659	313-0535-9-40	MRF1.6/5.6-R-1(40)					-	-
660	350-5000-9-00	MS-138-C(P)-T-1	-	-				
661	358-0300-6-00	MS-151-15LP-1	-	-				
662	358-0301-9-00	MS-151-15P-1	-	-				
663	358-0284-1-00	MS-156-088LP-H3	-	-				
664	358-0287-0-00	MS-180-HRMJ-F3	-	-				
665	350-0003-0-00	MSS.UM(1.5)-T	-	-				

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
666	336-0034-7-01	N.UM-QP-1.5W(01)	336-0034-7-00	N.UM-QP-1.5W	Without heat-shrinkable tubing	Heat-shrinkable tubing available
667	336-0029-7-00	N.UM-QP-FCCAVG1	We have no plan to sell substitute products.		-	-
668	336-0025-6-40	N.UM-R-6(40)	We're sorry to cause any inconvenience to you.		-	-
669	336-0011-1-40	N.UM-R-PC(40)	336-0031-9-40	N.UM-R-PC-4(40)	Full length: 10.6mm	Full length: 9.8mm
670	301-0213-2-40	NC-R-26A-2(40)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
671	329-0023-2-40	NF-R-3(40)			-	-
672	329-0002-2-40	NF-WP-TVEFCX(40)			-	-
673	311-0295-4-40	NJ-E.FLJ-PA(40)			-	-
674	301-0259-3-40	N-PA-JP-1(40)			-	-
675	311-0299-5-40	NP-HRMJ-PA-1(40)			-	-
676	301-0333-4-00	N-PJ-085-1			-	-
677	301-0277-5-40	N-PJ-1.5DQS-1(40)			-	-
678	301-0331-9-00	N-PP-FCCA0-F3			-	-
679	301-0281-2-40	N-PR-9(40)			-	-
680	301-0278-8-41	N-R-40(41)			-	-
681	301-0278-8-43	N-R-40(43)			-	-
682	301-0279-0-40	N-R-41(40)			-	-
683	301-0300-5-40	N-R-47(40)			-	-
684	301-0299-8-40	N-R-48(40)			-	-
685	301-0242-0-40	N-WLBPJ-1.5DV-1(40)			-	-
686	301-0274-7-40	N-WPJ-1.5DWH-1(40)			-	-
687	301-0311-1-40	N-WPJ-FHSBH(40)			-	-
688	234-0097-6-50	NX60TB-15SAA9-SP(50)			-	-
689	334-0061-7-40	PLT1-R-3(40)			-	-
690	312-0279-4-00	PO(ST)-LPP-085BF(4.8)-1			-	-
691	312-0263-4-00	PO(ST)-LPP-085F(4.8)N-1			-	-
692	312-0265-0-00	PO(ST)-LPP-1.5DW(4.8)N-1			-	-
693	312-0215-1-40	PO(ST)-PJ-085(16.6)(40)			-	-
694	312-0221-4-40	PO(ST)-PJ-085(16.6)A(40)			-	-
695	312-0238-7-40	PO(ST)-PJ-085(16.6)N(40)			-	-
696	312-0261-9-00	PO(ST)-PJ-085(16.6)N-1			-	-
697	312-0229-6-40	PO(ST)-PJ-085(16.8)A(40)			-	-
698	312-0242-4-40	PO(ST)-PJ-085(16.8)N(40)	-	-		
699	312-0264-7-00	PO(ST)-PJ-085F(19.1)F	-	-		
700	312-0216-4-40	PO(ST)-PJ-141(16.6)(40)	-	-		
701	312-0156-4-40	PO(ST)-PR(40)	-	-		
702	312-0240-9-40	PO(ST)-R-(16.8)N(40)	-	-		
703	312-0228-3-40	PO(ST)-R-2(16.8)(40)	-	-		
704	312-0241-1-40	PO(ST)-R-2(16.8)N(40)	-	-		
705	312-0224-2-40	PO(ST)-R4-(16.8)(40)	-	-		
706	312-0226-8-40	PO(ST)-R4-(16.8)-1(40)	-	-		
707	312-0225-5-40	PO(ST)-R4-1(16.8)(40)	-	-		
708	312-0258-4-00	PO(ST)-R-7(16.6)N	-	-		
709	312-0272-5-00	PO(ST)-R-9(13.2)	-	-		
710	350-0054-0-00	PO113-T-1	-	-		
711	312-0203-2-00	PO5G-CONTACT/F2.5	-	-		
712	312-0200-4-41	PO5G-J-1.5DHQS(41)	312-0200-4-40	PO5G-J-1.5DHQS(40)	Packing unit: 100	Packing unit: 1
713	321-4781-1-00	PO6-2LP-196/U-AC-M1-360RS	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
714	321-4777-4-00	PO6-2LP-196/U-A-M1-125RS			-	-
715	321-4778-7-00	PO6-2LP-196/U-A-M2-320RS			-	-
716	321-4281-9-00	PO6LP-PO51MEP-1.5EW-335RS			-	-
717	321-4282-1-00	PO6LP-PO51MP-1.5EW-307RS			-	-
718	321-4375-0-01	PO6-P-196/U-AA-800ARS			-	-
719	330-0431-9-40	PO21-J-FCCAF2(40)			-	-
720	330-0435-0-40	PO21-LP-178-1(40)			-	-
721	330-0440-0-40	PO21-LP-178-2(40)			-	-
722	330-0410-9-40	PO21-LR-2.1PC-1(40)			-	-
723	330-0420-2-40	PO21-LR-2.1PC-2(40)			-	-
724	330-0413-7-40	PO21-LR-2.5PC-1A(40)			-	-
725	330-0423-0-40	PO21-LR-2.5PC-2A(40)			-	-
726	330-0430-6-40	PO21-P-178(40)			-	-
727	330-0206-2-42	PO51-3P-PA(42)			-	-
728	330-0209-0-41	PO51-3TMP-PA(41)			-	-
729	311-0251-9-40	PO51EP-H.FLJ(40)			-	-
730	330-0216-6-40	PO51E-TMP-50-025(40)			-	-
731	330-0025-8-40	PO51-J-1.5DQS(40)			-	-
732	330-0268-0-40	PO51ME-BR-PC(40)			-	-
733	330-0268-0-41	PO51ME-BR-PC(41)			-	-
734	330-0455-7-40	PO51M-J-FHSB(40)			-	-
735	330-0456-0-40	PO51M-P-FHSB(40)			-	-
736	330-0208-8-40	PO51-TMP-50-050(40)			-	-
737	312-0075-4-40	PO53-PR-PC(40)			-	-
738	312-0074-1-40	PO53-R-PC(40)			-	-
739	350-0136-3-00	PO62A-T-1			-	-
740	330-0446-6-40	PO62-J-085(40)			-	-
741	330-0447-9-40	PO62-P-2.DGXC(40)	-	-		
742	330-0459-8-00	PO62-P-2.5DQS(3.8)	-	-		
743	330-0247-0-40	PO62-P-358T(40)	-	-		
744	330-0121-1-40	PO71-J-1.5(40)	-	-		
745	330-0101-4-40	PO71-P-1.5(40)	-	-		
746	350-0036-9-00	PO71-T-1	-	-		
747	330-0162-9-40	PO72-LP-1.5C-A(40)	-	-		
748	330-0169-5-40	PO72-LR-PC-A(40)	330-0166-0-40	PO72-LR-PC-1(40)	Height: 11.65mm	Height: 10mm
749	330-0169-8-40	PO72-PR-PC-A(40)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
750	312-0146-0-40	PO73D-J-0.8DW(40)			-	-
751	312-0136-7-40	PO73D-J-1.5DW(40)			-	-
752	312-0175-9-40	PO73D-P-1.5DW(40)			-	-
753	312-0128-1-40	PO73-P-1.5CV(40)			-	-
754	312-0113-1-40	PO73-P-2.5CV(40)			-	-
755	312-0181-1-41	PO73-P-3CT-S(41)			-	-
756	312-0130-0-40	PO73-P-3CV(40)			-	-
757	312-0111-6-41	PO73-P-3CV(41)			-	-
758	326-0137-2-41	POB-BR-PC(41)			-	-
759	326-0112-1-41	POB-P-1.5DW(41)	326-0112-1-42	POB-P-1.5DW(42)	Heat-shrinkable tubing: Gray	Heat-shrinkable tubing: Black
760	326-0100-2-41	POB-P-2.5DW(41)	We have no plan to sell substitute products. We're sorry to cause any inconvenience to you.		-	-
761	326-0002-3-40	POB-P-85(40)			-	-
762	326-0089-1-40	POB-PP-141(40)			-	-
763	326-0099-5-40	POB-PP-85(40)			-	-
764	326-0126-6-41	POB-PP-MSF219-F(41)			-	-
765	326-0136-0-41	POB-R-30(41)			-	-
766	350-0055-3-00	POD3-T-1			-	-
767	327-0205-7-00	POD-LJ-1.5DW-1			-	-
768	327-0005-8-40	POD-LJ-160D(40)			-	-
769	327-0192-7-40	POD-LJ-85(40)			-	-
770	327-0202-9-40	POD-LPR-PC(40)			-	-
771	327-0097-6-40	POD-P-85A(40)			-	-
772	327-0100-9-40	POD-P-DGM010(40)			-	-
773	327-0199-6-40	POD-PJ-0733(40)			-	-
774	350-0025-2-00	POD-T-2			-	-
775	321-4075-7-00	POSTN-POBM-358T-PLA-FT7			-	-
776	321-4076-0-00	POSTN-POBM-358T-PLA-FT8			-	-
777	321-4075-7-01	POSTN-POBM-358T-PLB-FT7			-	-
778	321-4076-0-01	POSTN-POBM-358T-PLB-FT8			-	-
779	321-4075-7-02	POSTN-POBM-358T-PLC-FT7	-	-		
780	321-4076-0-02	POSTN-POBM-358T-PLC-FT8	-	-		
781	321-4065-3-01	POSTN-POBM-FCO-PLA1-207RS	-	-		
782	211-5153-9-57	RDAD-15SE1-PLC(L)(57)	-	-		

No.	Current product		Substitute product		Remarks	
	Product code	Product name	Product code	Product name	Current product	Substitute product
783	211-5302-7-50	RDEG1-9SE1-LNA(4-40)W2(50)			-	-
784	109-0745-6-72	RM15QPN-8PB(72)			-	-
785	109-0364-2-71	RM31TP-55P(71)			-	-
786	350-0044-7-00	S.FL2-T-1			-	-
787	305-0128-0-40	S-1.5DHQSPL(40)			-	-
788	305-0125-2-40	S-10DSFAP(40)			-	-
789	305-0127-8-40	S-5DSFAPL(40)			-	-
790	305-0148-8-00	S-BPJ-SF085			-	-
791	311-0054-8-40	SJ-BNCJ(40)			-	-
792	311-0060-0-40	SJ-BNCP(40)			-	-
793	703-0096-6-00	SL22S-F1A124-BB			-	-
794	305-0144-7-00	S-LBPJ-085-3			-	-
795	323-0833-4-40	SMA(R)-BPJ-088-2(40)			-	-
796	321-4481-8-04	SMPM-2J-FCCAF1-AA-135RS			-	-
797	321-4481-8-01	SMPM-2J-FCCAF1-AA-37RS			-	-
798	321-4481-8-02	SMPM-2J-FCCAF1-AA-40RS			-	-
799	321-4481-8-05	SMPM-2J-FCCAF1-AA-46RS			-	-
800	321-4481-8-06	SMPM-2J-FCCAF1-AA-50RS			-	-
801	321-4481-8-03	SMPM-2J-FCCAF1-AA-87RS			-	-
802	338-0503-9-00	SMPM-A-JJ-1270			-	-
803	338-0507-0-00	SMPM-J-FCCA2			-	-
804	305-0131-5-40	S-PJ-2.4DGXG(40)			-	-
805	305-0146-2-00	S-PJ-2.5DQS(3.8)			-	-
806	321-4052-1-01	SPJ2-PO62P-FC0-LA1-240RS			-	-
807	321-4052-1-02	SPJ2-PO62P-FC0-LA2-240RS			-	-
808	321-4396-0-00	SPJ-PO62P-2.5DHQS-130RS			-	-
809	305-0147-5-00	S-PJ-SF085			-	-
810	305-0151-2-00	S-PJ-SF085-1			-	-
811	312-0106-6-40	SPO1-P-1.5W(40)			-	-
812	312-0084-5-40	SPO1-PR-50(40)			-	-
813	312-0087-3-40	SPO1-R-50(40)			-	-
814	312-0018-0-40	SPO-P-75(40)			-	-
815	312-0007-4-40	SPO-R-75(40)			-	-
816	305-0122-4-40	S-R-30(40)			-	-
817	305-0130-2-40	S-R-35(40)			-	-
818	103-0415-3-00	SR40-14RD-32S			-	-
819	305-0137-1-00	S-WPJ-SF047			-	-
820	222-2967-7-00	TM25RS-5CNA-88			-	-
821	311-0361-7-40	TNC(R)J-U.FLJ-PA(40)			-	-
822	313-0573-8-40	TNC(R)-PJ-088-1(40)			-	-
823	311-0277-2-40	TNCJ-H.FLJ-BPA(40)			-	-
824	313-0382-0-41	TNC-P-1.5CR(41)	313-0400-0-40	TNC-P-1.5CR-1(40)	Connection tool: HT303/UM.MSS-T-1	Connection tool: HT303/HRM-T-4
825	313-0567-5-40	TNC-WPJ-141-1(40)			-	-
826	313-0568-8-40	TNC-WPJ-85-1(40)			-	-
827	313-0569-0-40	TNC-WPJ-FHSBH(40)			-	-
828	313-0228-0-40	TWT2-P-4(40)			-	-
829	321-5803-8-00	UFL-2LPVHF04N1TV-A73LHW			-	-
830	301-0003-0-46	UG-21D/U(46)	301-0003-0-47	UG-21D/U(47)	With cover, Outer: Shilver plating, Center: Shilver plating	No cover, Outer: Nickel plating Center: Gold plating
831	302-0001-0-56	UG-88/U(56)	302-0001-0-41	UG-88/U(41)	With cover, Outer: Shilver plating	No cover, Outer: Nickel plating
832	302-0034-0-43	UG-89/U(43)	302-0034-0-41	UG-89/U(41)	Contact: Shilver plating	Contact: Gold plating
833	318-0221-2-40	UM-LR-PC-2B(40)	318-0033-2-40	UM-LR-PC(41)	Dip post: 5.08mm	Dip post: 6mm
834	318-0115-5-42	UM-QP-2.5WCR3(42)	318-0115-5-41	UM-QP-2.5WCR3(41)	P shell gold plating	P shell nickel plating
835	318-0220-0-41	UM-QPJ-FHSB-1(41)	318-0220-0-40	UM-QPJ-FHSB-1(40)	Packing unit: 100	Packing unit: 1
836	318-0066-1-40	UM-QR-8(40)			-	-
837	321-5363-7-30	W.FL-2LPHF6-04N1TV-A-130			-	-
838	321-5404-2-29	W.FL-2LPHF6-04N2TV-A-72			-	-
839	331-0342-7-00	W.FL2-R-4			-	-
840	321-1895-4-01	XPI-2J-85-(115)			-	-
841	335-0027-5-40	XPI-J-85(40)			-	-
842	335-0022-1-00	XPI-P-19			-	-
843	335-0063-9-00	XPI-P-22			-	-
844	335-0043-1-00	XPI-P-2-3A-1			-	-
845	335-0007-8-00	XPI-P-2-3C(02)			-	-
846	335-0048-5-00	XPI-P-2-3C-1			-	-
847	335-0047-2-00	XPI-P-2-4A-1			-	-
848	335-0004-0-00	XPI-P-2-4C			-	-
849	335-0049-8-00	XPI-P-2-4C-1			-	-
850	353-0118-0-00	XPI-TM-025-10			-	-
851	353-0113-7-50	XPI-TM-025-4(50)			-	-
852	353-0115-2-00	XPI-TM-025-6			-	-
853	353-0116-5-00	XPI-TM-025-7			-	-
854	242-0073-2-00	ZX62WMD2-B-5PC			-	-

Acknowledgement

(Customer → Hirose Electric business representative)

Product Change Notification
Request for Your Acknowledgement

We acknowledge the changes and schedule of this notification.

Customer's name: _____

Acknowledgement stamp (or signature): _____

HIROSE ELECTRIC CO., LTD.

(Cut on this line)

Document Receipt

(Customer → Hirose Electric business representative)

Product Change Notification
Request for Your Acknowledgement

We received the document concerning the above.

Customer's name: _____

Acknowledgment stamp (or signature): _____

HIROSE ELECTRIC CO., LTD.