

## Building management system - NC4-500-SMA-1YR - 2404208

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Maintenance license (1 year) for the EAnalytics Controller license NC4-500

### Key Commercial Data

|                      |                                |
|----------------------|--------------------------------|
| Packing unit         | 1 pc                           |
| GTIN                 |                                |
| GTIN                 | 4055626352701                  |
| Custom tariff number | 49119900                       |
| Country of origin    | United States                  |
| Note                 | Made to Order (non-returnable) |

### Technical data

#### License information

|                               |                     |
|-------------------------------|---------------------|
| Type of software              | Embedded            |
| Intended use for the software | Automation          |
|                               | Engineering         |
| Type of license               | Maintenance license |
| License duration              | 1 Jahr              |

#### Functions

|                       |                  |
|-----------------------|------------------|
| Integrated function   | Analysis         |
|                       | Data acquisition |
|                       | Diagnostics      |
|                       | Startup          |
|                       | Communication    |
|                       | Configuration    |
|                       | Configuration    |
| Supported controllers | ILC 2050 BI      |

# Building management system - NC4-500-SMA-1YR - 2404208

## Technical data

### Functions

|                                  |     |
|----------------------------------|-----|
| Number of data points (embedded) | 500 |
|----------------------------------|-----|

### Hardware requirements

|            |   |
|------------|---|
| Hard disk  | min. 4 GByte (more recommended depending on the archiving requirements) |
| RAM        | min. 1 GByte  |
| Interfaces | 1 x Ethernet (10/100 Mbps), RJ45  |

### Software requirements

|                  |                                  |
|------------------|----------------------------------|
| Operating system | Windows® 10                      |
|                  | Windows® 8.1 Enterprise (64-Bit) |
|                  | Windows® Server 2012 Standard    |
|                  | Windows® Server 2012 R2 Standard |

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27242590 |
| eCl@ss 4.0    | 27248002 |
| eCl@ss 4.1    | 27248002 |
| eCl@ss 5.0    | 27242502 |
| eCl@ss 5.1    | 27242590 |
| eCl@ss 6.0    | 27242500 |
| eCl@ss 7.0    | 27242590 |
| eCl@ss 8.0    | 27242590 |
| eCl@ss 9.0    | 27242590 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001416 |
| ETIM 3.0 | EC001416 |
| ETIM 4.0 | EC001435 |
| ETIM 5.0 | EC001435 |
| ETIM 6.0 | EC001435 |
| ETIM 7.0 | EC001435 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 43163005 |
| UNSPSC 7.0901 | 43232404 |
| UNSPSC 11     | 43163005 |
| UNSPSC 12.01  | 43232404 |
| UNSPSC 13.2   | 43232404 |
| UNSPSC 18.0   | 43233603 |

## Building management system - NC4-500-SMA-1YR - 2404208

### Classifications

#### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 19.0 | 43233603 |
| UNSPSC 20.0 | 43233603 |
| UNSPSC 21.0 | 43233603 |

### Accessories

#### Accessories

#### Controller

#### Controller - ILC 2050 BI - 2403160



The modular Inline controller for automation applications in buildings, infrastructure, and energy for connection with standard automation technology with the Internet of Things (IoT). The controller makes it possible to implement complex systems efficiently.

Licenses for use in production systems are available separately.