ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES ®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level	parts, the	declaration	n encor	mpasses all	lower level	materials fo	or which	ne item is an assembly the manufacturer has declaration.
1752-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x							Form Type * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogeneous Mat				Materia	ls and Mfg Informat		
Supplier Information														
Company Name *		Company Unique ID		Unique ID Au	uthority	Resp	Response Date *			Response Document ID				
Alpha Wire Company							2012-06-27							
Contact Name * Title - Contact			Phone - Contact *		Email - Contact *			D. m.li	C	4 · A.,44		langa antati ya		
Dave Watson Director of Engineering 8			ng & QA	908/587-4046		dwatson@alphawire.com			Duplicate Contact -> Authorized Representative					
Authorized Representative * Title - Representative			е	Phone - Representative *		Email - Representative *			Supplier Comments or URL for Additional Information					
Dave Watson Director of Engineering & QA			ing & QA	908/587-4046		dwatson@alphawire.com			m					
Requester Item Number Mfr Ite		Mfr Item Number		Mfr Item Name		Effective Date V		Version	sion Manufacturii		Weigh	t *	IOM	Unit Type
5859/12		5859/12		12 AWG Type E Hook-UP		2005-03-01			2800		33.19	g		Meter
Alternate Recommenda	ation					Alterna		Alternate	Item Co	tem Comments				
Manufacturing Proces	ss In	formation												
Terminal Plating / Grid Array Material Terminal B			Base Alloy J-STD-020 MSL R		ating Peak Process Body T		Temper	emperature Max Time		at Peak Temperature		Number of Reflow Cycles		
Silver (Ag) - electroplated Not App			Not Applicable				2	200 C		seconds		Not A	Not Applicable	
Comments			<u> </u>		1		ı			I			1	
This declaration covers	all co	lors and put-ups of	this item											

Save the fields in this form to a file	Export Data	Import fields from a file into this form	rt Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					inated Biphenyls (PBB),
ate that Supplier completes t upplier may have relied on ir upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	is form concerning RoHS restrictive substanthat Company will rely on this certification in ompleting this form, and that Supplier may no certifications regarding their contributions to ad conditions of that agreement, including an provides in this form.	determining the co ot have independe the part, and those	ompliance of its products with ntly verified such information e certifications are at least as	European Union member state However, in situations where S comprehensive as the certificati	laws that implement the RoHS Dire supplier has not independently verifi on in this paragraph. If the Compar	ctive. Company acknowledges that ed information provided by others, ny and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definitio	n above			Supplier Acceptance * Acc	epted
Exemptions: If the dec bove and choose all ap		RoHS restricted substances per th	ne definition abo	ove except for defined	RoHS exemptions, then so	elect the corresponding resp	onse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Compl	ete all of the required fie	lds on all pages of this form. So	elect the "Acc	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the s	gnature area. Digitally sign

Declaration Signature								
Instructions: Complete all of the required fields on all pages of this form.	Select the "							

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

* Required Field

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	WAIGHT	Unit of		Level	Substance Category		Substance	CAS	Evemnt	WAIGHT	Unit of Measure	Tolerance		PPM
	Name		Material	Troigin	Measure		Levei	oubstance oategory		Cubstance	OAO	Lxempt			-	+	
+1 -1	5859/12	+M -M	Conductor Silve	27.98	g	+C -C	Supplier		+S -S	Copper	7440-50-8		27.45	g			
	_								+S -S	Silver	7440-22-4		0.53	g			
		+M -M	Insulation	5.21	g	+C -C	Supplier		+S -S	PTFE Teflon	9002-84-0		5.21	g			