

# DIN rail, unperforated - NS 35/15 AL UNPERF 1000MM - 1207663


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



DIN rail, unperforated, Standard profile, width: 35 mm, height: 15 mm, similar to EN 60715, material: Aluminum, uncoated, length: 1000 mm, color: silver

RoHS

## Key Commercial Data

Packing unit	20 pc
Minimum order quantity	20 pc
GTIN	 4 046356 366618
GTIN	4046356366618
Weight per Piece (excluding packing)	337.420 g
Custom tariff number	76042990
Country of origin	Austria
Note	Made to Order (non-returnable)

## Technical data

### Dimensions

Height	15 mm
Length	1000 mm
Width	35 mm
Hole width	0.00 mm
Hole height	0.00 mm
Drill hole spacing	0.00 mm

### General

Material	Aluminum
Coating	uncoated
Color	silver
Max. permissible thermal nominal current for PEN function	192.00 A

## Standards and Regulations

# DIN rail, unperforated - NS 35/15 AL UNPERF 1000MM - 1207663

## Technical data

### Standards and Regulations


Test standard	similar to EN 60715
---------------	---------------------

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

Dimensional drawing



## Classifications

eCl@ss

eCl@ss 4.0	27110800
eCl@ss 4.1	27110800
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27400600
eCl@ss 7.0	27400602

## DIN rail, unperforated - NS 35/15 AL UNPERF 1000MM - 1207663

### Classifications

#### eCl@ss

eCl@ss 8.0	27400602
eCl@ss 9.0	27400602

#### ETIM

ETIM 3.0	EC001285
ETIM 4.0	EC000212
ETIM 5.0	EC000212
ETIM 6.0	EC001285
ETIM 7.0	EC001285

#### UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708
UNSPSC 18.0	39121708
UNSPSC 19.0	39121708
UNSPSC 20.0	39121708
UNSPSC 21.0	39121708