

RFID device - RFMARK HF - 5148010

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Handheld device for reading and writing of RFID HF transponders

Your advantages

- Maintenance-free operation



Key Commercial Data

Packing unit	1 pc
GTIN	4 046356 955416
GTIN	4046356955416
Weight per Piece (excluding packing)	701.850 g
Custom tariff number	84713000
Country of origin	Finland
Note	Made to Order (non-returnable)

Technical data

General

Weight	0.55 kg
Read/write format	max. 0.1 m
Memory	256 MB DDR RAM
Display	3.5" color touch screen

Dimensions

Length	250 mm
Height	45 mm
Width	90 mm



RFID device - RFMARK HF - 5148010

Technical data

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 4.0	27330200
eCl@ss 4.1	27330200
eCl@ss 5.0	27330200
eciwss 3.0	27330200
eCl@ss 5.1	27330200
eoi@ss J. i	27330200
eCl@ss 6.0	27242300
eoi@ss 0.0	27242300
eCl@ss 7.0	27242303
CO10233 1.0	21242300
eCl@ss 8.0	27242303
00/0000 0.0	2,2,200
eCl@ss 9.0	27330202
001@33 0.0	27000202

ETIM

ETIM 4.0	EC001427
ETIM 5.0	EC001427
ETIM 6.0	EC001427
ETIM 7.0	EC001427

UNSPSC

UNSPSC 13.2	43211712
UNSPSC 18.0	43211712
UNSPSC 19.0	43211712
UNSPSC 20.0	43211712
UNSPSC 21.0	43211712

Accessories

Accessories

RFID device

Battery - RFMARK HF/ACCU - 5148015



Lithium-ion battery with capacity of 2600 mAh at 7.4 V



RFID device - RFMARK HF - 5148010

Accessories

Accessories - RFMARK HF PROTECTION CASE - 5148017



Protective bag with strap for protection against water (touch screen not available)

Tool box

Tool bag, unequipped - RFMARK HF/BELTPOUCH - 5148018



Belt pouch, touch screen can be operated

Charger - RFMARK HF POWER LINK STATION - 5148013



Charging and data exchange station with replacement battery. The link station includes a connection for USB 2.0 and Ethernet, a charger, a power supply unit, and a mains cable (EU/UK).

Phoenix Contact 2020 @ - all rights reserved http://www.phoenixcontact.com