

Antenna splitter - RAD-ISM-2400-SPL-4-SMA - 2867856

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



4-way distributor for antenna signals (antenna splitter), connection SMA (female) on the 4 upper ends and SMA (male) on the lower end

Product Description

Article RAD-ISM-2400-SPL-4-SMA is a 4 way distributor for antenna signals (antenna splitter). Each of the four branches has an attenuation of 6 dB. This article comprises further accessory parts: An adapter from N (male) to SMA (female) and two 50 Ohm terminating resistors that must be screwed to the unoccupied branches of the splitter.

Your advantages

- For connecting multiple antennas to one transmitter
- For connecting multiple receivers to one antenna



Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4017918984939
Weight per Piece (excluding packing)	50.100 g
Custom tariff number	85366910
Country of origin	Switzerland
Note	Made to Order (non-returnable)

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Degree of protection	IP20

General

Mounting position	male connector/female connector
-------------------	---------------------------------

Environmental Product Compliance

Antenna splitter - RAD-ISM-2400-SPL-4-SMA - 2867856


Technical data

Environmental Product Compliance

	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Functional drawing



Reception via a central antenna

Classifications

eCl@ss

eCl@ss 4.0	27060800
eCl@ss 4.1	27060800
eCl@ss 5.0	19070400
eCl@ss 5.1	19070400
eCl@ss 6.0	19070400
eCl@ss 7.0	19070402
eCl@ss 8.0	19070402
eCl@ss 9.0	19070402

ETIM

ETIM 2.0	EC000019
ETIM 3.0	EC000019

Antenna splitter - RAD-ISM-2400-SPL-4-SMA - 2867856

Classifications

ETIM

ETIM 4.0	EC000019
ETIM 5.0	EC000421
ETIM 6.0	EC000421
ETIM 7.0	EC000421

UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608
UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121608