

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

USB-C Multiport Adapter, DVI, USB-A Port, Gbe and PD Charging, Black

MODEL NUMBER: U444-06N-DGUB-C







Adds DVI, USB-A, USB-C PD charging and Gigabit Ethernet ports to your tablet, laptop, notebook, smartphone or PC.

Features

Mini Docking Station Turns Your Device's USB-C or Thunderbolt 3 Port into a Multiport

Workstation This USB Type-C to DVI adapter expands the potential of your tablet, laptop, Chromebook, MacBook, smartphone or PC's USB-C or Thunderbolt 3 port. It's ideal for transmitting video to a large display, adding a thumb drive or other USB peripheral, powering and charging a PD Charging-compliant mobile device, and connecting to a Gigabit Ethernet network—all at the same time.

Supports USB DisplayPort Alternate Mode for Transmitting DisplayPort and USB Signals With a source device that also supports USB DisplayPort Alt Mode, you can extend video from your primary display to another, duplicate the same video on both displays, or change the second display to your primary.

Transmits Crystal-Clear 1080p Video to a DVI DisplayTo send high-definition video to a DVI television, projector or monitor, connect the DVI port to the display using an DVI cable (sold separately). The DVI port supports HD video resolutions up to 1920 x 1080 (1080p) at 60 Hz.

Connects a USB PeripheralThe USB-A port accepts USB peripherals, such as a flash drive, mouse, keyboard or printer. It supports fast USB 3.1 Gen 1 data transfer rates up to 5 Gbps and is backward compatible with USB 2.0 and USB 1.1 devices. This dedicated port provides up to 1.5A of fast-charging power to mobile devices.

Charges a Connected DeviceThe USB-C Power Delivery (PD) port provides power and charging to the PD Charging-compliant device (such as a MacBook, Chromebook or Android smartphone) the U444-06N-DGUB-C is connected to. Connect the device's AC wall charger to the USB-C PD port, which supports power input up to 20V 3A (60W).

Accesses a Wired Gigabit Ethernet Network The RJ45 port offers access to a Gigabit Ethernet network when no Wi-Fi is available or when a wired connection offers faster speeds. Connect using a UTP cable (sold separately), and enjoy true 10/100/1000 Mbps Ethernet speeds for fast data transfers.

Built-In USB-C Cable Connects in Either DirectionConnect the reversible USB-C plug to your source device's USB-C or Thunderbolt 3 port. The fumble-free USB-C plug connects in either direction to ensure fast, easy connection every time.

Ready to Use Right Out of the PackageThe plug-and-play Thunderbolt 3 to DVI adapter requires no software, drivers or external power. The compact unit fits easily into a pocket, briefcase or laptop bag for connecting on the go.

3-Year Warranty and Environmentally Responsible DesignThe U444-06N-DGUB-C comes with a 3-year warranty. It's manufactured in compliance with strict RoHS specifications, reflecting Tripp Lite's commitment to environmental responsibility.

Highlights

- Transmits DisplayPort signals from sources supporting USB DisplayPort Alt Mode
- Delivers HD picture quality at resolutions up to 1920 x 1080 (1080p) @ 60 Hz
- Connects you to a wired
 Ethernet network when no Wi-Fi is available
- BC 1.2-compliant USB-A port provides up to 1.5A of fastcharging power
- Powers and charges PD Charging-compliant devices, such as MacBooks and Chromebooks
- Easy installation with plug-andplay operation—no software required

Applications

- Play 1080p video from your laptop or PC on a DVI display
- Access a wired Ethernet network in a location with no or spotty Wi-Fi
- Transfer data from a USB flash drive or connect your computer to a USB printer or other USB device
- Charge your connected notebook or laptop by connecting its wall charger to the USB-C PD Charging port

System Requirements

 Source device with USB-C or Thunderbolt 3 port that supports



USB DisplayPort Alternate Mode

 Display device with DVI input (DVI port)

Package Includes

- U444-06N-DGUB-C USB-C to DVI Adapter with USB-A Hub, Gigabit Ethernet, Thunderbolt 3, 1080p—PD Charging, Black
- Owner's manual

Specifications

OVERVIEW		
UPC Code	037332209122	
OUTPUT		
Charging Ports / Amps	1.5A; 3A	
Charging Watts	60	
INPUT		
Bus Powered	Yes	
Product Length (in.)	6	
Product Length (cm.)	15.24	
Product Length (ft.)	0.5	
Product Length (m.)	0.15	
BATTERY		
Battery Charging (1.2 Port)	Yes	
PHYSICAL		
Cable Jacket Rating	VW-1	
Color	Black	
Material of Construction	PVC and ABS	
Shipping Dimensions (hwd / in.)	0.90 x 3.90 x 5.50	
Shipping Weight (lbs.)	0.20	



nit Dimensions (hwd / in.) 0.	
	0.65 x 3.8 x 1.6
nit Packaging Type Bo	3ox
nit Weight (kg) 0.	0.04
nit Weight (lbs.) 0.	0.09
ENVIRONMENTAL	
operating Temperature Range 32	2 to 113 F (0 to 45 C)
torage Temperature Range 14	4 to 158 F (-10 to 70 C)
TUs 8.	3.3 BTU/Hr
ower Consumption (Watts) 2.	4
perating Humidity Range 10	0% to 85% RH, Non-Condensing
torage Humidity Range 59	% to 90% RH, Non-Condensing
ower Provided to Connected 51 bevice(s)	V 0.9A (4.5W) Output (USB-A), Up to 20V 3A (60W) Input (USB-C)
OMMUNICATIONS	
letwork Speed 10	Gbps
EEE Standards Supported 80	02.3; 802.3u; 802.3az; 802.3x
ONNECTIONS	
orts 4	
ide A - Connector 1	JSB C (MALE)
	DVI-I DUAL-LINK (FEMALE) (WIRED TO DVI-D SINGLE-LINK)
	JSB 3.0 A (FEMALE)
	RJ45 (FEMALE)
ide B - Connector 4 U	JSB Type-C (FEMALE)
connector Plating Ni	lickel
FEATURES & SPECIFICATIONS	
lax Supported Video Resolution D'	DVI: 1920 X 1080 (1080P) @ 60HZ
DCP Specification 1.	.3
SB Specification U	JSB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)
river Required No	lo
ecommended Category Cable Ca	Cat5/Cat5e/Cat6 Cables
SB Power Delivery (PD) Charging Ye	/es
uto MDIX Support Ye	/es
ull Duplex Support Ye	/es



Suspend Mode Support	Yes	
Remote Wakeup Support	Yes	
Technology	Cat5/5e; Cat6; USB 3.1 (Gen 1); DVI; USB; PD Charging	
USB Power Delivery (PD) Charging Specification	2.0	
CERTIFICATIONS		
Certifications	Tested to CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies