VIDEK

Display Port AdaptersDisplayPort to VGA Converter

Part No: 2409EV

The range of adaptors and cables support the link from a PC featuring the DisplayPort interface to either HDMI, DVI or VGA type connectors. The VGA adapters features additional conversion from Analogue to Digital signals.

Specification

• Input Output
DisplayPort M VGA F

Max 1920x1200 Max 1920x1200

Operating Frequency

Vertical Frequency Range 50/60Hz

162Mhz

Bandwidth 225MHz/2.25 Gbps

/channel

Physical

Size (LxWxD) 45 x 45 x 15mm

Weight (Net) 30g Color Black

Connector Nickel Plated

Operational

Operating Temperature 0° C to +55°C Operating Humidity 10° to 85% RH

(no condensation)

Storage Temperature 0°C to +70°C Storage Humidity 5% to 90% RH

(no condensation)

Power Requirement No external power needed

Regulatory Approvals
 CE, FCC, RoHS



Features & Benefits

- Features standard 24 pin DisplayPort connector to HDMI, DVI or VGA connector
- Ideal for screens featuring digital HDMI, DVI or analogue VGA interfaces
- Competitively priced without compromise to quality
- Individually tested in accordance with manufacturer specification



VIDEK

Display Port AdaptersDisplayPort to VGA Converter

Part No: 2409EV



