

8mm Standard LED, Round Lens Yellow Emitting Colour

multicomp^{PRO}

RoHS
Compliant



Feature

- High intensity
- Standard 8mm package
- General purpose LED
- Reliable and rugged

Specification

Lead spacing is measured where the leads emerge from the package

Source Colour	Chip Material	Lens Colour
Yellow	GaAsP	Yellow Diffused

Absolute Maximum Rating at T_A = 25°C

Parameter	Max.	Unit
Power Dissipation	100	mW
Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width)	100	mA
Continuous Forward Current	30	mA
Derating Linear From 50°C	0.4	mA/°C
Reverse Voltage	5	V
Operating Temperature Range	-25°C to +80°C	
Storage Temperature Range	-40°C to +100°C	
Lead Soldering Temperature [4mm (0.157) From Body]	260°C for 5 seconds	

Electrical Optical Characteristics at T_A=25°C

Parameter	Symbol	Min.	Typ.	Max.	Unit	Test Condition
Luminous Intensity	I _v		70		mcd	I _f = 20mA (Note 1)
Viewing Angle	2θ _{1/2}		60		Deg.	Note 2
Peak Emission Wavelength	λ _p		590		nm	I _f = 20mA
Dominant Wavelength	λ _d		585		nm	I _f = 20mA (Note 3)
Forward Voltage	V _f		2	2.5	V	I _f = 20mA
Reverse Current	I _R	-	-	100	μA	V _R = 5V

Notes:







1. Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve.
2. θ_{1/2} is the off-axis angle at which the luminous intensity is half the axial luminous intensity
3. The dominant wavelength (λ_d) is derived from the CIE chromaticity single wavelength which defines the colour of the device.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
Element14.com/multicomp-pro


multicomp^{PRO}

8mm Standard LED, Round Lens Yellow Emitting Colour

multicomp PRO



Diagram



Dimensions : Millimetres (Inches)

Part Number Table

Description	Part Number
8mm Standard LED, Round Lens, Yellow Emitting Colour	MC20437

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
Element14.com/multicomp-pro

multicomp PRO