

PRODUCT-DETAILS

S803-BB250

S803-BB250 Busbar



General Information

Extended Product Type	S803-BB250
Product ID	2CCS800900R0071
EAN	7612271208288
Catalog Description	S803-BB250 Busbar
Long Description	The S803-BB250 is a 3-pole busbar with 24 terminal lugs. It can be used for rated current up to 250A.

Ordering

E-Number (Sweden)	2101650
EAN	7612271208288
Minimum Order Quantity	1 piece
Customs Tariff Number	85389030

Dimensions

Product Net Width	60 mm
Product Net Height	27 mm
Product Net Length	651 mm
Product Net Depth / Length	654 mm
Product Net Weight	1604 g

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 mm
Package Level 1 Height	66 mm
Package Level 1 Depth / Length	660 mm
Package Level 1 Gross Weight	1600 g
Package Level 1 EAN	7612271208288
Package Level 2 Units	1

Environmental

Ambient Air Temperature	Operation -25 ... +60 °C Storage -40 ... +70 °C
RoHS Status	Following EU Directive 2011/65/EU

Additional Information

Degree of Protection	acc. to IEC 60529 IP20
Housing Material	Insulation group I
Product Main Type	S800-BB
Product Name	Busbar
Rated Current (I_n)	250 A
Rated Frequency (f)	50...60 Hz
Rated Insulation Voltage (U_i)	690 V AC
Rated Operational Current (I_e)	250 A
Rated Operational Voltage	400/690 V AC
Recommended Screw Driver	Pozidriv 2
RoHS Date	20170426
Standards	IEC 60439-2
Terminal Type	Screw Terminals
Tightening Torque	3.5 N·m

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CCC413003C0208
Declaration of Conformity - CE	2CCC413003C0201
Environmental Information	2CCY413207D0203
Instructions and Manuals	9AKK106930A3418
RoHS Information	2CCC413003C0201 9AKK107680A3903
Dimension Diagram	2CCC413003C0201

Classifications

ETIM 4	EC001522 - Busbar
ETIM 5	EC001522 - Busbar
ETIM 6	EC001522 - Busbar

ETIM 7	EC001522 - Busbar
Object Classification Code	F
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs Accessories

