

United Kingdom

MCT50L

111-05486



The MCT50L ties have metal content dispersed throughout the head and strap of the cable tie. These ties can be used as part of the HACCP process. The 'unique' blue colour assists in the visual detection and greatly reduces the risk of contamincation.

pharmaceutical processing industries. A unique manufacturing process, involving the inclusion of a metallic pigment, enables even small 'cut-off' sections of the tie to be detected by standard metal detecting equipment. Ideally suited for the installaton of cabling in and around the manufacturing process.

The Metal Content Tie is a cable tie specifically designed for use in the food &

The MCT50L with metal content.





Base Data

Colour

Blue (BU)

Label E-Number Sweden

15 162 71

Package Content

100

Quantity (Sold Unit / EDP)

100

Recommended Application Tool

 $\mathsf{MK3SP},\,\mathsf{MK3PNSP2},\,\mathsf{MK7P},\,\mathsf{MK7},\,\mathsf{MK7HT},\,\mathsf{MK20},\,\mathsf{MK6},\,\mathsf{MK6PN},\,\mathsf{MK9},\,\mathsf{MK9HT},\,\mathsf{MK21}$

Short Description

HACCP (Hazard Analysis of Critical Control Points) is a directive of the EU, developed by the Codex Alimentarious of the World Health Organisation. This demands that effective food safety systems are established through the application of systematic approaches to hazard and risk analysis.

Logisitic and Packaging

Carton Quantity

4000

EAN code

4031026216935

Quantity of Europallet

72000

Weight (kg) (Metric)

2.82 kg

Material and Specifications

Material

Polyamide 6.6 with 10% metal particles (PA66MP10%)

Material Shortcut

PA66MP10%

Operating Temperature (Metric)

-40 °C to +85 °C Continuous, (+105 °C for 500 h)

Product Dimensions

Bundle Diameter max (Metric)

110

Bundle Diameter min (Metric)

1 5

Length L (Metric)

390

Minimum Tensile Strength (N)

1 of 2

225

Width W (Metric)

4.6

© HellermannTyton 2006

2 of 2