# CPF0402B4K99E1 <

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Size Code: 0402

Packaging Method: Taped & Reeled

Tolerance: .1%

# Features

# **Product Type Features**

Product Type	Fixed Resistor
Resistor Type	Precision Resistor
Size Code	0402

Element Type	Thin Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	25 V
Tolerance	.1%
Resistance Range	1kΩ – 1MΩ Ω
Resistance	4.99ΚΩ
Power Rating	.063 W
Termination Features	
Number of Terminations	2
Termination Type	Solder
Mechanical Attachment	
Mount Style	Surface Mount
Dimensions	

**C** For support call+1 800 522 6752

### CPF0402B4K99E1

Neohm CPF, Surface Mount Resistors, Precision Resistor, 2 Terminations, Size Code 0402, Taped & Reeled, .1%, Thin Film, Resistance Range  $1k\Omega - 1M\Omega \Omega$ 



Dimensions	1 x .5 x .3 mm
Usage Conditions	
Temperature Coefficient	±25 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2020 (205) Candidate List Declared Against: JAN 2020 (205)

#### Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

#### Reflow solder capable to 260°C

#### Solder Process Capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**

**C** For support call+1 800 522 6752

#### CPF0402B4K99E1

Neohm CPF, Surface Mount Resistors, Precision Resistor, 2 Terminations, Size Code 0402, Taped & Reeled, .1%, Thin Film, Resistance Range 1k $\Omega$  – 1M $\Omega$   $\Omega$ 







# Also in the Series Neohm CPF



Surface Mount Resistors(3022)



# Customers Also Bought





### CPF0402B4K99E1

Neohm CPF, Surface Mount Resistors, Precision Resistor, 2 Terminations, Size Code 0402, Taped & Reeled, .1%, Thin Film, Resistance Range  $1k\Omega - 1M\Omega \Omega$ 



# Documents

Product Drawings CPF 0402 4K99 0.1% 25PPM 1K RL

English

### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-1879215-0\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-1879215-0\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1879215-0\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

# Datasheets & Catalog Pages 1309350\_PASSIVE\_COMPONENT

English

CPF-1016

English

#### 8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English

# Product Environmental Compliance

Product Compliance

English

**Product Compliance** 

English