according to 1907/2006/EC, Article 31

Printing date 13.03.2020

KARCHER

Version number 2

Revision: 20.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: Floor cleaning and care for sealed wood RM 534
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Wipe care
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department TCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 13.03.2020

KARCHER

Version number 2

Revision: 20.02.2020

(Contd. of page 1)

Trade name: Floor cleaning and care for sealed wood RM 534

· Precautionary statements

P102 Keep out of reach of children.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-xx	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319 xx	1-5%
CAS: 69011-36-5 EC number: 931-138-8	isotridecanolethoxylate + 8 EO	1-5%
· Regulation (EC) No 648/2004 on detergents / Labelling for contents		

non-ionic surfactants, preservation agents (PHENOXYETHANOL, BENZISOTHIAZOLINONE (< 0,005%))

perfumes

Additional information

Specific concentration limits available for isotridecanolethoxylate + 8 EO (CAS 69011-36-5) based on test reports (see Section 11).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

<5%

according to 1907/2006/EC, Article 31

Printing date 13.03.2020

Revision: 20.02.2020

(Contd. of page 2)

Trade name: Floor cleaning and care for sealed wood RM 534

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 4) GB



Version number 2

according to 1907/2006/EC, Article 31

Printing date 13.03.2020

KÄRCHER

Version number 2

Revision: 20.02.2020

(Contd. of page 3)

Trade name: Floor cleaning and care for sealed wood RM 534

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· 8.2 Exposure controls

- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not necessary if room is well-ventilated.

- · Protection of hands: Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9.1 Information on basic physical a	nd chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Colour:	Opaque	
Odour:	citrus-like	
Odour threshold:	Not determined.	
pH-value at 20 °C:	7.3	
pH-value 1 %:	7.6	
Change in condition		
Melting point/freezing point:	0°C	
Initial boiling point and boiling range	e: 100 °C	
Flash point:	Not applicable	

according to 1907/2006/EC, Article 31

Printing date 13.03.2020

KARCHER

Version number 2

Revision: 20.02.2020

Trade name: Floor cleaning and care for sealed wood RM 534

	(Contd. of page	ge 4)
· Flammability (solid, gaseous)	Not applicable.	
· Ignition temperature:	not applicable	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.001 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient: n-octanol/wa	ater: Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic at 20 °C:	0 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	2.6 %	
VOC (EC)	2.59 %	
Solids content:	4.9 %	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 13.03.2020

KÄRCHER

Version number 2

Revision: 20.02.2020

(Contd. of page 5)

Trade name: Floor cleaning and care for sealed wood RM 534

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:				
64-17-5 ethanol				
Oral	LD50	>5,000 mg/kg (Rat)		
Dermal	LD50	>10,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>1,800 mg/l (Rat)		
69011-36-5 isotridecanolethoxylate + 8 EO				
Oral	ATE	500 mg/kg (Rat)		
Primary ir	ritant effe	ct:		
Skin corro	osion/irrita	ation Based on available data, the classification criteria are not met.		
Serious e	ye damag	e/irritation		
69011-36-	69011-36-5 isotridecanolethoxylate + 8 EO: specific concentration limit for H318: 10% (BCOP test, OECD 437			

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

69011-36-5 isotridecanolethoxylate + 8 EO

LC50/96 h 1-10 mg/l (Leuciscus idus)

EC50/48 h 1-10 mg/l (Aquatic invertebrates)

EC50/72 h 1-10 mg/l (Aquatic plants)

· 12.2 Persistence and degradability

69011-36-5 isotridecanolethoxylate + 8 EO

Bismuth-act. sup. ≥90 % (mod. OECD 301 E)

· 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

according to 1907/2006/EC, Article 31

Printing date 13.03.2020

Version number 2

Revision: 20.02.2020

Trade name: Floor cleaning and care for sealed wood RM 534

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anne	x II of	
Marpol and the IBC Code	Not applicable.	
	(Contd. on p.	age 8)

(Contd. of page 6)

GB



according to 1907/2006/EC, Article 31

Printing date 13.03.2020

KÄRCHER

Version number 2

Revision: 20.02.2020

(Contd. of page 7)

Trade name: Floor cleaning and care for sealed wood RM 534

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation.

· Department issuing SDS: TCD-D

· Contact:

Department TCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 safetydata@karcher.com

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity - oral - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 • * Data compared to the previous version altered.

•	0.011-693.0	RM 534/7	2.296
---	-------------	----------	-------

GB ·