

Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency
- · UFI: 1S50-300P-T006-5QHC
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Floor cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House **Brookhill Way** Banbury Oxon OX16 3ED **Great Britain**

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department TCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

isotridecanolethoxylate + 8 EO

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Cleaning agent

· Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	1-5%
CAS: 69011-36-5	isotridecanolethoxylate + 8 EO Eye Dam. 1, H318;	≥3-≤5%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants <5%

(Contd. on page 3)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 2)

perfumes

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

(Contd. on page 4)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 3)

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: aluminium.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions:

Protect from frost.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Avoid close or long term contact with the skin.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· Protection of hands:



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable:
- nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye protection:



Tightly sealed goggles (EN 166)

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Colour: Fluid Blue

· Odour:

citrus-like

· Odour threshold:

Not determined.

· pH-value at 20 °C:

12.2

· pH-value 1 %:

8.4

· pH 1 % dem.

10.9

· Change in condition

Melting point/freezing point:

-5 °C

Initial boiling point and boiling range: 100 °C

· Flash point:

Not applicable

(Contd. on page 6)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

		(Contd. of page
· Flammability (solid, gaseous)	Not applicable.	
· Ignition temperature:	not applicable	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.041 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	5.0 %	
VOC (EC)	5.02 %	
Solids content:	15.1 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with strong acids
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 6)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
112-34-5 2-(2-butoxyethoxy)ethanol			
Dermal	LD50	2,700 mg/kg (can)	
Inhalative	LC50	3,384 mg/kg (Rat)	
69011-36-5 isotridecanolethoxylate + 8 EO			
Oral	ATE	500 mg/kg (Rat)	

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
112-34-5 2-	·(2-butoxyethoxy)ethanol	
LC50/96 h	1,300 mg/l (Lepomis macrochirus)	
EC10/16 h	1,170 mg/l (Pseudomonas putida)	
EC50/24 h	2,850 mg/l (Daphnia magna) (DIN 38412)	
	>100 mg/l (Desmodesmus subspicatus)	
69011-36-5	isotridecanolethoxylate + 8 EO	
LC50/96 h	1-10 mg/l (Leuciscus idus)	
EC50/48 h	1-10 mg/l (Aquatic invertebrates)	
EC50/72 h	1-10 mg/l (Aquatic plants)	
	(Contd. on page 8)	



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 7)

· 12.2 Persistence and degradability

69011-36-5 isotridecanolethoxylate + 8 EO

Bismuth-act. sup. ≥90 % (mod. OECD 301 E)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

In compliance with the prescribed application parameters, the product does not lead to stable emulsions.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

(Contd. on page 9)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 8)

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN3267
· 14.2 UN proper shipping name	
· ADR	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.
	(methylglycine diacetic acid, trisodium salt, solution)
· IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
	(methylglycine diacetic acid, trisodium salt, solution)
· 14.3 Transport hazard class(es)	
· ADR	
^	
8	
· Class	8 (C7) Corrosive substances.
· Label	8
· IMDG, IATA	
• • • • • • • • • • • • • • • • • • •	
· Class · Label	8 Corrosive substances.
· Labei	8
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	Α
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG35 Stow "separated from" SGG1-acids

(Contd. on page 10)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

	(Contd. of pag
· 14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (ÉQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC,
	N.O.S. (METHYLGLYCINE DIACETIC ACID,
	TRISODIUM SALT, SOLUTION), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 11)



Printing date 21.02.2020 Version number 6 Revision: 19.02.2020

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 10)

· Department issuing SDS: TCD-D

· Contact:

Department TCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· * Data compared to the previous version altered.

0.011-328.0

RM69Eco/6

2.085

CP.