



## Creating Safe Work Solutions During COVID-19

# STARTERKIT91200-TH-A

### ► PRODUCTS FOR INDUSTRIAL AUTOMATION



StarterKit

900MHz

DXM1200

Temperature/Humidity Monitoring

AT&T

Part Number: 810246

## SPECIFICATIONS

<b>Feature: Hazardous Area</b>	No
<b>Application: Relative Humidity Input</b>	Yes
<b>Application: Temperature Input</b>	Yes
<b>EtherNet/IP</b>	Yes
<b>Modbus RTU</b>	No
<b>Modbus/TCP</b>	No
<b>RS-232</b>	No
<b>RS-485</b>	No
<b>Wireless</b>	Yes
<b>Wireless Radio Frequency</b>	900 MHz
<b>Max Op. Temperature (°C)</b>	70

<b>Voltage</b>	24 V dc
<b>Power Supply</b>	24 V dc 1.0 Amp
<b>Min Op. Temperature (°C)</b>	-40
<b>Relative Humidity</b>	90% at 50° C
<b>Ships With Battery</b>	Yes
<b>Battery Type/Size</b>	Lithium AA
<b>Tree Topology</b>	No
<b>Star Topology</b>	Yes
<b>Point-to-Point Topology</b>	Yes
<b>Point-to-Multipoint Topology</b>	No



Banner Engineering Corp. | 9714 Tenth Avenue North | Minneapolis, MN 55441 | United States of America