

NAND Flash with Mobile LPDDR 137-Ball MCP

MT29C4G48MAAGBBAKS-48 WT, MT29C4G48MAAGBBAKS-48 IT

Features

- Micron[®] NAND Flash and LPDDR components
- RoHS-compliant, "green" package
- Separate NAND Flash and LPDDR interfaces
- Space-saving multichip package
- Low-voltage operation (1.70–1.95V)
- Wireless temperature range: –25°C to +85°C
- Industrial temperature range: -40° C to $+85^{\circ}$ C³

NAND Flash-Specific Features

- Organization
- Page size
 - x8: 4320 bytes (4096 + 224 bytes)
- Block size: 64 pages (256K + 14K bytes)


Mobile LPDDR-Specific Features

- No external voltage reference required
- No minimum clock rate requirement
- 1.8V LVCMOS-compatible inputs
- Programmable burst lengths
- Partial-array self refresh (PASR)
- Deep power-down (DPD) mode
- Selectable output drive strength
- STATUS REGISTER READ (SRR) supported¹

Notes: 1. Contact factory for remapped SRR output.

- 2. For physical part markings, see Part Numbering Information (page 2).
- 3. Supported only on the IT part number(s).

Figure 1: MCP Block Diagram






Part Numbering Information

Micron NAND Flash and LPDRAM devices are available in different configurations and densities. The MCP/PoP part numbering guide is available at www.micron.com/numbering.

Figure 2: Part Number Chart



Device Marking

Due to the size of the package, the Micron-standard part number is not printed on the top of the device. Instead, an abbreviated device mark consisting of a 5-digit alphanumeric code is used. The abbreviated device marks are cross-referenced to the Micron part numbers at the FBGA Part Marking Decoder site: www.micron.com/decoder. To view the location of the abbreviated mark on the device, refer to customer service note CSN-11, "Product Mark/ Label," at www.micron.com/csn.



Contents

MCP General Description	
Ball Assignments and Descriptions	. 12
Electrical Specifications	
Device Diagrams	. 17
Package Dimensions	. 18
4Gb: x8, x16 NAND Flash Memory	. 19
Features	. 19
General Description	. 20
Architecture	. 21
Device and Array Organization	. 22
Asynchronous Interface Bus Operation	
Asynchronous Enable/Standby	
Asynchronous Commands	
Asynchronous Addresses	
Asynchronous Data Input	
Asynchronous Data Output	
Write Protect#	
Ready/Busy#	
Device Initialization	
Power Cycle Requirements	
Command Definitions	
Reset Operations	
RESET (FFh)	
Identification Operations	
READ ID (90h)	
READ ID Parameter Tables	
READ PARAMETER PAGE (ECh)	
Parameter Page Data Structure Tables	
READ UNIQUE ID (EDh)	
Feature Operations	
SET FEATURES (EFh)	
GET FEATURES (EEh)	
Status Operations	
READ STATUS (70h)	
READ STATUS ENHANCED (78h)	
Column Address Operations	
RANDOM DATA READ (05h-E0h)	
RANDOM DATA READ TWO-PLANE (06h-E0h)	
RANDOM DATA INPUT (85h)	56
PROGRAM FOR INTERNAL DATA INPUT (85h)	
Read Operations	
READ MODE (00h)	
READ PAGE (00h)	
READ PAGE (001-501)	
READ PAGE CACHE RANDOM (00h-31h)	
READ PAGE CACHE LAST (3Fh)	
READ PAGE TWO-PLANE 00h-00h-30h	
Program Operations	
PROGRAM PAGE (80h-10h)	
PROGRAM PAGE CACHE (80h-15h)	. 69



PROGRAM PAGE TWO-PLANE (80h-11h)	72
Erase Operations	
ERASE BLOCK (60h-D0h)	
ERASE BLOCK TWO-PLANE (60h-D1h)	
Internal Data Move Operations	
READ FOR INTERNAL DATA MOVE (00h-35h)	
PROGRAM FOR INTERNAL DATA MOVE (85h–10h)	
PROGRAM FOR INTERNAL DATA MOVE TWO-PLANE (85h-11h)	
Block Lock Feature	
WP# and Block Lock	
UNLOCK (23h-24h)	
LOCK (2Ah)	
LOCK TIGHT (2Ch)	
BLOCK LOCK READ STATUS (7Ah)	
One-Time Programmable (OTP) Operations	
Legacy OTP Commands	
OTP DATA PROGRAM (80h-10h)	
RANDOM DATA INPUT (85h)	
OTP DATA PROTECT (80h-10)	
OTP DATA READ (00h-30h)	
Two-Plane Operations	
Two-Plane Addressing	
Interleaved Die (Multi-LUN) Operations	
Error Management	
Electrical Specifications	
Electrical Specifications – DC Characteristics and Operating Conditions	
Electrical Specifications – AC Characteristics and Operating Conditions	
Electrical Specifications – Program/Erase Characteristics	
Asynchronous Interface Timing Diagrams	113
2Gb: x16, x32 Mobile LPDDR SDRAM	
Features	124
General Description	125
Electrical Specifications	126
Electrical Specifications – I _{DD} Parameters	129
Electrical Specifications – AC Operating Conditions	135
Output Drive Characteristics	139
Functional Description	142
Commands	143
DESELECT	144
NO OPERATION	
LOAD MODE REGISTER	
ACTIVE	144
READ	145
WRITE	146
PRECHARGE	
BURST TERMINATE	
AUTO REFRESH	
SELF REFRESH	
DEEP POWER-DOWN	
Truth Tables	
State Diagram	155
Initialization	



Standard Mode Register 1	59
Burst Length1	60
Burst Type1	60
CAS Latency 1	
Operating Mode1	
Extended Mode Register	.63
Temperature-Compensated Self Refresh1	.63
Partial-Array Self Refresh	
Output Drive Strength	
Status Read Register	
Bank/Row Activation	67
READ Operation1	68
WRITE Operation1	79
PRECHARGE Operation	91
Auto Precharge1	91
Concurrent Auto Precharge 1	92
AUTO REFRESH Operation	
SELF REFRESH Operation	99
Power-Down	00
Deep Power-Down	.02
Clock Change Frequency	
Revision History	
Rev. A, Preliminary – 04/14	.05



List of Figures

	MCP Block Diagram	
Figure 2: 1	Part Number Chart	2
Figure 3:	137-Ball TFBGA/VFBGA (NAND x8/x16; LPDDR x32) Ball Assignments	12
Figure 4:	137-Ball Functional Block Diagram	17
Figure 5:	137-Ball VFBGA (Package Code: KS)	18
Figure 6: 1	NAND Flash Die (LUN) Functional Block Diagram	21
	Array Organization – MT29F4G (x8)	
	Array Organization – MT29F4G (x16)	
Figure 9: A	Asynchronous Command Latch Cycle	25
Figure 10:	Asynchronous Address Latch Cycle	26
Figure 11:	Asynchronous Data Input Cycles	27
Figure 12:	Asynchronous Data Output Cycles	28
Figure 13:	Asynchronous Data Output Cycles (EDO Mode)	29
	READ/BUSY# Open Drain	
Figure 15:	^t Fall and ^t Rise (3.3VV _{CC})	31
Figure 16:	^t Fall and ^t Rise (1.8VV _{CC})	31
	I_{OL} vs. Rp ($V_{CC} = 3.3VV_{CC}$)	
	I_{OL} vs. Rp (1.8VV _{CC})	
	TC vs. Rp	
	R/B# Power-On Behavior	
	RESET (FFh) Operation	
	READ ID (90h) with 00h Address Operation	
	READ ID (90h) with 20h Address Operation	
	READ PARAMETER (ECh) Operation	
	READ UNIQUE ID (EDh) Operation	
	SET FEATURES (EFh) Operation	
	GET FEATURES (EEh) Operation	
	READ STATUS (70h) Operation	
	READ STATUS ENHANCED (78h) Operation	
	RANDOM DATA READ (05h-E0h) Operation	
	RANDOM DATA READ TWO-PLANE (06h-E0h) Operation	
Figure 32:	RANDOM DATA INPUT (85h) Operation	56
	PROGRAM FOR INTERNAL DATA INPUT (85h) Operation	
Figure 34:	READ PAGE (00h-30h) Operation	62
	READ PAGE CACHE SEQUENTIAL (31h) Operation	
	READ PAGE CACHE RANDOM (00h-31h) Operation	
	READ PAGE CACHE LAST (3Fh) Operation	
	READ PAGE TWO-PLANE (00h-00h-30h) Operation	
	PROGRAM PAGE (80h-10h) Operation	
	PROGRAM PAGE CACHE (80h–15h) Operation (Start)	
	PROGRAM PAGE CACHE (80h–15h) Operation (End)	
	PROGRAM PAGE TWO-PLANE (80h–11h) Operation	
	ERASE BLOCK (60h-D0h) Operation	
	ERASE BLOCK TWO-PLANE (60h–D1h) Operation	
	READ FOR INTERNAL DATA MOVE (00h-35h) Operation	
	READ FOR INTERNAL DATA MOVE (00h–35h) operation	
0	PROGRAM FOR INTERNAL DATA MOVE (85h–10h) Operation	
	PROGRAM FOR INTERNAL DATA MOVE (85h-10h) with RANDOM DATA INPUT (85h)	
0	PROGRAM FOR INTERNAL DATA MOVE (0511-101) with http://with.it.it.doi.org/1011/101101/0511011/0511001/0511/0511011/0511001/0511011/0511001/0511011/0511011/0511001/0511011/0511001/0511011/0511001/0511011/0511001/0511001/0511011/051100000000	
	Flash Array Protected: Invert Area Bit = 0	
1 iguit 30.	1100111110y 110000000. 111001011100 Dit = 0	01



		0.1
Figure 51:	Flash Array Protected: Invert Area Bit = 1	81
	UNLOCK Operation	
	LOCK Operation	
	LOCK TIGHT Operation	
	PROGRAM/ERASE Issued to Locked Block	
	BLOCK LOCK READ STATUS	
	BLOCK LOCK Flowchart	
	OTP DATA PROGRAM (After Entering OTP Operation Mode)	
	OTP DATA PROGRAM Operation with RANDOM DATA INPUT (After Entering OTP Operation Mode)	
Figure 60:	OTP DATA PROTECT Operation (After Entering OTP Protect Mode)	91
	OTP DATA READ	
	OTP DATA READ with RANDOM DATA READ Operation	
Figure 63:	TWO-PLANE PAGE READ	95
Figure 64:	TWO-PLANE PAGE READ with RANDOM DATA READ	96
Figure 65:	TWO-PLANE PROGRAM PAGE	96
Figure 66:	TWO-PLANE PROGRAM PAGE with RANDOM DATA INPUT	97
Figure 67:	TWO-PLANE PROGRAM PAGE CACHE MODE	98
	TWO-PLANE INTERNAL DATA MOVE	
Figure 69:	TWO-PLANE INTERNAL DATA MOVE with TWO-PLANE RANDOM DATA READ	100
	TWO-PLANE INTERNAL DATA MOVE with RANDOM DATA INPUT	
	TWO-PLANE BLOCK ERASE	
	TWO-PLANE/MULTIPLE-DIE READ STATUS Cycle	
0	RESET Operation	
	READ STATUS Cycle	
Figure 75	READ STATUS ENHANCED Cycle	114
Figure 76:	READ PARAMETER PAGE	114
	READ PAGE	
	READ PAGE Operation with CE# "Don't Care"	
Figure 70.	RANDOM DATA READ	117
Figure 80:	READ PAGE CACHE SEQUENTIAL	117 110
Figure 00.	READ PAGE CACHE SEQUENTIAL	110
	READ ID Operation	
	PROGRAM PAGE Operation	
	PROGRAM PAGE Operation with CE# "Don't Care"	
	PROGRAM PAGE Operation with RANDOM DATA INPUT	
	PROGRAM PAGE CACHE	
	PROGRAM PAGE CACHE Ending on 15h	
0	INTERNAL DATA MOVE	
	ERASE BLOCK Operation	
	Typical Self Refresh Current vs. Temperature	
0	ACTIVE Command	
	READ Command	
0	WRITE Command	
	PRECHARGE Command	
	DEEP POWER-DOWN Command	
Figure 96:	Simplified State Diagram	155
	Initialize and Load Mode Registers	
	Alternate Initialization with CKE LOW	
Figure 99:	Standard Mode Register Definition	159
	: CAS Latency	
	Extended Mode Register	
	: Status Read Register Timing	



Figure 103:	Status Register Definition	166
	READ Burst	
	Consecutive READ Bursts	
	Nonconsecutive READ Bursts	
	Random Read Accesses	
	Terminating a READ Burst	
	READ-to-WRITE	
Figure 110:	READ-to-PRECHARGE	175
Figure 111:	Data Output Timing – ^t DQSQ, ^t QH, and Data Valid Window (x16)	176
Figure 112:	Data Output Timing – ^t DQSQ, ^t QH, and Data Valid Window (x32)	177
Figure 113:	Data Output Timing – ^t AC and ^t DQSCK	178
Figure 114:	Data Input Timing	180
	Write – DM Operation	
	WRITE Burst	
0	Consecutive WRITE-to-WRITE	
0	Nonconsecutive WRITE-to-WRITE	
	Random WRITE Cycles	
	WRITE-to-READ – Uninterrupting	
	WRITE-to-READ – Interrupting	
	WRITE-to-READ – Odd Number of Data, Interrupting	
	WRITE-to-PRECHARGE – Uninterrupting	
	WRITE-to-PRECHARGE – Interrupting	
	WRITE-to-PRECHARGE – Odd Number of Data, Interrupting	
	Bank Read – With Auto Precharge	
	Bank Read – Without Auto Precharge	
	Bank Write – With Auto Precharge	
	Bank Write – Without Auto Precharge	
	Auto Refresh Mode	
	Self Refresh Mode	
	Power-Down Entry (in Active or Precharge Mode)	
	Power-Down Mode (Active or Precharge)	
	Deep Power-Down Mode	
Figure 135:	Clock Stop Mode	204

8



List of Tables

Table 1: x8	3, x16 NAND Ball Descriptions	13
	32 LPDDR Ball Descriptions	
Table 3: N	on-Device-Specific Descriptions	15
Table 4: Al	bsolute Maximum Ratings	16
	ecommended Operating Conditions	
Table 6: A	rray Addressing (MT29F4G08)	22
	rray Addressing (MT29F4G16xxx – x16)	
Table 8: As	synchronous Interface Mode Selection	24
Table 9: Po	ower Cycle Requirements	35
	Command Set	
	۲wo-Plane Command Set	
	READ ID Parameters for Address 00h	
	READ ID Parameters for Address 20h	
	Parameter Page Data Structure	
	Feature Address Definitions	
	Feature Address 90h – Array Operation Mode	
Table 17: H	Feature Addresses 01h: Timing Mode	50
	Feature Addresses 80h: Programmable I/O Drive Strength	
	Feature Addresses 81h: Programmable R/B# Pull-Down Strength	
	Status Register Definition	
	Block Lock Address Cycle Assignments	
	Block Lock Status Register Bit Definitions	
	Error Management Details	
	Absolute Maximum Ratings	
	Recommended Operating Conditions	
Table 26: N	Valid Blocks	105
	Capacitance	
	Test Conditions	
	DC Characteristics and Operating Conditions (3.3V)	
	DC Characteristics and Operating Conditions (1.8V)	
	AC Characteristics: Command, Data, and Address Input (3.3V)	
	AC Characteristics: Command, Data, and Address Input (1.8V)	
Table 33. /	AC Characteristics: Normal Operation (1.8V)	110
	AC Characteristics: Normal Operation (3.3V)	
Table 35. I	Program/Erase Characteristics	112
	Configuration Addressing – 2Gb	
	Absolute Maximum Ratings	
	AC/DC Electrical Characteristics and Operating Conditions	120
	Capacitance (x16, x32)	
Table 39. C	I_{DD} Specifications and Conditions, -40°C to +85°C (x16)	120
	I_{DD} Specifications and Conditions, -40 °C to +85 °C (x10)	
	I_{DD} Specifications and Conditions, -40 °C to +85 °C (x32)	
	I _{DD} Specifications and Conditions, -40°C to +105°C (x32)	
	I _{DD} 6 Specifications and Conditions	
	Electrical Characteristics and Recommended AC Operating Conditions	
	Farget Output Drive Characteristics (Full Strength) Farget Output Drive Characteristics (Three-Quarter Strength)	
	Target Output Drive Characteristics (One-Half Strength) Emath Table	
	Iruth Table – Commands	
1able 50: 1	DM Operation Truth Table	144



Table 51:	Truth Table – Current State Bank <i>n</i> – Command to Bank <i>n</i>	150
Table 52:	Truth Table – Current State Bank <i>n</i> – Command to Bank <i>m</i>	152
Table 53:	Truth Table – CKE	154
Table 54:	Burst Definition Table	160



137-Ball NAND Flash with LPDDR MCP MCP General Description

MCP General Description

Micron MCP products combine NAND Flash and Mobile LPDRAM devices in a single MCP. These products target mobile applications with low-power, high-performance, and minimal package-footprint design requirements. The NAND Flash and Mobile LPDRAM devices are also members of the Micron discrete memory products portfolio.

The NAND Flash and Mobile LPDRAM devices are packaged with separate interfaces (no shared address, control, data, or power balls). This bus architecture supports an optimized interface to processors with separate NAND Flash and Mobile LPDRAM buses. The NAND Flash and Mobile LPDRAM devices have separate core power connections and share a common ground (that is, V_{SS} is tied together on the two devices).

The bus architecture of this device also supports separate NAND Flash and Mobile LPDRAM functionality without concern for device interaction.



Ball Assignments and Descriptions

Figure 3: 137-Ball TFBGA/VFBGA (NAND x8/x16; LPDDR x32) Ball Assignments






Table 1: x8, x16 NAND Ball Descriptions

Symbol	Туре	Description			
ALE	Input	Address latch enable: When ALE is HIGH, addresses can be transferred to the on-chip address register.			
CE#	Input	Chip enable: Gates transfers between the host system and the NAND device.			
CLE	Input	Command latch enable: When CLE is HIGH, commands can be transferred to the on-chip command register.			
LOCK	Input	When LOCK is HIGH during power-up, the BLOCK LOCK function is er bled. To disable BLOCK LOCK, connect LOCK to V _{ss} during power-up, or leave it unconnected (internal pull-down).			
RE#	Input	Read enable: Gates information from the NAND device to the host system.			
WE#	Input	Write enable: Gates information from the host system to the NAND de vice.			
WP#	Input	Write protect: Driving WP# LOW blocks ERASE and PROGRAM operations.			
I/O[7:0] (x8) I/O[15:0] (x16)	Input/ output	Data inputs/outputs: The bidirectional I/Os transfer address, data, and instruction information. Data is output only during READ operations; at other times the I/Os are inputs. I/O[15:8] are RFU ¹ for NAND x8 devices.			
R/B#	Output	Ready/busy: Open-drain, active-LOW output that indicates when an internal operation is in progress.			
V _{CC}	Supply	V _{CC} : NAND power supply.			

Note: 1. Balls marked RFU may or may not be connected internally. These balls should not be used. Contact factory for details.



Table 2: x32 LPDDR Ball Descriptions

Symbol	Туре	Description			
A[13:0]	Input	Address inputs: Specifies the row or column address. Also used to load the mode registers. The maximum LPDDR address is determined by density and configuration. Consult the LPDDR product data sheet for the maximum address for a given density and configuration. Unused address balls become RFU. ¹			
BA0, BA1	Input	Bank address inputs: Specifies one of the 4 banks.			
CAS#	Input	Column select: Specifies which command to execute.			
СК, СК#	Input	CK is the system clock. CK and CK# are differential clock inputs. All ad- dress and control signals are sampled and referenced on the crossing of the rising edge of CK with the falling edge of CK#.			
CKE0, CKE1	Input	Clock enable. CKE0 is used for a single LPDDR product. CKE1 is used for dual LPDDR products and is considered RFU for single LPDDR MCPs.			
CS0#, CS1#	Input	Chip select: CS0# is used for a single LPDDR product. CS1# is used for dual LPDDR products and is considered RFU for single LPDDR MCPs.			
DM[3:0]	Input	Data mask: Determines which bytes are written during WRITE operations.			
RAS#	Input	Row select: Specifies the command to execute.			
WE#	Input	Write enable: Specifies the command to execute.			
DQ[31:0]	Input/ output	Data bus: Data inputs/outputs.			
DQS[3:0]	Input/ output	Data strobe: Coordinates READ/WRITE transfers of data; one DQS per DQ byte.			
V _{DD}	Supply	V _{DD} : LPDDR power supply.			
V _{DDQ}	Supply	V _{DDQ} : LPDDR I/O power supply.			
V _{SSQ}	Supply	V _{SSQ} : LPDDR I/O ground.			

Note: 1. Balls marked RFU may or may not be connected internally. These balls should not be used. Contact factory for details.



Table 3: Non-Device-Specific Descriptions

Symbol	Туре	Description			
V _{SS}	Supply	V _{SS} : Shared ground.			
Symbol	Туре	Description			
DNU	_	Do not use: Must be grounded or left floating.			
NC	_	No connect: Not internally connected.			
RFU ¹	_	Reserved for future use.			

Note: 1. Balls marked RFU may or may not be connected internally. These balls should not be used. Contact factory for details.



137-Ball NAND Flash with LPDDR MCP Electrical Specifications

Electrical Specifications

Table 4: Absolute Maximum Ratings

Parameters/Conditions	Symbol	Min	Мах	Unit
V_{CC} , V_{DD} , V_{DDQ} supply voltage relative to V_{SS}	V _{CC} , V _{DD} , V _{DDQ}	-1.0	2.4	V
Voltage on any pin relative to V _{SS}	V _{IN}	-0.5	2.4 or (supply voltage ¹ + 0.3V), whichever is less	V
Storage temperature range		-55	+150	°C

Note: 1. Supply voltage references V_{CC}, V_{DD}, or V_{DDQ}.

Stresses greater than those listed under "Absolute Maximum Ratings" may cause permanent damage to the device. This is a stress rating only, and functional operation of the device at these or any other conditions above those indicated in the operational sections of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect reliability.

Table 5: Recommended Operating Conditions

Parameters	Symbol	Min	Тур	Max	Unit
Supply voltage	V _{CC} , V _{DD}	1.70	1.80	1.95	V
I/O supply voltage	V _{DDQ}	1.70	1.80	1.95	V
Operating temperature range (wireless)	-	-25	-	+85	°C
Operating temperature range (industrial) ¹	-	-40	-	+85	°C


Note: 1. Supported only on the IT part number(s).



137-Ball NAND Flash with LPDDR MCP Device Diagrams

Device Diagrams

Figure 4: 137-Ball Functional Block Diagram






137-Ball NAND Flash with LPDDR MCP Package Dimensions

Package Dimensions

Figure 5: 137-Ball VFBGA (Package Code: KS)



Note: 1. All dimensions are in millimeters.



137-Ball NAND Flash with LPDDR MCP 4Gb: x8, x16 NAND Flash Memory

4Gb: x8, x16 NAND Flash Memory

Features

- Open NAND Flash Interface (ONFI) 1.0-compliant¹
- Single-level cell (SLC) technology
- Organization
 - Page size x8: 4320 bytes (4096 + 224 bytes)
 - Page size x16: 2160 words (2048 + 112 words)
 - Block size: 64 pages (256K + 14K bytes)
 - Plane size: 2 planes x 1024 blocks per plane
 - Device size: 4Gb: 2048 blocks
- Asynchronous I/O performance
 - ^tRC/^tWC: 20ns (3.3V), 30ns (1.8V)
- Array performance
 - Read page: 25µs
 - Program page: 200µs (TYP)
 - Erase block: 2ms (TYP)
- Command set: ONFI NAND Flash Protocol
- Advanced command set
 - Program page cache mode
 - Read page cache mode
 - One-time programmable (OTP) mode
 - Block lock (1.8V only)
 - Programmable drive strength
 - Two-plane commands
 - Multi-die (LUN) operations
 - Read unique ID
 - Internal data move
- · Operation status byte provides software method for detecting
 - Operation completion
 - Pass/fail condition
 - Write-protect status
- Ready/Busy# (R/B#) provides a hardware method of detecting operation completion
- WP#: Write protect entire device



137-Ball NAND Flash with LPDDR MCP General Description

- First block (block address 00h) is valid when shipped from factory with ECC. For minimum required ECC, see Error Management.
- RESET (FFh) required as first command after power-on
- Alternate method of device initialization after power-up (contact factory)
- Internal data move operations supported within the plane from which data is read
- Quality and reliability
 - Data retention: JESD47G-compliant; see qualification report
- Endurance: 60,000 PROGRAM/ERASE cycles
- Operating voltage range
 - V_{CC}: 2.7–3.6V
 - V_{CC}: 1.7-1.95V
- Operating temperature
 - Commercial: 0°C to +70°C
 - Industrial (IT): -40°C to +85°C

Note: 1. The ONFI 1.0 specification is available at www.onfi.org.

General Description

Micron NAND Flash devices include an asynchronous data interface for high-performance I/O operations. These devices use a highly multiplexed 8-bit bus (I/Ox) to transfer commands, address, and data. There are five control signals used to implement the asynchronous data interface: CE#, CLE, ALE, WE#, and RE#. Additional signals control hardware write protection and monitor device status (R/B#).

This hardware interface creates a low pin-count device with a standard pinout that remains the same from one density to another, enabling future upgrades to higher densities with no board redesign.

A target is the unit of memory accessed by a chip enable signal. A target contains one or more NAND Flash die. A NAND Flash die is the minimum unit that can independently execute commands and report status. A NAND Flash die, in the ONFI specification, is referred to as a logical unit (LUN). There is at least one NAND Flash die per chip enable signal. For further details, see Device and Array Organization.



137-Ball NAND Flash with LPDDR MCP Architecture


Architecture

These devices use NAND Flash electrical and command interfaces. Data, commands, and addresses are multiplexed onto the same pins and received by I/O control circuits. The commands received at the I/O control circuits are latched by a command register and are transferred to control logic circuits for generating internal signals to control device operations. The addresses are latched by an address register and sent to a row decoder to select a row address, or to a column decoder to select a column address.

Data is transferred to or from the NAND Flash memory array, byte by byte (x8) or word by word (x16), through a data register and a cache register.

The NAND Flash memory array is programmed and read using page-based operations and is erased using block-based operations. During normal page operations, the data and cache registers act as a single register. During cache operations, the data and cache registers operate independently to increase data throughput. The status register reports the status of die operations.

Figure 6: NAND Flash Die (LUN) Functional Block Diagram



Note: 1. The LOCK pin is used on the 1.8V device.



137-Ball NAND Flash with LPDDR MCP Device and Array Organization

Device and Array Organization

Figure 7: Array Organization – MT29F4G (x8)




Table 6: Array Addressing (MT29F4G08)

Cycle	I/07	I/06	I/05	I/04	I/03	I/02	I/01	I/00
First	CA7	CA6	CA5	CA4	CA3	CA2	CA1	CA0
Second	LOW	LOW	LOW	CA12	CA11	CA10	CA9	CA8
Third	BA7	BA6	PA5	PA4	PA3	PA2	PA1	PA0
Fourth	BA15	BA14	BA13	BA12	BA11	BA10	BA9	BA8
Fifth	LOW	BA16						

Notes: 1. Block address concatenated with page address = actual page address. CAx = column address; PAx = page address; BAx = block address.

2. If CA12 is 1, then CA[11:8] must be 0.

3. BA6 controls plane selection.



137-Ball NAND Flash with LPDDR MCP Device and Array Organization

Figure 8: Array Organization – MT29F4G (x16)




Table 7: Array Addressing (MT29F4G16xxx - x16)

Cycle	I/O[15:8]	I/07	I/06	I/05	I/04	I/03	I/02	I/01	I/00
First	LOW	CA7	CA6	CA5	CA4	CA3	CA2	CA1	CA0
Second	LOW	LOW	LOW	LOW	LOW	CA11	CA10	CA9	CA8
Third	LOW	BA7	BA6	PA5	PA4	PA3	PA2	PA1	PA0
Fourth	LOW	BA15	BA14	BA13	BA12	BA11	BA10	BA9	BA8
Fifth	LOW	LOW	LOW	LOW	LOW	LOW	LOW	LOW	BA16

Notes: 1. Block address concatenated with page address = actual page address. CAx = column address; PAx = page address; BAx = block address.

- 2. If CA11 = 1, then CA[10:7] must be 0.
- 3. BA6 controls plane selection.



Asynchronous Interface Bus Operation

The bus on the device is multiplexed. Data I/O, addresses, and commands all share the same pins. I/O[15:8] are used only for data in the x16 configuration. Addresses and commands are always supplied on I/O[7:0].

The command sequence typically consists of a COMMAND LATCH cycle, address input cycles, and one or more data cycles, either READ or WRITE.

Table 8: Asynchronous Interface Mode Selection

Mode ¹	CE#	CLE	ALE	WE#	RE#	l/Ox	WP#
Standby ²	Н	Х	Х	Х	Х	Х	0V/V _{CC}
Command input	L	Н	L	14	Н	х	Н
Address input	L	L	Н	14	Н	х	Н
Data input	L	L	L	14	Н	х	Н
Data output	L	L	L	н	₹	х	X
Write protect	Х	Х	Х	Х	Х	Х	L

Notes: 1. Mode selection settings for this table: H = Logic level HIGH; L = Logic level LOW; $X = V_{IH}$ or V_{IL} .

2. WP# should be biased to CMOS LOW or HIGH for standby.

Asynchronous Enable/Standby

When the device is not performing an operation, the CE# pin is typically driven HIGH and the device enters standby mode. The memory will enter standby if CE# goes HIGH while data is being transferred and the device is not busy. This helps reduce power consumption.

The CE# "Don't Care" operation enables the NAND Flash to reside on the same asynchronous memory bus as other Flash or SRAM devices. Other devices on the memory bus can then be accessed while the NAND Flash is busy with internal operations. This capability is important for designs that require multiple NAND Flash devices on the same bus.

A HIGH CLE signal indicates that a command cycle is taking place. A HIGH ALE signal signifies that an ADDRESS INPUT cycle is occurring.

Asynchronous Commands


An asynchronous command is written from I/O[7:0] to the command register on the rising edge of WE# when CE# is LOW, ALE is LOW, CLE is HIGH, and RE# is HIGH.

Commands are typically ignored by die (LUNs) that are busy (RDY = 0); however, some commands, including READ STATUS (70h) and READ STATUS ENHANCED (78h), are accepted by die (LUNs) even when they are busy.

For devices with a x16 interface, I/O[15:8] must be written with zeros when a command is issued.



Figure 9: Asynchronous Command Latch Cycle






Asynchronous Addresses

An asynchronous address is written from I/O[7:0] to the address register on the rising edge of WE# when CE# is LOW, ALE is HIGH, CLE is LOW, and RE# is HIGH.

Bits that are not part of the address space must be LOW (see Device and Array Organization). The number of cycles required for each command varies. Refer to the command descriptions to determine addressing requirements.

Addresses are typically ignored by die (LUNs) that are busy (RDY = 0); however, some addresses are accepted by die (LUNs) even when they are busy; for example, like address cycles that follow the READ STATUS ENHANCED (78h) command.

Figure 10: Asynchronous Address Latch Cycle






Asynchronous Data Input

Data is written from I/O[7:0] to the cache register of the selected die (LUN) on the rising edge of WE# when CE# is LOW, ALE is LOW, CLE is LOW, and RE# is HIGH.

Data input is ignored by die (LUNs) that are not selected or are busy (RDY = 0). Data is written to the data register on the rising edge of WE# when CE#, CLE, and ALE are LOW, and the device is not busy.

Data is input on I/O[7:0] on x8 devices and on I/O[15:0] on x16 devices.

Figure 11: Asynchronous Data Input Cycles





Asynchronous Data Output

Data can be output from a die (LUN) if it is in a READY state. Data output is supported following a READ operation from the NAND Flash array. Data is output from the cache register of the selected die (LUN) to I/O[7:0] on the falling edge of RE# when CE# is LOW, ALE is LOW, CLE is LOW, and WE# is HIGH.

If the host controller is using a ^tRC of 30ns or greater, the host can latch the data on the rising edge of RE# (see the figure below for proper timing). If the host controller is using a ^tRC of less than 30ns, the host can latch the data on the next falling edge of RE#.

Using the READ STATUS ENHANCED (78h) command prevents data contention following an interleaved die (multi-LUN) operation. After issuing the READ STATUS EN-HANCED (78h) command, to enable data output, issue the READ MODE (00h) command.

Data output requests are typically ignored by a die (LUN) that is busy (RDY = 0); however, it is possible to output data from the status register even when a die (LUN) is busy by first issuing the READ STATUS or READ STATUS ENHANCED (78h) command.





Figure 12: Asynchronous Data Output Cycles



Figure 13: Asynchronous Data Output Cycles (EDO Mode)



Write Protect#

The write protect# (WP#) signal enables or disables PROGRAM and ERASE operations to a target. When WP# is LOW, PROGRAM and ERASE operations are disabled. When WP# is HIGH, PROGRAM and ERASE operations are enabled.

It is recommended that the host drive WP# LOW during power-on until V_{CC} is stable to prevent inadvertent PROGRAM and ERASE operations (see Device Initialization for additional details).

WP# must be transitioned only when the target is not busy and prior to beginning a command sequence. After a command sequence is complete and the target is ready, WP# can be transitioned. After WP# is transitioned, the host must wait ^tWW before issuing a new command.

The WP# signal is always an active input, even when CE# is HIGH. This signal should not be multiplexed with other signals.

Ready/Busy#

The ready/busy# (R/B#) signal provides a hardware method of indicating whether a target is ready or busy. A target is busy when one or more of its die (LUNs) are busy (RDY = 0). A target is ready when all of its die (LUNs) are ready (RDY = 1). Because each die (LUN) contains a status register, it is possible to determine the independent status of each die (LUN) by polling its status register instead of using the R/B# signal (see Status Operations for details regarding die (LUN) status).

This signal requires a pull-up resistor, Rp, for proper operation. R/B# is HIGH when the target is ready, and transitions LOW when the target is busy. The signal's open-drain



driver enables multiple R/B# outputs to be OR-tied. Typically, R/B# is connected to an interrupt pin on the system controller.

The combination of Rp and capacitive loading of the R/B# circuit determines the rise time of the R/B# signal. The actual value used for Rp depends on the system timing requirements. Large values of Rp cause R/B# to be delayed significantly. Between the 10% and 90% points on the R/B# waveform, the rise time is approximately two time constants (TC).

$$T_{C} = R \times C$$

Where R = Rp (resistance of pull-up resistor), and C = total capacitive load.

The fall time of the R/B# signal is determined mainly by the output impedance of the R/B# signal and the total load capacitance. Approximate Rp values using a circuit load of 100pF are provided in Figure 19 (page 33).

The minimum value for Rp is determined by the output drive capability of the R/B# signal, the output voltage swing, and V_{CC} .

$$Rp = \frac{V_{CC} (MAX) - V_{OL} (MAX)}{I_{OL} + \Sigma_{II}}$$

Where Σ_{II} is the sum of the input currents of all devices tied to the R/B# pin.

Figure 14: READ/BUSY# Open Drain








Figure 15: ^tFall and ^tRise (3.3V V_{CC})



- Notes: 1. ^tFall and ^tRise calculated at 10% and 90% points.
 - 2. ^tRise dependent on external capacitance and resistive loading and output transistor impedance.
 - 3. ^tRise primarily dependent on external pull-up resistor and external capacitive loading.
 - 4. ^tFall = 10ns at 3.3V.
 - 5. See TC values in Figure 19 (page 33) for approximate Rp value and TC.

Figure 16: ^tFall and ^tRise (1.8V V_{CC})



Notes: 1. ^tFall and ^tRise are calculated at 10% and 90% points.

- 2. ^tRise is primarily dependent on external pull-up resistor and external capacitive loading.
- 3. ^tFall \approx 7ns at 1.8V.
- 4. See TC values in Figure 19 (page 33) for TC and approximate Rp value.



Figure 17: I_{OL} vs. Rp (V_{CC} = 3.3V V_{CC})




Figure 18: I_{OL} vs. Rp (1.8V V_{CC})







Figure 19: TC vs. Rp






137-Ball NAND Flash with LPDDR MCP Device Initialization

Device Initialization

Micron NAND Flash devices are designed to prevent data corruption during power transitions. V_{CC} is internally monitored. (The WP# signal supports additional hardware protection during power transitions.) When ramping V_{CC} , use the following procedure to initialize the device:

- 1. Ramp V_{CC}.
- 2. The host must wait for R/B# to be valid and HIGH before issuing RESET (FFh) to any target. The R/B# signal becomes valid when 50 μ s has elapsed since the beginning the V_{CC} ramp, and 10 μ s has elapsed since V_{CC} reaches V_{CC} (MIN).
- 3. If not monitoring R/B#, the host must wait at least 100 μ s after V_{CC} reaches V_{CC} (MIN). If monitoring R/B#, the host must wait until R/B# is HIGH.
- 4. The asynchronous interface is active by default for each target. Each LUN draws less than an average of $10mA (I_{ST})$ measured over intervals of 1ms until the RESET (FFh) command is issued.
- 5. The RESET (FFh) command must be the first command issued to all targets (CE#s) after the NAND Flash device is powered on. Each target will be busy for 1ms after a RESET command is issued. The RESET busy time can be monitored by polling R/B# or issuing the READ STATUS (70h) command to poll the status register.
- 6. The device is now initialized and ready for normal operation.







137-Ball NAND Flash with LPDDR MCP Power Cycle Requirements

Power Cycle Requirements

Upon power-down the NAND device requires a maximum voltage and minimum time that the host must hold V_{CC} and V_{CCQ} below the voltage prior to power-on.

Table 9: Power Cycle Requirements

Parameter	Value	Unit	
Maximum V _{CC} /V _{CCQ}	100	mV	
Minimum time below maximum voltage	100	ns	



137-Ball NAND Flash with LPDDR MCP Command Definitions

Command Definitions

Table 10: Command Set

Command	Command Cycle #1	Number of Valid Address Cycles	Data Input Cycles	Command Cycle #2	Valid While Selected LUN is Busy ^{on page}	Valid While Other LUNs are Busy ^{on} _{page}	Notes
Reset Operations							
RESET	FFh	0	_	-	Yes	Yes	
Identification Operatio	n				<u> </u>		1
READ ID	90h	1	_	-	No	No	
READ PARAMETER PAGE	ECh	1	_	-	No	No	
READ UNIQUE ID	EDh	1	_	-	No	No	
Feature Operations			•				1
GET FEATURES	EEh	1	_	-	No	No	
SET FEATURES	EFh	1	4	-	No	No	
Status Operations			•				1
READ STATUS	70h	0	_	-	Yes		
READ STATUS EN- HANCED	78h	3	-	-	Yes	Yes	
Column Address Opera	tions		•				1
RANDOM DATA READ	05h	2	_	E0h	No	Yes	
RANDOM DATA INPUT	85h	2	Optional	-	No	Yes	
PROGRAM FOR INTERNAL DATA MOVE	85h	5	Optional	-	No	Yes	3
READ OPERATIONS	· · · · · ·		•				1
READ MODE	00h	0	_	-	No	Yes	
READ PAGE	00h	5	-	30h	No	Yes	
READ PAGE CACHE SE- QUENTIAL	31h	0	-	-	No	Yes	4
READ PAGE CACHE RANDOM	00h	5	-	31h	No	Yes	4
READ PAGE CACHE LAST	3Fh	0	-	-	No	Yes	4
Program Operations					<u> </u>		1
PROGRAM PAGE	80h	5	Yes	10h	No	Yes	
PROGRAM PAGE CACHE	80h	5	Yes	15h	No	Yes	5
Erase Operations	· · · · · ·				· · · · · ·		
ERASE BLOCK	60h	3	-	D0h	No	Yes	
Internal Data Move Op	erations				· · · · · ·		
READ FOR INTERNAL DATA MOVE	00h	5	_	35h	No	Yes	3



137-Ball NAND Flash with LPDDR MCP Command Definitions

Table 10: Command Set (Continued)

Command	Command Cycle #1	Number of Valid Address Cycles	Data Input Cycles	Command Cycle #2	Valid While Selected LUN is Busy ^{on page}	Valid While Other LUNs are Busy ^{on} _{page}	Notes
PROGRAM FOR INTER- NAL DATA MOVE	85h	5	Optional	10h	No	Yes	
Block Lock Operations							
BLOCK UNLOCK LOW	23h	3	-	-	No	Yes	
BLOCK UNLOCK HIGH	24h	3	_	_	No	Yes	
BLOCK LOCK	2Ah	-	_	_	No	Yes	
BLOCK LOCK-TIGHT	2Ch	-	_	_	No	Yes	
BLOCK LOCK READ STATUS	7Ah	3	-	-	No	Yes	
One-Time Programmab	le (OTP) Ope	rations			II		
OTP DATA LOCK BY BLOCK (ONFI)	80h	5	No	10h	No	No	6
OTP DATA PROGRAM (ONFI)	80h	5	Yes	10h	No	No	6
OTP DATA READ (ONFI)	00h	5	No	30h	No	No	6

Notes: 1. Busy means RDY = 0.

- 2. These commands can be used for interleaved die (multi-LUN) operations (see Interleaved Die Multi-LUN Operations).
- 3. Do not cross plane address boundaries when using READ for INTERNAL DATA MOVE and PROGRAM for INTERNAL DATA MOVE.
- 4. Issuing a READ PAGE CACHE series (31h, 00h-31h, 00h-32h, 3Fh) command when the array is busy (RDY = 1, ARDY = 0) is supported if the previous command was a READ PAGE (00h-30h) or READ PAGE CACHE series command; otherwise, it is prohibited.
- Issuing a PROGRAM PAGE CACHE (80h-15h) command when the array is busy (RDY = 1, ARDY = 0) is supported if the previous command was a PROGRAM PAGE CACHE (80h-15h) command; otherwise, it is prohibited.
- 6. OTP commands can be entered only after issuing the SET FEATURES command with the feature address.

Table 11: Two-Plane Command Set

Command	Com- mand Cycle #1	Number of Valid Address Cycles	Com- mand Cycle #2	Number of Valid Address Cycles	Com- mand Cycle #3	Valid While Selected LUN is Busy	Valid While Other LUNs are Busy	
READ PAGE TWO- PLANE	00h	5	00h	5	30h	No	Yes	
READ FOR TWO- PLANE INTERNAL DATA MOVE	00h	5	00h	5	35h	No	Yes	1



137-Ball NAND Flash with LPDDR MCP Command Definitions

Table 11: Two-Plane Command Set (Continued)

Command	Com- mand Cycle #1	Number of Valid Address Cycles	Com- mand Cycle #2	Number of Valid Address Cycles	Com- mand Cycle #3	Valid While Selected LUN is Busy	Valid While Other LUNs are Busy	Notes
RANDOM DATA READ TWO-PLANE	06h	5	E0h	_	_	No	Yes	2
PROGRAM PAGE TWO-PLANE	80h	5	11h-80h	5	10h	No	Yes	
PROGRAM PAGE CACHE MODE TWO- PLANE	80h	5	11h-80h	5	15h	No	Yes	
PROGRAM FOR TWO-PLANE INTER- NAL DATA MOVE	85h	5	11h-85h	5	10h	No	Yes	1
BLOCK ERASE TWO- PLANE	60h	3	D1h-60h	3	D0h	No	Yes	3

Notes: 1. Do not cross plane boundaries when using READ FOR INTERNAL DATA MOVE TWO-PLANE or PROGRAM FOR TWO-PLANE INTERNAL DATA MOVE.

2. The RANDOM DATA READ TWO-PLANE command is limited to use with the PAGE READ TWO-PLANE command.

3. D1h command can be omitted.



Reset Operations

RESET (FFh)


The RESET command is used to put the memory device into a known condition and to abort the command sequence in progress.

READ, PROGRAM, and ERASE commands can be aborted while the device is in the busy state. The contents of the memory location being programmed or the block being erased are no longer valid. The data may be partially erased or programmed, and is invalid. The command register is cleared and is ready for the next command. The data register and cache register contents are marked invalid.

The status register contains the value E0h when WP# is HIGH; otherwise it is written with a 60h value. R/B# goes LOW for ^tRST after the RESET command is written to the command register.

The RESET command must be issued to all CE#s as the first command after power-on. The device will be busy for a maximum of 1ms.

Figure 21: RESET (FFh) Operation





137-Ball NAND Flash with LPDDR MCP Identification Operations

Identification Operations

READ ID (90h)


The READ ID (90h) command is used to read identifier codes programmed into the target. This command is accepted by the target only when all die (LUNs) on the target are idle.

Writing 90h to the command register puts the target in read ID mode. The target stays in this mode until another valid command is issued.

When the 90h command is followed by an 00h address cycle, the target returns a 5-byte identifier code that includes the manufacturer ID, device configuration, and part-specific information.


When the 90h command is followed by a 20h address cycle, the target returns the 4-byte ONFI identifier code.

Figure 22: READ ID (90h) with 00h Address Operation



Note: 1. See the READ ID Parameter tables for byte definitions.

Figure 23: READ ID (90h) with 20h Address Operation



Note: 1. See READ ID Parameter tables for byte definitions.



137-Ball NAND Flash with LPDDR MCP READ ID Parameter Tables

READ ID Parameter Tables

Table 12: READ ID Parameters for Address 00h

		Options	I/07	I/O6	I/05	I/04	I/O3	I/O2	I/01	I/O0	Value ¹
Byte 0 – Manufacturer	ID	1					•			1	I
Manufacturer		Micron	0	0	1	0	1	1	0	0	2Ch
Byte 1 – Device ID											
MT29F4G08ABBEA		4Gb, x8, 1.8V	1	0	1	0	1	1	0	0	ACh
MT29F4G16ABBEA		4Gb, x16, 1.8V	1	0	1	1	1	1	0	0	BCh
MT29F4G08ABAEA		4Gb, x8, 3.3V	1	1	0	1	1	1	0	0	DCh
MT29F4G16ABAEA		4Gb, x16, 3.3V	1	1	0	0	1	1	0	0	CCh
Byte 2											
Number of die per CE		1							0	0	00b
Cell type		SLC					0	0			00b
Number of simultaneous med pages	ly program-	2			0	1					01b
Interleaved operations b multiple die	etween	Not supported		0							0b
Cache programming		Supported	1								1b
Byte value		MT29F4G	1	0	0	1	0	0	0	0	90h
Byte 3											I
Page size		4КВ							1	0	10b
Spare area size (bytes)		224B						1			1b
Block size (w/o spare)		256KB			1	0					10b
Organization		x8		0							0b
		x16		1							
Serial access (MIN)	1.8V	30ns	0				0				0xxx0b
	3.3V	20ns	1				0				1xxx0b
Byte value		MT29F4G08ABBEA	0	0	1	0	0	1	1	0	26h
		MT29F4G16ABBEA	0	1	1	0	0	1	1	0	66h
		MT29F4G08ABAEA	1	0	1	0	0	1	1	0	A6h
		MT29F4G16ABAEA	1	1	1	0	0	1	1	0	E6h
Byte 4											
Reserved									0	0	00b
Planes per CE#		2					0	1			01b
Plane size		2Gb		1	0	1					101b
Reserved			0								0b
Byte value		MT29F4G	0	0	0	1	0	1	0	0	54h

Note: 1. b = binary; h = hexadecimal.



137-Ball NAND Flash with LPDDR MCP READ ID Parameter Tables

Table 13: READ ID Parameters for Address 20h

Byte	Options	I/07	I/06	I/05	I/04	I/03	I/02	I/01	I/00	Value	Notes
0	"O"	0	1	0	0	1	1	1	1	4Fh	1
1	"N"	0	1	0	0	1	1	1	0	4Eh	
2	"F"	0	1	0	0	0	1	1	0	46h	
3	"]"	0	1	0	0	1	0	0	1	49h	
4	Undefined	Х	Х	Х	Х	Х	Х	Х	Х	XXh	

Note: 1. h = hexadecimal.



137-Ball NAND Flash with LPDDR MCP READ PARAMETER PAGE (ECh)

READ PARAMETER PAGE (ECh)


The READ PARAMETER PAGE (ECh) command is used to read the ONFI parameter page programmed into the target. This command is accepted by the target only when all die (LUNs) on the target are idle.

Writing ECh to the command register puts the target in read parameter page mode. The target stays in this mode until another valid command is issued.

When the ECh command is followed by an 00h address cycle, the target goes busy for ^tR. If the READ STATUS (70h) command is used to monitor for command completion, the READ MODE (00h) command must be used to re-enable data output mode. Use of the READ STATUS ENHANCED (78h) command is prohibited while the target is busy and during data output.

A minimum of three copies of the parameter page are stored in the device. Each parameter page is 256 bytes. If desired, the RANDOM DATA READ (05h-E0h) command can be used to change the location of data output.

Figure 24: READ PARAMETER (ECh) Operation





137-Ball NAND Flash with LPDDR MCP Parameter Page Data Structure Tables

Parameter Page Data Structure Tables

Table 14: Parameter Page Data Structure

Byte	Description		Value
0–3	Parameter page signature		4Fh, 4Eh, 46h, 49h
4–5	Revision number		02h, 00h
6–7	Features supported	MT29F4G08ABBEA3W	18h, 00h
		MT29F4G16ABBEA3W	19h, 00h
		MT29F4G08ABAEA3W	18h, 00h
		MT29F4G16ABAEA3W	19h, 00h
		MT29F4G08ABBEAH4	18h, 00h
		MT29F4G16ABBEAH4	19h, 00h
		MT29F4G08ABAEAWP	18h, 00h
		MT29F4G16ABAEAWP	19h, 00h
		MT29F4G08ABAEAH4	18h, 00h
		MT29F4G16ABAEAH4	19h, 00h
8–9	Optional commands support	ed	3Fh, 00h
10–31	Reserved		00h
32–43	Device manufacturer		4Dh, 49h, 43h, 52h, 4Fh, 4Eh, 20h, 20h, 20h, 20h, 20h, 20h
44–63	Device model	MT29F4G08ABBEA3W	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 30h, 38h, 41h, 42h, 42h, 45h, 41h, 33h, 57h, 20h, 20h, 20h, 20h
		MT29F4G16ABBEA3W	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 31h, 36h, 41h, 42h, 42h, 45h, 41h, 33h, 57h, 20h, 20h, 20h, 20h
		MT29F4G08ABAEA3W	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 30h, 38h, 41h, 42h, 41h, 45h, 41h, 33h, 57h, 20h, 20h, 20h, 20h
		MT29F4G16ABAEA3W	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 31h, 36h, 41h, 42h, 41h, 45h, 41h, 33h, 57h, 20h, 20h, 20h, 20h
		MT29F4G08ABBEAH4	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 30h, 38h, 41h, 42h, 42h, 45h, 41h, 48h, 34h, 20h, 20h, 20h, 20h
		MT29F4G16ABBEAH4	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 31h, 36h, 41h, 42h, 42h, 45h, 41h, 48h, 34h, 20h, 20h, 20h, 20h
		MT29F4G08ABAEAWP	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 30h, 38h, 41h, 42h, 41h, 45h, 41h, 57h, 50h, 20h, 20h, 20h, 20h
		MT29F4G16ABAEAWP	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 31h, 36h, 41h, 42h, 41h, 45h, 41h, 57h, 50h, 20h, 20h, 20h, 20 h
		MT29F4G08ABAEAH4	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 30h, 38h, 41h, 42h, 41h, 45h, 41h, 48h, 34h, 20h, 20h, 20h, 20h
		MT29F4G16ABAEAH4	4Dh, 54h, 32h, 39h, 46h, 34h, 47h, 31h, 36h, 41h, 42h, 41h, 45h, 41h, 48h, 34h, 20h, 20h, 20h, 20h
64	Manufacturer ID		2Ch
65–66	Date code		00h, 00h



137-Ball NAND Flash with LPDDR MCP Parameter Page Data Structure Tables

Table 14: Parameter Page Data Structure (Continued)

Byte	Description		Value
67–79	Reserved		00h, 00h, 00h, 00h, 00h, 00h, 00h, 00h,
80–83	Number of data bytes per pa	ige	00h, 10h, 00h, 00h
84–85	Number of spare bytes per p	age	E0h, 00h
86–89	Number of data bytes per pa	ortial page	00h, 04h, 00h, 00h
90–91	Number of spare bytes per p	artial page	38h, 00h
92–95	Number of pages per block		40h, 00h, 00h, 00h
96–99	Number of blocks per unit		00h, 08h, 00h, 00h
100	Number of logical units		01h
101	Number of address cycles		23h
102	Number of bits per cell		01h
103–104	Bad blocks maximum per un	it	28h, 00h
105–106	Block Endurance		06h, 04h
107	Guaranteed valid blocks at b	eginning of target	01h
108–109	Block endurance for guarant	eed valid blocks	00h, 00h
110	Number of programs per page	ge	04h
111	Partial programming attribu	tes	00h
112	Number of bits ECC bits		08h
113	Number of interleaved addre	ess bits	01h
114	Interleaved operation attribution	utes	0Eh
115–127	Reserved		00h
128	I/O pin capacitance		0Ah
129–130	Timing mode support	MT29F4G08ABBEA3W	0Fh, 00h
		MT29F4G16ABBEA3W	0Fh, 00h
		MT29F4G08ABAEA3W	3Fh, 00h
		MT29F4G16ABAEA3W	3Fh, 00h
	MT29F4G08ABBEAH4		0Fh, 00h
		MT29F4G16ABBEAH4	0Fh, 00h
		MT29F4G08ABAEAWP	3Fh, 00h
		MT29F4G16ABAEAWP	3Fh, 00h
		MT29F4G08ABAEAH4	3Fh, 00h
		MT29F4G16ABAEAH4	3Fh, 00h

137-Ball NAND Flash with LPDDR MCP Parameter Page Data Structure Tables

Table 14: Parameter Page Data Structure (Continued)

Byte	Description		Value
131–132	Program cache timing	MT29F4G08ABBEA3W	0Fh, 00h
	mode support	MT29F4G16ABBEA3W	0Fh, 00h
		MT29F4G08ABAEA3W	3Fh, 00h
		MT29F4G16ABAEA3W	3Fh, 00h
		MT29F4G08ABBEAH4	0Fh, 00h
		MT29F4G16ABBEAH4	0Fh, 00h
		MT29F4G08ABAEAWP	3Fh, 00h
		MT29F4G16ABAEAWP	3Fh, 00h
		MT29F4G08ABAEAH4	3Fh, 00h
		MT29F4G16ABAEAH4	3Fh, 00h
133–134	^t PROG Maximum page prog	ram time	58h, 02h
135–136	^t BERS Maximum block erase	time	10h, 27h
137–138	^t R Maximum page read time	e	19h, 00h
139–140	^t CCS Minimum		64h, 00h
141–163	Reserved		00h
164–165	Vendor-specific revision nur	nber	01h, 00h
166–253	Vendor-specific		01h, 00h, 00h, 02h, 04h, 80h, 01h, 81h, 04h, 01h, 02h, 01h, 0Ah, 00h, 00h, 00h, 00h, 00h, 00h, 00
254–255	Integrity CRC		Set at test
256–511	Value of bytes 0–255		
512–767	Value of bytes 0–255		
768+	Additional redundant parar	neter pages	



137-Ball NAND Flash with LPDDR MCP READ UNIQUE ID (EDh)

READ UNIQUE ID (EDh)

The READ UNIQUE ID (EDh) command is used to read a unique identifier programmed into the target. This command is accepted by the target only when all die (LUNs) on the target are idle.

Writing EDh to the command register puts the target in read unique ID mode. The target stays in this mode until another valid command is issued.


When the EDh command is followed by an 00h address cycle, the target goes busy for ^tR. If the READ STATUS (70h) command is used to monitor for command completion, the READ MODE (00h) command must be used to re-enable data output mode.

After ^tR completes, the host enables data output mode to read the unique ID. When the asynchronous interface is active, one data byte is output per RE# toggle.

Sixteen copies of the unique ID data are stored in the device. Each copy is 32 bytes. The first 16 bytes of a 32-byte copy are unique data, and the second 16 bytes are the complement of the first 16 bytes. The host should XOR the first 16 bytes with the second 16 bytes. If the result is 16 bytes of FFh, then that copy of the unique ID data is correct. In the event that a non-FFh result is returned, the host can repeat the XOR operation on a subsequent copy of the unique ID data. If desired, the RANDOM DATA READ (05h-E0h) command can be used to change the data output location.

The upper eight I/Os on a x16 device are not used and are a "Don't Care" for x16 devices.

Figure 25: READ UNIQUE ID (EDh) Operation





Feature Operations

The SET FEATURES (EFh) and GET FEATURES (EEh) commands are used to modify the target's default power-on behavior. These commands use a one-byte feature address to determine which subfeature parameters will be read or modified. Each feature address (in the 00h to FFh range) is defined in below. The SET FEATURES (EFh) command writes subfeature parameters (P1–P4) to the specified feature address. The GET FEA-TURES command reads the subfeature parameters (P1–P4) at the specified feature address.

Table 15: Feature Address Definitions

Feature Address	Definition
00h	Reserved
01h	Timing mode
02h–7Fh	Reserved
80h	Programmable output drive strength
81h	Programmable RB# pull-down strength
82h–FFh	Reserved
90h	Array operation mode

Table 16: Feature Address 90h – Array Operation Mode

Subfeature													
Parameter	Options	1/07	I/06	I/05	I/04	I/O3	I/O2	I/01	I/O0	Value	Notes		
P1													
Operation	Normal			R	eserved (0)			0	00h	1		
mode option	OTP		Reserved (0) 1										
	operation												
	OTP			Reserv	ved (0)			1	1	03h			
	protection												
					Reserv	/ed (0)				00h			
					Reserv	/ed (0)				00h			
P2													
Reserved					Reserv	/ed (0)				00h			
Р3	•												
Reserved			Reserved (0)										
P4			Reserved (0)										
Reserved					Reserv	/ed (0)				00h			

Note: 1. These bits are reset to 00h on power cycle.

SET FEATURES (EFh)

The SET FEATURES (EFh) command writes the subfeature parameters (P1–P4) to the specified feature address to enable or disable target-specific features. This command is accepted by the target only when all die (LUNs) on the target are idle.




Writing EFh to the command register puts the target in the set features mode. The target stays in this mode until another command is issued.

The EFh command is followed by a valid feature address. The host waits for ^tADL before the subfeature parameters are input. When the asynchronous interface is active, one subfeature parameter is latched per rising edge of WE#.

After all four subfeature parameters are input, the target goes busy for ^tFEAT. The READ STATUS (70h) command can be used to monitor for command completion.

Feature address 01h (timing mode) operation is unique. If SET FEATURES is used to modify the interface type, the target will be busy for ^tITC.

Figure 26: SET FEATURES (EFh) Operation



GET FEATURES (EEh)

The GET FEATURES (EEh) command reads the subfeature parameters (P1–P4) from the specified feature address. This command is accepted by the target only when all die (LUNs) on the target are idle.

Writing EEh to the command register puts the target in get features mode. The target stays in this mode until another valid command is issued.

When the EEh command is followed by a feature address, the target goes busy for ^tFEAT. If the READ STATUS (70h) command is used to monitor for command completion, the READ MODE (00h) command must be used to re-enable data output mode. During and prior to data output, use of the READ STATUS ENHANCED (78h) command is prohibited prior to and during data output.

After ^tFEAT completes, the host enables data output mode to read the subfeature parameters.

Figure 27: GET FEATURES (EEh) Operation






Table 17: Feature Addresses 01h: Timing Mode

Subfeature	Ontions	1/07	I/O6	I/O5	104	I/O3	I/O2	I/O1	I/O0	Value	Notos
Parameter	Options	1/07	1/06	1/05	I/04	1/03	1/02	1/01	1/00	value	Notes
P1											
Timing mode	Mode 0	0	0	0	00h	1, 2					
	(default)										
	Mode 1		R	eserved (0)		0	0	1	01h	2
	Mode 2		R	eserved (0)		0	1	0	02h	2, 4
	Mode 3		R	eserved (0)		0	1	1	03h	2
	Mode 4		R	eserved (0)		1	0	0	04h	3
	Mode 5		R	eserved (0)		1	0	1	05h	3
P2	·										
			R	eserved (0)					00h	
Р3	·										
			Reserved (0)							00h	
P4								•		•	
			R	eserved (0)					00h	

Notes: 1. The timing mode feature address is used to change the default timing mode. The timing mode should be selected to indicate the maximum speed at which the device will receive commands, addresses, and data cycles. The five supported settings for the timing mode are shown. The default timing mode is mode 0. The device returns to mode 0 when the device is power cycled. Supported timing modes are reported in the parameter page.

- 2. Supported for both 1.8V and 3.3V.
- 3. Supported for 3.3V only.
- 4. Supported for 1.8V only. ^tWHR, ^tREA, ^tCEA, and ^tRHZ per timing mode 2. (See AC Characteristics: Normal Operation (1.8V) table for details.)



Table 18: Feature Addresses 80h: Programmable I/O Drive Strength

Subfeature	Ontions	1/07	VOC	WOF	1/04	1/02	1/02	1/04		Value	Netes
Parameter	Options	I/07	I/O6	I/05	I/04	I/O3	I/O2	I/01	I/O0	Value	Notes
P1											
I/O drive strength	Full (default)			Reserv	ved (0)			0	0	00h	1
	Three-quarters			Reserv	ved (0)			0	1	01h	
	One-half			Reserv	/ed (0)			1	0	02h	
	One-quarter			Reserv	/ed (0)			1	1	03h	
P2									•		
			R	eserved ((0)					00h	
Р3									•		
			R	eserved ((0)					00h	
Р4									•		•
			R	eserved ((0)					00h	

Note: 1. The programmable drive strength feature address is used to change the default I/O drive strength. Drive strength should be selected based on expected loading of the memory bus. This table shows the four supported output drive strength settings. The default drive strength is full strength. The device returns to the default drive strength mode when the device is power cycled. AC timing parameters may need to be relaxed if I/O drive strength is not set to full.

Table 19: Feature Addresses 81h: Programmable R/B# Pull-Down Strength

Subfeature	Ontions	I/07	I/O6	1/05	I/O4	I/O3	I/O2	I/O1	1/00	Value	Natas
Parameter	Options	1/07	1/06	1/05	1/04	1/03	1/02	1/01	1/00	value	Notes
P1											
R/B# pull-down strength	Full (default)							0	0	00h	1
	Three-quarters							0	1	01h	
	One-half							1	0	02h	
	One-quarter							1	1	03h	
P2	·										
		Reserved (0)						00h			
Р3											
		Reserved (0)							00h		
Р4											•
		Reserved (0)						00h			

Note: 1. This feature address is used to change the default R/B# pull-down strength. Its strength should be selected based on the expected loading of R/B#. Full strength is the default, power-on value.



Status Operations

Each die (LUN) provides its status independently of other die (LUNs) on the same target through its 8-bit status register.

After the READ STATUS (70h) or READ STATUS ENHANCED (78h) command is issued, status register output is enabled. The contents of the status register are returned on I/O[7:0] for each data output request.

When the asynchronous interface is active and status register output is enabled, changes in the status register are seen on I/O[7:0] as long as CE# and RE# are LOW; it is not necessary to toggle RE# to see the status register update.

While monitoring the status register to determine when a data transfer from the Flash array to the data register (^tR) is complete, the host must issue the READ MODE (00h) command to disable the status register and enable data output (see Read Operations).

The READ STATUS (70h) command returns the status of the most recently selected die (LUN). To prevent data contention during or following an interleaved die (multi-LUN) operation, the host must enable only one die (LUN) for status output by using the READ STATUS ENHANCED (78h) command (see Interleaved Die (Multi-LUN) Operations).

SR Bit	Program Page	Program Page Cache Mode	Page Read	Page Read Cache Mode	Block Erase	Description
7	Write protect	Write protect	Write protect	Write protect	Write protect	0 = Protected 1 = Not protected
6	RDY	RDY cache ¹	RDY	RDY cache ¹	RDY	0 = Busy 1 = Ready
5	ARDY	ARDY ²	ARDY	ARDY ²	ARDY	0 = Busy 1 = Ready
4	-	_	_	-	_	Reserved (0)
3	-	_	_	-	_	Reserved (0)
2	-	-	_	-	_	Reserved (0)
1	FAILC (N–1)	FAILC (N–1)	-	-	-	0 = Pass 1 = Fail
0	FAIL	FAIL (N)	_	_	FAIL	0 = Pass 1 = Fail

Table 20: Status Register Definition

Notes: 1. Status register bit 6 is 1 when the cache is ready to accept new data. R/B# follows bit 6.

- 2. Status register bit 5 is 0 during the actual programming operation. If cache mode is used, this bit will be 1 when all internal operations are complete.
- 3. A status register bit 0 reports a 1 if a TWO-PLANE PROGRAM PAGE or TWO-PLANE BLOCK ERASE operation fails on one or both planes. A status register bit 1 reports a 1 if a TWO-PLANE PROGRAM PAGE CACHE MODE operation fails on one or both planes. Use READ STATUS ENHANCED (78h) to determine the plane to which the operation failed.

READ STATUS (70h)


The READ STATUS (70h) command returns the status of the last-selected die (LUN) on a target. This command is accepted by the last-selected die (LUN) even when it is busy (RDY = 0).



If there is only one die (LUN) per target, the READ STATUS (70h) command can be used to return status following any NAND command.

In devices that have more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations, the READ STATUS ENHANCED (78h) command must be used to select the die (LUN) that should report status. In this situation, using the READ STATUS (70h) command will result in bus contention, as two or more die (LUNs) could respond until the next operation is issued. The READ STATUS (70h) command can be used following all single die (LUN) operations.

Figure 28: READ STATUS (70h) Operation



READ STATUS ENHANCED (78h)

The READ STATUS ENHANCED (78h) command returns the status of the addressed die (LUN) on a target even when it is busy (RDY = 0). This command is accepted by all die (LUNs), even when they are BUSY (RDY = 0).


Writing 78h to the command register, followed by three row address cycles containing the page, block, and LUN addresses, puts the selected die (LUN) into read status mode. The selected die (LUN) stays in this mode until another valid command is issued. Die (LUNs) that are not addressed are deselected to avoid bus contention.

The selected LUN's status is returned when the host requests data output. The RDY and ARDY bits of the status register are shared for all planes on the selected die (LUN). The FAILC and FAIL bits are specific to the plane specified in the row address.

The READ STATUS ENHANCED (78h) command also enables the selected die (LUN) for data output. To begin data output following a READ-series operation after the selected die (LUN) is ready (RDY = 1), issue the READ MODE (00h) command, then begin data output. If the host needs to change the cache register that will output data, use the RANDOM DATA READ TWO-PLANE (06h-E0h) command after the die (LUN) is ready.

Use of the READ STATUS ENHANCED (78h) command is prohibited during the poweron RESET (FFh) command and when OTP mode is enabled. It is also prohibited following some of the other reset, identification, and configuration operations. See individual operations for specific details.

Figure 29: READ STATUS ENHANCED (78h) Operation





Column Address Operations

The column address operations affect how data is input to and output from the cache registers within the selected die (LUNs). These features provide host flexibility for managing data, especially when the host internal buffer is smaller than the number of data bytes or words in the cache register.

When the asynchronous interface is active, column address operations can address any byte in the selected cache register.


RANDOM DATA READ (05h-E0h)

The RANDOM DATA READ (05h-E0h) command changes the column address of the selected cache register and enables data output from the last selected die (LUN). This command is accepted by the selected die (LUN) when it is ready (RDY = 1; ARDY = 1). It is also accepted by the selected die (LUN) during CACHE READ operations (RDY = 1; ARDY = 0).

Writing 05h to the command register, followed by two column address cycles containing the column address, followed by the E0h command, puts the selected die (LUN) into data output mode. After the E0h command cycle is issued, the host must wait at least ^tWHR before requesting data output. The selected die (LUN) stays in data output mode until another valid command is issued.

In devices with more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations, the READ STATUS ENHANCED (78h) command must be issued prior to issuing the RANDOM DATA READ (05h-E0h). In this situation, using the RANDOM DATA READ (05h-E0h) command without the READ STATUS ENHANCED (78h) command will result in bus contention because two or more die (LUNs) could output data.

Figure 30: RANDOM DATA READ (05h-E0h) Operation





RANDOM DATA READ TWO-PLANE (06h-E0h)

The RANDOM DATA READ TWO-PLANE (06h-E0h) command enables data output on the addressed die's (LUN's) cache register at the specified column address. This command is accepted by a die (LUN) when it is ready (RDY = 1; ARDY = 1).

Writing 06h to the command register, followed by two column address cycles and three row address cycles, followed by E0h, enables data output mode on the address LUN's cache register at the specified column address. After the E0h command cycle is issued, the host must wait at least ^tWHR before requesting data output. The selected die (LUN) stays in data output mode until another valid command is issued.


Following a two-plane read page operation, the RANDOM DATA READ TWO-PLANE (06h-E0h) command is used to select the cache register to be enabled for data output. After data output is complete on the selected plane, the command can be issued again to begin data output on another plane.

In devices with more than one die (LUN) per target, after all of the die (LUNs) on the target are ready (RDY = 1), the RANDOM DATA READ TWO-PLANE (06h-E0h) command can be used following an interleaved die (multi-LUN) read operation. Die (LUNs) that are not addressed are deselected to avoid bus contention.

In devices with more than one die (LUN) per target, during interleaved die (multi-LUN) operations where more than one or more die (LUNs) are busy (RDY = 1; ARDY = 0 or RDY = 0; ARDY = 0), the READ STATUS ENHANCED (78h) command must be issued to the die (LUN) to be selected prior to issuing the RANDOM DATA READ TWO-PLANE (06h-E0h). In this situation, using the RANDOM DATA READ TWO-PLANE (06h-E0h) command without the READ STATUS ENHANCED (78h) command will result in bus contention, as two or more die (LUNs) could output data.

If there is a need to update the column address without selecting a new cache register or LUN, the RANDOM DATA READ (05h-E0h) command can be used instead.

Figure 31: RANDOM DATA READ TWO-PLANE (06h-E0h) Operation





RANDOM DATA INPUT (85h)


The RANDOM DATA INPUT (85h) command changes the column address of the selected cache register and enables data input on the last-selected die (LUN). This command is accepted by the selected die (LUN) when it is ready (RDY = 1; ARDY = 1). It is also accepted by the selected die (LUN) during cache program operations (RDY = 1; ARDY = 0).

Writing 85h to the command register, followed by two column address cycles containing the column address, puts the selected die (LUN) into data input mode. After the second address cycle is issued, the host must wait at least ^tADL before inputting data. The selected die (LUN) stays in data input mode until another valid command is issued. Though data input mode is enabled, data input from the host is optional. Data input begins at the column address specified.

The RANDOM DATA INPUT (85h) command is allowed after the required address cycles are specified, but prior to the final command cycle (10h, 11h, 15h) of the following commands while data input is permitted: PROGRAM PAGE (80h-10h), PROGRAM PAGE CACHE (80h-15h), PROGRAM FOR INTERNAL DATA MOVE (85h-10h), and PROGRAM FOR TWO-PLANE INTERNAL DATA MOVE (85h-11h).

In devices that have more than one die (LUN) per target, the RANDOM DATA INPUT (85h) command can be used with other commands that support interleaved die (multi-LUN) operations.

Figure 32: RANDOM DATA INPUT (85h) Operation





PROGRAM FOR INTERNAL DATA INPUT (85h)

The PROGRAM FOR INTERNAL DATA INPUT (85h) command changes the row address (block and page) where the cache register contents will be programmed in the NAND Flash array. It also changes the column address of the selected cache register and enables data input on the specified die (LUN). This command is accepted by the selected die (LUN) when it is ready (RDY = 1; ARDY = 1). It is also accepted by the selected die (LUN) during cache programming operations (RDY = 1; ARDY = 0).

Write 85h to the command register. Then write two column address cycles and three row address cycles. This updates the page and block destination of the selected device for the addressed LUN and puts the cache register into data input mode. After the fifth address cycle is issued the host must wait at least ^tADL before inputting data. The selected LUN stays in data input mode until another valid command is issued. Though data input mode is enabled, data input from the host is optional. Data input begins at the column address specified.

The PROGRAM FOR INTERNAL DATA INPUT (85h) command is allowed after the required address cycles are specified, but prior to the final command cycle (10h, 11h, 15h) of the following commands while data input is permitted: PROGRAM PAGE (80h-10h), PROGRAM PAGE TWO-PLANE (80h-11h), PROGRAM PAGE CACHE (80h-15h), PRO-GRAM FOR INTERNAL DATA MOVE (85h-10h), and PROGRAM FOR TWO-PLANE IN-TERNAL DATA MOVE (85h-11h). When used with these commands, the LUN address and plane select bits are required to be identical to the LUN address and plane select bits originally specified.

The PROGRAM FOR INTERNAL DATA INPUT (85h) command enables the host to modify the original page and block address for the data in the cache register to a new page and block address.


In devices that have more than one die (LUN) per target, the PROGRAM FOR INTERNAL DATA INPUT (85h) command can be used with other commands that support interleaved die (multi-LUN) operations.

The PROGRAM FOR INTERNAL DATA INPUT (85h) command can be used with the RANDOM DATA READ (05h-E0h) or RANDOM DATA READ TWO-PLANE (06h-E0h) commands to read and modify cache register contents in small sections prior to programming cache register contents to the NAND Flash array. This capability can reduce the amount of buffer memory used in the host controller.

The RANDOM DATA INPUT (85h) command can be used during the PROGRAM FOR INTERNAL DATA MOVE command sequence to modify one or more bytes of the original data. First, data is copied into the cache register using the 00h-35h command sequence, then the RANDOM DATA INPUT (85h) command is written along with the address of the data to be modified next. New data is input on the external data pins. This copies the new data into the cache register.



Figure 33: PROGRAM FOR INTERNAL DATA INPUT (85h) Operation





Read Operations

The READ PAGE (00h-30h) command, when issued by itself, reads one page from the NAND Flash array to its cache register and enables data output for that cache register.

During data output the following commands can be used to read and modify the data in the cache registers: RANDOM DATA READ (05h-E0h) and RANDOM DATA INPUT (85h).

Read Cache Operations

To increase data throughput, the READ PAGE CACHE series (31h, 00h-31h) commands can be used to output data from the cache register while concurrently copying a page from the NAND Flash array to the data register.

To begin a read page cache sequence, begin by reading a page from the NAND Flash array to its corresponding cache register using the READ PAGE (00h-30h) command. R/B# goes LOW during ^tR and the selected die (LUN) is busy (RDY = 0, ARDY = 0). After ^tR (R/B# is HIGH and RDY = 1, ARDY = 1), issue either of these commands:

- READ PAGE CACHE SEQUENTIAL (31h) copies the next sequential page from the NAND Flash array to the data register
- READ PAGE CACHE RANDOM (00h-31h) copies the page specified in this command from the NAND Flash array to its corresponding data register

After the READ PAGE CACHE series (31h, 00h-31h) command has been issued, R/B# goes LOW on the target, and RDY = 0 and ARDY = 0 on the die (LUN) for ^tRCBSY while the next page begins copying data from the array to the data register. After ^tRCBSY, R/B# goes HIGH and the die's (LUN's) status register bits indicate the device is busy with a cache operation (RDY = 1, ARDY = 0). The cache register becomes available and the page requested in the READ PAGE CACHE operation is transferred to the data register. At this point, data can be output from the cache register, beginning at column address 0. The RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data output by the die (LUN).

After outputting the desired number of bytes from the cache register, either an additional READ PAGE CACHE series (31h, 00h-31h) operation can be started or the READ PAGE CACHE LAST (3Fh) command can be issued.

If the READ PAGE CACHE LAST (3Fh) command is issued, R/B# goes LOW on the target, and RDY = 0 and ARDY = 0 on the die (LUN) for ^tRCBSY while the data register is copied into the cache register. After ^tRCBSY, R/B# goes HIGH and RDY = 1 and ARDY = 1, indicating that the cache register is available and that the die (LUN) is ready. Data can then be output from the cache register, beginning at column address 0. The RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data being output.

For READ PAGE CACHE series (31h, 00h-31h, 3Fh), during the die (LUN) busy time, ^tRCBSY, when RDY = 0 and ARDY = 0, the only valid commands are status operations (70h, 78h) and RESET (FFh). When RDY = 1 and ARDY = 0, the only valid commands during READ PAGE CACHE series (31h, 00h-31h) operations are status operations (70h, 78h), READ MODE (00h), READ PAGE CACHE series (31h, 00h-31h), RANDOM DATA READ (05h-E0h), and RESET (FFh).



Two-Plane Read Operations

Two-plane read page operations improve data throughput by copying data from more than one plane simultaneously to the specified cache registers. This is done by prepending one or more READ PAGE TWO-PLANE (00h-00h-30h) commands in front of the READ PAGE (00h-30h) command.

When the die (LUN) is ready, the RANDOM DATA READ TWO-PLANE (06h-E0h) command determines which plane outputs data. During data output, the following commands can be used to read and modify the data in the cache registers: RANDOM DATA READ (05h-E0h) and RANDOM DATA INPUT (85h).

Two-Plane Read Cache Operations

Two-plane read cache operations can be used to output data from more than one cache register while concurrently copying one or more pages from the NAND Flash array to the data register. This is done by prepending READ PAGE TWO-PLANE (00h-00h-30h) commands in front of the PAGE READ CACHE RANDOM (00h-31h) command.

To begin a two-plane read page cache sequence, begin by issuing a READ PAGE TWO-PLANE operation using the READ PAGE TWO-PLANE (00h-00h-30h) and READ PAGE (00h-30h) commands. R/B# goes LOW during 'R and the selected die (LUN) is busy (RDY = 0, ARDY = 0). After 'R (R/B# is HIGH and RDY = 1, ARDY = 1), issue either of these commands:

- READ PAGE CACHE SEQUENTIAL (31h) copies the next sequential pages from the previously addressed planes from the NAND Flash array to the data registers.
- READ PAGE TWO-PLANE (00h-00h-30h) [in some cases, followed by READ PAGE CACHE RANDOM (00h-31h)] copies the pages specified from the NAND Flash array to the corresponding data registers.

After the READ PAGE CACHE series (31h, 00h-31h) command has been issued, R/B# goes LOW on the target, and RDY = 0 and ARDY = 0 on the die (LUN) for ^tRCBSY while the next pages begin copying data from the array to the data registers. After ^tRCBSY, R/B# goes HIGH and the LUN's status register bits indicate the device is busy with a cache operation (RDY = 1, ARDY = 0). The cache registers become available and the pages requested in the READ PAGE CACHE operation are transferred to the data registers. Issue the RANDOM DATA READ TWO-PLANE (06h-E0h) command to determine which cache register will output data. After data is output, the RANDOM DATA READ TWO-PLANE (06h-E0h) command can be used to output data from other cache registers. After a cache register has been selected, the RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data output.

After outputting data from the cache registers, either an additional TWO-PLANE READ CACHE series (31h, 00h-31h) operation can be started or the READ PAGE CACHE LAST (3Fh) command can be issued.

If the READ PAGE CACHE LAST (3Fh) command is issued, R/B# goes LOW on the target, and RDY = 0 and ARDY = 0 on the die (LUN) for ^tRCBSY while the data registers are copied into the cache registers. After ^tRCBSY, R/B# goes HIGH and RDY = 1 and ARDY = 1, indicating that the cache registers are available and that the die (LUN) is ready. Issue the RANDOM DATA READ TWO-PLANE (06h-E0h) command to determine which cache register will output data. After data is output, the RANDOM DATA READ TWO-PLANE (06h-E0h) command can be used to output data from other cache registers. After a cache register has been selected, the RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data output.



For READ PAGE CACHE series (31h, 00h-31h, 3Fh), during the die (LUN) busy time, ^tRCBSY, when RDY = 0 and ARDY = 0, the only valid commands are status operations (70h, 78h) and RESET (FFh). When RDY = 1 and ARDY = 0, the only valid commands during READ PAGE CACHE series (31h, 00h-31h) operations are status operations (70h, 78h), READ MODE (00h), two-plane read cache series (31h, 00h-00h-30h, 00h-31h), RANDOM DATA READ (06h-E0h, 05h-E0h), and RESET (FFh).

READ MODE (00h)

The READ MODE (00h) command disables status output and enables data output for the last-selected die (LUN) and cache register after a READ operation (00h-30h, 00h-3Ah, 00h-35h) has been monitored with a status operation (70h, 78h). This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1). It is also accepted by the die (LUN) during READ PAGE CACHE (31h, 00h-31h) operations (RDY = 1 and ARDY = 0).

In devices that have more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations, the READ STATUS ENHANCED (78h) command must be used to select only one die (LUN) prior to issuing the READ MODE (00h) command. This prevents bus contention.

READ PAGE (00h-30h)

The READ PAGE (00h–30h) command copies a page from the NAND Flash array to its respective cache register and enables data output. This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1).

To read a page from the NAND Flash array, write the 00h command to the command register, then write n address cycles to the address registers, and conclude with the 30h command. The selected die (LUN) will go busy (RDY = 0, ARDY = 0) for ^tR as data is transferred.

To determine the progress of the data transfer, the host can monitor the target's R/B# signal or, alternatively, the status operations (70h, 78h) can be used. If the status operations are used to monitor the LUN's status, when the die (LUN) is ready (RDY = 1, ARDY = 1), the host disables status output and enables data output by issuing the READ MODE (00h) command. When the host requests data output, output begins at the column address specified.

During data output the RANDOM DATA READ (05h-E0h) command can be issued.


In devices that have more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations the READ STATUS ENHANCED (78h) command must be used to select only one die (LUN) prior to the issue of the READ MODE (00h) command. This prevents bus contention.

The READ PAGE (00h-30h) command is used as the final command of a two-plane read operation. It is preceded by one or more READ PAGE TWO-PLANE (00h-00h-30h) commands. Data is transferred from the NAND Flash array for all of the addressed planes to their respective cache registers. When the die (LUN) is ready

(RDY = 1, ARDY = 1), data output is enabled for the cache register linked to the plane addressed in the READ PAGE (00h-30h) command. When the host requests data output, output begins at the column address last specified in the READ PAGE (00h-30h) command. The RANDOM DATA READ TWO-PLANE (06h-E0h) command is used to enable data output in the other cache registers.



Figure 34: READ PAGE (00h-30h) Operation



READ PAGE CACHE SEQUENTIAL (31h)


The READ PAGE CACHE SEQUENTIAL (31h) command reads the next sequential page within a block into the data register while the previous page is output from the cache register. This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1). It is also accepted by the die (LUN) during READ PAGE CACHE (31h, 00h-31h) operations (RDY = 1 and ARDY = 0).

To issue this command, write 31h to the command register. After this command is issued, R/B# goes LOW and the die (LUN) is busy (RDY = 0, ARDY = 0) for ^tRCBSY. After ^tRCBSY, R/B# goes HIGH and the die (LUN) is busy with a cache operation (RDY = 1, ARDY = 0), indicating that the cache register is available and that the specified page is copying from the NAND Flash array to the data register. At this point, data can be output from the cache register beginning at column address 0. The RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data being output from the cache register.

The READ PAGE CACHE SEQUENTIAL (31h) command can be used to cross block boundaries. If the READ PAGE CACHE SEQUENTIAL (31h) command is issued after the last page of a block is read into the data register, the next page read will be the next logical block in which the 31h command was issued. Do not issue the READ PAGE CACHE SEQUENTIAL (31h) to cross die (LUN) boundaries. Instead, issue the READ PAGE CACHE LAST (3Fh) command.



Figure 35: READ PAGE CACHE SEQUENTIAL (31h) Operation



READ PAGE CACHE RANDOM (00h-31h)

The READ PAGE CACHE RANDOM (00h-31h) command reads the specified block and page into the data register while the previous page is output from the cache register. This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1). It is also accepted by the die (LUN) during READ PAGE CACHE (31h, 00h-31h) operations (RDY = 1 and ARDY = 0).


To issue this command, write 00h to the command register, then write *n* address cycles to the address register, and conclude by writing 31h to the command register. The column address in the address specified is ignored. The die (LUN) address must match the same die (LUN) address as the previous READ PAGE (00h-30h) command or, if applicable, the previous READ PAGE CACHE RANDOM (00h-31h) command.

After this command is issued, R/B# goes LOW and the die (LUN) is busy (RDY = 0, ARDY = 0) for ^tRCBSY. After ^tRCBSY, R/B# goes HIGH and the die (LUN) is busy with a cache operation (RDY = 1, ARDY = 0), indicating that the cache register is available and that the specified page is copying from the NAND Flash array to the data register. At this point, data can be output from the cache register beginning at column address 0. The RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data being output from the cache register.

In devices that have more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations the READ STATUS ENHANCED (78h) command followed by the READ MODE (00h) command must be used to select only one die (LUN) and prevent bus contention.



Figure 36: READ PAGE CACHE RANDOM (00h-31h) Operation






READ PAGE CACHE LAST (3Fh)

The READ PAGE CACHE LAST (3Fh) command ends the read page cache sequence and copies a page from the data register to the cache register. This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1). It is also accepted by the die (LUN) during READ PAGE CACHE (31h, 00h-31h) operations (RDY = 1 and ARDY = 0).

To issue the READ PAGE CACHE LAST (3Fh) command, write 3Fh to the command register. After this command is issued, R/B# goes LOW and the die (LUN) is busy (RDY = 0, ARDY = 0) for ^tRCBSY. After ^tRCBSY, R/B# goes HIGH and the die (LUN) is ready (RDY = 1, ARDY = 1). At this point, data can be output from the cache register, beginning at column address 0. The RANDOM DATA READ (05h-E0h) command can be used to change the column address of the data being output from the cache register.

In devices that have more than one LUN per target, during and following interleaved die (multi-LUN) operations the READ STATUS ENHANCED (78h) command followed by the READ MODE (00h) command must be used to select only one die (LUN) and prevent bus contention.

Figure 37: READ PAGE CACHE LAST (3Fh) Operation





READ PAGE TWO-PLANE 00h-00h-30h

The READ PAGE TWO-PLANE (00h-00h-30h) operation is similar to the PAGE READ (00h-30h) operation. It transfers two pages of data from the NAND Flash array to the data registers. Each page must be from a different plane on the same die.

To enter the READ PAGE TWO-PLANE mode, write the 00h command to the command register, and then write five address cycles for plane 0 (BA6 = 0). Next, write the 00h command to the command register, and five address cycles for plane 1 (BA6 = 1). Finally, issue the 30h command. The first-plane and second-plane addresses must meet the two-plane addressing requirements, and, in addition, they must have identical column addresses.


After the 30h command is written, page data is transferred from both planes to their respective data registers in ^tR. During these transfers, R/B# goes LOW. When the transfers are complete, R/B# goes HIGH. To read out the data from the plane 0 data register, pulse RE# repeatedly. After the data cycle from the plane 0 address completes, issue a RANDOM DATA READ TWO-PLANE (06h-E0h) command to select the plane 1 address, then repeatedly pulse RE# to read out the data from the plane 1 data register.

Alternatively, the READ STATUS (70h) command can monitor data transfers. When the transfers are complete, status register bit 6 is set to 1. To read data from the first of the two planes, the user must first issue the RANDOM DATA READ TWO-PLANE (06h-E0h) command and pulse RE# repeatedly.

When the data cycle is complete, issue a RANDOM DATA READ TWO-PLANE (06h-E0h) command to select the other plane. To output the data beginning at the specified column address, pulse RE# repeatedly.

Use of the READ STATUS ENHANCED (78h) command is prohibited during and following a PAGE READ TWO-PLANE operation.

Figure 38: READ PAGE TWO-PLANE (00h-00h-30h) Operation





Program Operations

Program operations are used to move data from the cache or data registers to the NAND array. During a program operation the contents of the cache and/or data registers are modified by the internal control logic.

Within a block, pages must be programmed sequentially from the least significant page address to the most significant page address (0, 1, 2,, 63). During a program operation, the contents of the cache and/or data registers are modified by the internal control logic.

Program Operations

The PROGRAM PAGE (80h-10h) command, when not preceded by the PROGRAM PAGE TWO-PLANE (80h-11h) command, programs one page from the cache register to the NAND Flash array. When the die (LUN) is ready (RDY = 1, ARDY = 1), the host should check the FAIL bit to verify that the operation has completed successfully.

Program Cache Operations

The PROGRAM PAGE CACHE (80h-15h) command can be used to improve program operation system performance. When this command is issued, the die (LUN) goes busy (RDY = 0, ARDY = 0) while the cache register contents are copied to the data register, and the die (LUN) is busy with a program cache operation (RDY = 1, ARDY = 0. While the contents of the data register are moved to the NAND Flash array, the cache register is available for an additional PROGRAM PAGE CACHE (80h-15h) or PROGRAM PAGE (80h-10h) command.

For PROGRAM PAGE CACHE series (80h-15h) operations, during the die (LUN) busy times, ^tCBSY and ^tLPROG, when RDY = 0 and ARDY = 0, the only valid commands are status operations (70h, 78h) and reset (FFh). When RDY = 1 and ARDY = 0, the only valid commands during PROGRAM PAGE CACHE series (80h-15h) operations are status operations (70h, 78h), PROGRAM PAGE CACHE (80h-15h), PROGRAM PAGE (80h-10h), RANDOM DATA INPUT (85h), PROGRAM FOR INTERNAL DATA INPUT (85h), and RE-SET (FFh).

Two-Plane Program Operations

The PROGRAM PAGE TWO-PLANE (80h-11h) command can be used to improve program operation system performance by enabling multiple pages to be moved from the cache registers to different planes of the NAND Flash array. This is done by prepending one or more PROGRAM PAGE TWO-PLANE (80h-11h) commands in front of the PRO-GRAM PAGE (80h-10h) command.

Two-Plane Program Cache Operations

The PROGRAM PAGE TWO-PLANE (80h-11h) command can be used to improve program cache operation system performance by enabling multiple pages to be moved from the cache registers to the data registers and, while the pages are being transferred from the data registers to different planes of the NAND Flash array, free the cache registers to receive data input from the host. This is done by prepending one or more PRO-GRAM PAGE TWO-PLANE (80h-11h) commands in front of the PROGRAM PAGE CACHE (80h-15h) command.



PROGRAM PAGE (80h-10h)

The PROGRAM PAGE (80h-10h) command enables the host to input data to a cache register, and moves the data from the cache register to the specified block and page address in the array of the selected die (LUN). This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1). It is also accepted by the die (LUN) when it is busy with a PROGRAM PAGE CACHE (80h-15h) operation (RDY = 1, ARDY = 0).


To input a page to the cache register and move it to the NAND array at the block and page address specified, write 80h to the command register. Unless this command has been preceded by a PROGRAM PAGE TWO-PLANE (80h-11h) command, issuing the 80h to the command register clears all of the cache registers' contents on the selected target. Then write *n* address cycles containing the column address and row address. Data input cycles follow. Serial data is input beginning at the column address specified. At any time during the data input cycle the RANDOM DATA INPUT (85h) and PROGRAM FOR IN-TERNAL DATA INPUT (85h) commands may be issued. When data input is complete, write 10h to the command register. The selected LUN will go busy (RDY = 0, ARDY = 0) for ^tPROG as data is transferred.

To determine the progress of the data transfer, the host can monitor the target's R/B# signal or, alternatively, the status operations (70h, 78h) may be used. When the die (LUN) is ready (RDY = 1, ARDY = 1), the host should check the status of the FAIL bit.

In devices that have more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations, the READ STATUS ENHANCED (78h) command must be used to select only one die (LUN) for status output. Use of the READ STATUS (70h) command could cause more than one die (LUN) to respond, resulting in bus contention.

The PROGRAM PAGE (80h-10h) command is used as the final command of a two-plane program operation. It is preceded by one or more PROGRAM PAGE TWO-PLANE (80h-11h) commands. Data is transferred from the cache registers for all of the addressed planes to the NAND array. The host should check the status of the operation by using the status operations (70h, 78h).

Figure 39: PROGRAM PAGE (80h-10h) Operation



PROGRAM PAGE CACHE (80h-15h)

The PROGRAM PAGE CACHE (80h-15h) command enables the host to input data to a cache register; copies the data from the cache register to the data register; then moves the data register contents to the specified block and page address in the array of the selected die (LUN). After the data is copied to the data register, the cache register is available for additional PROGRAM PAGE CACHE (80h-15h) or PROGRAM PAGE (80h-10h) commands. The PROGRAM PAGE CACHE (80h-15h) command is accepted by the die



(LUN) when it is ready (RDY =1, ARDY = 1). It is also accepted by the die (LUN) when busy with a PROGRAM PAGE CACHE (80h-15h) operation (RDY = 1, ARDY = 0).

To input a page to the cache register to move it to the NAND array at the block and page address specified, write 80h to the command register. Unless this command has been preceded by a PROGRAM PAGE TWO-PLANE (80h-11h) command, issuing the 80h to the command register clears all of the cache registers' contents on the selected target. Then write *n* address cycles containing the column address and row address. Data input cycles follow. Serial data is input beginning at the column address specified. At any time during the data input cycle the RANDOM DATA INPUT (85h) and PROGRAM FOR IN-TERNAL DATA INPUT (85h) commands may be issued. When data input is complete, write 15h to the command register. The selected LUN will go busy (RDY = 0, ARDY = 0) for ^tCBSY to allow the data register to become available from a previous program cache operation, to copy data from the cache register to the data register, and then to begin moving the data register contents to the specified page and block address.

To determine the progress of ^tCBSY, the host can monitor the target's R/B# signal or, alternatively, the status operations (70h, 78h) can be used. When the LUN's status shows that it is busy with a PROGRAM CACHE operation (RDY = 1, ARDY = 0), the host should check the status of the FAILC bit to see if a previous cache operation was successful.

If, after ^tCBSY, the host wants to wait for the program cache operation to complete, without issuing the PROGRAM PAGE (80h-10h) command, the host should monitor AR-DY until it is 1. The host should then check the status of the FAIL and FAILC bits.

In devices with more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations, the READ STATUS ENHANCED (78h) command must be used to select only one die (LUN) for status output. Use of the READ STATUS (70h) command could cause more than one die (LUN) to respond, resulting in bus contention.

The PROGRAM PAGE CACHE (80h-15h) command is used as the final command of a two-plane program cache operation. It is preceded by one or more PROGRAM PAGE TWO-PLANE (80h-11h) commands. Data for all of the addressed planes is transferred from the cache registers to the corresponding data registers, then moved to the NAND Flash array. The host should check the status of the operation by using the status operations (70h, 78h).



Figure 40: PROGRAM PAGE CACHE (80h–15h) Operation (Start)





Figure 41: PROGRAM PAGE CACHE (80h-15h) Operation (End)





PROGRAM PAGE TWO-PLANE (80h-11h)

The PROGRAM PAGE TWO-PLANE (80h-11h) command enables the host to input data to the addressed plane's cache register and queue the cache register to ultimately be moved to the NAND Flash array. This command can be issued one or more times. Each time a new plane address is specified that plane is also queued for data transfer. To input data for the final plane and to begin the program operation for all previously queued planes, issue either the PROGRAM PAGE (80h-10h) command or the PROGRAM PAGE CACHE (80h-15h) command. All of the queued planes will move the data to the NAND Flash array. This command is accepted by the die (LUN) when it is ready (RDY = 1).

To input a page to the cache register and queue it to be moved to the NAND Flash array at the block and page address specified, write 80h to the command register. Unless this command has been preceded by a PROGRAM PAGE TWO-PLANE (80h-11h) command, issuing the 80h to the command register clears all of the cache registers' contents on the selected target. Write five address cycles containing the column address and row address; data input cycles follow. Serial data is input beginning at the column address specified. At any time during the data input cycle, the RANDOM DATA INPUT (85h) and PROGRAM FOR INTERNAL DATA INPUT (85h) commands can be issued. When data input is complete, write 11h to the command register. The selected die (LUN) will go busy (RDY = 0, ARDY = 0) for ^tDBSY.

To determine the progress of ^tDBSY, the host can monitor the target's R/B# signal or, alternatively, the status operations (70h, 78h) can be used. When the LUN's status shows that it is ready (RDY = 1), additional PROGRAM PAGE TWO-PLANE (80h-11h) commands can be issued to queue additional planes for data transfer. Alternatively, the PROGRAM PAGE (80h-10h) or PROGRAM PAGE CACHE (80h-15h) commands can be issued.

When the PROGRAM PAGE (80h-10h) command is used as the final command of a twoplane program operation, data is transferred from the cache registers to the NAND Flash array for all of the addressed planes during ^tPROG. When the die (LUN) is ready (RDY = 1, ARDY = 1), the host should check the status of the FAIL bit for each of the planes to verify that programming completed successfully.


When the PROGRAM PAGE CACHE (80h-15h) command is used as the final command of a program cache two-plane operation, data is transferred from the cache registers to the data registers after the previous array operations finish. The data is then moved from the data registers to the NAND Flash array for all of the addressed planes. This occurs during ^tCBSY. After ^tCBSY, the host should check the status of the FAILC bit for each of the planes from the previous program cache operation, if any, to verify that programming completed successfully.

For the PROGRAM PAGE TWO-PLANE (80h-11h), PROGRAM PAGE (80h-10h), and PRO-GRAM PAGE CACHE (80h-15h) commands, see Two-Plane Operations for two-plane addressing requirements.



137-Ball NAND Flash with LPDDR MCP Program Operations

Figure 42: PROGRAM PAGE TWO-PLANE (80h-11h) Operation





137-Ball NAND Flash with LPDDR MCP Erase Operations

Erase Operations

Erase operations are used to clear the contents of a block in the NAND Flash array to prepare its pages for program operations.

Erase Operations

The ERASE BLOCK (60h-D0h) command, when not preceded by the ERASE BLOCK TWO-PLANE (60h-D1h) command, erases one block in the NAND Flash array. When the die (LUN) is ready (RDY = 1, ARDY = 1), the host should check the FAIL bit to verify that this operation completed successfully.

TWO-PLANE ERASE Operations

The ERASE BLOCK TWO-PLANE (60h-D1h) command can be used to further system performance of erase operations by allowing more than one block to be erased in the NAND array. This is done by prepending one or more ERASE BLOCK TWO-PLANE (60h-D1h) commands in front of the ERASE BLOCK (60h-D0h) command. See Two-Plane Operations for details.

ERASE BLOCK (60h-D0h)

The ERASE BLOCK (60h-D0h) command erases the specified block in the NAND Flash array. This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1).


To erase a block, write 60h to the command register. Then write three address cycles containing the row address; the page address is ignored. Conclude by writing D0h to the command register. The selected die (LUN) will go busy (RDY = 0, ARDY = 0) for ^tBERS while the block is erased.

To determine the progress of an ERASE operation, the host can monitor the target's R/B# signal, or alternatively, the status operations (70h, 78h) can be used. When the die (LUN) is ready (RDY = 1, ARDY = 1) the host should check the status of the FAIL bit.

In devices that have more than one die (LUN) per target, during and following interleaved die (multi-LUN) operations, the READ STATUS ENHANCED (78h) command must be used to select only one die (LUN) for status output. Use of the READ STATUS (70h) command could cause more than one die (LUN) to respond, resulting in bus contention.

The ERASE BLOCK (60h-D0h) command is used as the final command of an erase twoplane operation. It is preceded by one or more ERASE BLOCK TWO-PLANE (60h-D1h) commands. All blocks in the addressed planes are erased. The host should check the status of the operation by using the status operations (70h, 78h). See Two-Plane Operations for two-plane addressing requirements.

Figure 43: ERASE BLOCK (60h-D0h) Operation





ERASE BLOCK TWO-PLANE (60h-D1h)


The ERASE BLOCK TWO-PLANE (60h-D1h) command queues a block in the specified plane to be erased in the NAND Flash array. This command can be issued one or more times. Each time a new plane address is specified, that plane is also queued for a block to be erased. To specify the final block to be erased and to begin the ERASE operation for all previously queued planes, issue the ERASE BLOCK (60h-D0h) command. This command is accepted by the die (LUN) when it is ready (RDY = 1, ARDY = 1).

To queue a block to be erased, write 60h to the command register, then write three address cycles containing the row address; the page address is ignored. Conclude by writing D1h to the command register. The selected die (LUN) will go busy (RDY = 0, ARDY = 0) for ^tDBSY.

To determine the progress of ^tDBSY, the host can monitor the target's R/B# signal, or alternatively, the status operations (70h, 78h) can be used. When the LUN's status shows that it is ready (RDY = 1, ARDY = 1), additional ERASE BLOCK TWO-PLANE (60h-D1h) commands can be issued to queue additional planes for erase. Alternatively, the ERASE BLOCK (60h-D0h) command can be issued to erase all of the queued blocks.

For two-plane addressing requirements for the ERASE BLOCK TWO-PLANE (60h-D1h) and ERASE BLOCK (60h-D0h) commands, see Two-Plane Operations.

Figure 44: ERASE BLOCK TWO-PLANE (60h–D1h) Operation





Internal Data Move Operations

Internal data move operations make it possible to transfer data within a device from one page to another using the cache register. This is particularly useful for block management and wear leveling.

The INTERNAL DATA MOVE operation is a two-step process consisting of a READ FOR INTERNAL DATA MOVE (00h-35h) and a PROGRAM FOR INTERNAL DATA MOVE (85h-10h) command. To move data from one page to another on the same plane, first issue the READ FOR INTERNAL DATA MOVE (00h-35h) command. When the die (LUN) is ready (RDY = 1, ARDY = 1), the host can transfer the data to a new page by issuing the PROGRAM FOR INTERNAL DATA MOVE (85h-10h) command. When the die (LUN) is again ready (RDY = 1, ARDY = 1), the host should check the FAIL bit to verify that this operation completed successfully.

To prevent bit errors from accumulating over multiple INTERNAL DATA MOVE operations, it is recommended that the host read the data out of the cache register after the READ FOR INTERNAL DATA MOVE (00h-35h) completes and prior to issuing the PRO-GRAM FOR INTERNAL DATA MOVE (85h-10h) command. The RANDOM DATA READ (05h-E0h) command can be used to change the column address. The host should check the data for ECC errors and correct them. When the PROGRAM FOR INTERNAL DATA MOVE (85h-10h) command is issued, any corrected data can be input. The PROGRAM FOR INTERNAL DATA INPUT (85h) command can be used to change the column address.

It is not possible to use the READ FOR INTERNAL DATA MOVE operation to move data from one plane to another or from one die (LUN) to another. Instead, use a READ PAGE (00h-30h) or READ FOR INTERNAL DATA MOVE (00h-35h) command to read the data out of the NAND, and then use a PROGRAM PAGE (80h-10h) command with data input to program the data to a new plane or die (LUN).

Between the READ FOR INTERNAL DATA MOVE (00h-35h) and PROGRAM FOR INTER-NAL DATA MOVE (85h-10h) commands, the following commands are supported: status operations (70h, 78h) and column address operations (05h-E0h, 06h-E0h, 85h). The RE-SET operation (FFh) can be issued after READ FOR INTERNAL DATA MOVE (00h-35h), but the contents of the cache registers on the target are not valid.

In devices that have more than one die (LUN) per target, once the READ FOR INTER-NAL DATA MOVE (00h-35h) is issued, interleaved die (multi-LUN) operations are prohibited until after the PROGRAM FOR INTERNAL DATA MOVE (85h-10h) command is issued.

Two-Plane Read for Internal Data Move Operations

Two-plane internal data move read operations improve read data throughput by copying data simultaneously from more than one plane to the specified cache registers. This is done by issuing the READ PAGE TWO-PLANE (00h-00h-30h) command or the READ FOR INTERNAL DATA MOVE (00h-00h-35h) command.

The INTERNAL DATA MOVE PROGRAM TWO-PLANE (85h-11h) command can be used to further system performance of PROGRAM FOR INTERNAL DATA MOVE operations by enabling movement of multiple pages from the cache registers to different planes of the NAND Flash array. This is done by prepending one or more PROGRAM FOR INTER-NAL DATA MOVE (85h-11h) commands in front of the PROGRAM FOR INTERNAL DA-TA MOVE (85h-10h) command. See Two-Plane Operations for details.



READ FOR INTERNAL DATA MOVE (00h-35h)

The READ FOR INTERNAL DATA MOVE (00h-35h) command is functionally identical to the READ PAGE (00h-30h) command, except that 35h is written to the command register instead of 30h.

Though it is not required, it is recommended that the host read the data out of the device to verify the data prior to issuing the PROGRAM FOR INTERNAL DATA MOVE (85h-10h) command to prevent the propagation of data errors.

Figure 45: READ FOR INTERNAL DATA MOVE (00h-35h) Operation





Figure 46: READ FOR INTERNAL DATA MOVE (00h-35h) with RANDOM DATA READ (05h-E0h)





PROGRAM FOR INTERNAL DATA MOVE (85h–10h)

The PROGRAM FOR INTERNAL DATA MOVE (85h-10h) command is functionally identical to the PROGRAM PAGE (80h-10h) command, except that when 85h is written to the command register, cache register contents are not cleared.

Figure 47: PROGRAM FOR INTERNAL DATA MOVE (85h–10h) Operation





Figure 48: PROGRAM FOR INTERNAL DATA MOVE (85h-10h) with RANDOM DATA INPUT (85h)






PROGRAM FOR INTERNAL DATA MOVE TWO-PLANE (85h-11h)

The PROGRAM FOR INTERNAL DATA MOVE TWO-PLANE (85h-11h) command is functionally identical to the PROGRAM PAGE TWO-PLANE (85h-11h) command, except that when 85h is written to the command register, cache register contents are not cleared. See Program Operations for further details.

Figure 49: PROGRAM FOR INTERNAL DATA MOVE TWO-PLANE (85h-11h) Operation





Block Lock Feature

The block lock feature protects either the entire device or ranges of blocks from being programmed and erased. Using the block lock feature is preferable to using WP# to prevent PROGRAM and ERASE operations.

Block lock is enabled and disabled at power-on through the LOCK pin. At power-on, if LOCK is LOW, all BLOCK LOCK commands are disabled. However if LOCK is HIGH at power-on, the BLOCK LOCK commands are enabled and, by default, all the blocks on the device are protected, or locked, from PROGRAM and ERASE operations, even if WP# is HIGH.

Before the contents of the device can be modified, the device must first be unlocked. Either a range of blocks or the entire device may be unlocked. PROGRAM and ERASE operations complete successfully only in the block ranges that have been unlocked. Blocks, once unlocked, can be locked again to protect them from further PROGRAM and ERASE operations.

Blocks that are locked can be protected further, or locked tight. When locked tight, the device's blocks can no longer be locked or unlocked.

WP# and Block Lock

The following is true when the block lock feature is enabled:

- Holding WP# LOW locks all blocks, provided the blocks are not locked tight.
- If WP# is held LOW to lock blocks, then returned to HIGH, a new UNLOCK command must be issued to unlock blocks.

UNLOCK (23h-24h)

By default at power-on, if LOCK is HIGH, all the blocks are locked and protected from PROGRAM and ERASE operations. The UNLOCK (23h) command is used to unlock a range of blocks. Unlocked blocks have no protection and can be programmed or erased.

The UNLOCK command uses two registers, a lower boundary block address register and an upper boundary block address register, and the invert area bit to determine what range of blocks are unlocked. When the invert area bit = 0, the range of blocks within the lower and upper boundary address registers are unlocked. When the invert area bit = 1, the range of blocks outside the boundaries of the lower and upper boundary address registers are unlocked. The lower boundary block address must be less than the upper boundary block address. The figures below show examples of how the lower and upper boundary address registers work with the invert area bit.

To unlock a range of blocks, issue the UNLOCK (23h) command followed by the appropriate address cycles that indicate the lower boundary block address. Then issue the 24h command followed by the appropriate address cycles that indicate the upper boundary block address. The least significant page address bit, PA0, should be set to 1 if setting the invert area bit; otherwise, it should be 0. The other page address bits should be 0.

Only one range of blocks can be specified in the lower and upper boundary block address registers. If after unlocking a range of blocks the UNLOCK command is again issued, the new block address range determines which blocks are unlocked. The previous unlocked block address range is not retained.



Figure 50: Flash Array Protected: Invert Area Bit = 0




Figure 51: Flash Array Protected: Invert Area Bit = 1







Table 21: Block Lock Address Cycle Assignments

ALE Cycle	I/O[15:8] ¹	I/07	I/O6	I/O5	I/04	I/O3	I/O2	I/O1	I/O0
First	LOW	BA7	BA6	LOW	LOW	LOW	LOW	LOW	Invert area bit ²
Second	LOW	BA15	BA14	BA13	BA12	BA11	BA10	BA9	BA8
Third	LOW	LOW	LOW	LOW	LOW	LOW	LOW	BA17	BA16

Notes: 1. I/O[15:8] is applicable only for x16 devices.

2. Invert area bit is applicable for 24h command; it may be LOW or HIGH for 23h command.

Figure 52: UNLOCK Operation





LOCK (2Ah)


By default at power-on, if LOCK is HIGH, all the blocks are locked and protected from PROGRAM and ERASE operations. If portions of the device are unlocked using the UN-LOCK (23h) command, they can be locked again using the LOCK (2Ah) command. The LOCK command locks all of the blocks in the device. Locked blocks are write-protected from PROGRAM and ERASE operations.

To lock all of the blocks in the device, issue the LOCK (2Ah) command.

When a PROGRAM or ERASE operation is issued to a locked block, R/B# goes LOW for ^tLBSY. The PROGRAM or ERASE operation does not complete. Any READ STATUS command reports bit 7 as 0, indicating that the block is protected.

The LOCK (2Ah) command is disabled if LOCK is LOW at power-on or if the device is locked tight.

Figure 53: LOCK Operation





LOCK TIGHT (2Ch)

The LOCK TIGHT (2Ch) command prevents locked blocks from being unlocked and also prevents unlocked blocks from being locked. When this command is issued, the UN-LOCK (23h) and LOCK (2Ah) commands are disabled. This provides an additional level of protection against inadvertent PROGRAM and ERASE operations to locked blocks.

To implement LOCK TIGHT in all of the locked blocks in the device, verify that WP# is HIGH and then issue the LOCK TIGHT (2Ch) command.

When a PROGRAM or ERASE operation is issued to a locked block that has also been locked tight, R/B# goes LOW for ^tLBSY. The PROGRAM or ERASE operation does not complete. The READ STATUS (70h) command reports bit 7 as 0, indicating that the block is protected. PROGRAM and ERASE operations complete successfully to blocks that were not locked at the time the LOCK TIGHT command was issued.

After the LOCK TIGHT command is issued, the command cannot be disabled via a software command. Lock tight status can be disabled only by power cycling the device or toggling WP#. When the lock tight status is disabled, all of the blocks become locked, the same as if the LOCK (2Ah) command had been issued.

The LOCK TIGHT (2Ch) command is disabled if LOCK is LOW at power-on.

Figure 54: LOCK TIGHT Operation







Figure 55: PROGRAM/ERASE Issued to Locked Block



BLOCK LOCK READ STATUS (7Ah)

The BLOCK LOCK READ STATUS (7Ah) command is used to determine the protection status of individual blocks. The address cycles have the same format, as shown below, and the invert area bit should be set LOW. On the falling edge of RE# the I/O pins output the block lock status register, which contains the information on the protection status of the block.

Table 22: Block Lock Status Register Bit Definitions

Block Lock Status Register Definitions	I/O[7:3]	I/O2 (Lock#)	I/O1 (LT#)	I/O0 (LT)
Block is locked tight	Х	0	0	1
Block is locked	Х	0	1	0
Block is unlocked, and device is locked tight	Х	1	0	1
Block is unlocked, and device is not locked tight	Х	1	1	0

Figure 56: BLOCK LOCK READ STATUS







Figure 57: BLOCK LOCK Flowchart





One-Time Programmable (OTP) Operations

This Micron NAND Flash device offers a protected, one-time programmable NAND Flash memory area. Thirty full pages of OTP data are available on the device, and the entire range is guaranteed to be good. The OTP area is accessible only through the OTP commands. Customers can use the OTP area any way they choose; typical uses include programming serial numbers or other data for permanent storage.

The OTP area leaves the factory in an unwritten state (all bits are 1s). Programming or partial-page programming enables the user to program only 0 bits in the OTP area. The OTP area cannot be erased, whether it is protected or not. Protecting the OTP area prevents further programming of that area.

Micron provides a unique way to program and verify data before permanently protecting it and preventing future changes. The OTP area is only accessible while in OTP operation mode. To set the device to OTP operation mode, issue the SET FEATURE (EFh) command to feature address 90h and write 01h to P1, followed by three cycles of 00h to P2-P4. For parameters to enter OTP mode, see Features Operations.

When the device is in OTP operation mode, all subsequent PAGE READ (00h-30h) and PROGRAM PAGE (80h-10h) commands are applied to the OTP area. The OTP area is assigned to page addresses 02h-1Fh. To program an OTP page, issue the PROGRAM PAGE (80h-10h) command. The pages must be programmed in the ascending order. Similarly, to read an OTP page, issue the PAGE READ (00h-30h) command.

Protecting the OTP is done by entering OTP protect mode. To set the device to OTP protect mode, issue the SET FEATURE (EFh) command to feature address 90h and write 03h to P1, followed by three cycles of 00h to P2-P4.

To determine whether the device is busy during an OTP operation, either monitor R/B# or use the READ STATUS (70h) command.

To exit OTP operation or protect mode, write 00h to P1 at feature address 90h.

Legacy OTP Commands

For legacy OTP commands, OTP DATA PROGRAM (A0h-10h), OTP DATA PROTECT (A5h-10h), and OTP DATA READ (AFh-30h), refer to the MT29F4GxxAxC data sheet.



OTP DATA PROGRAM (80h-10h)

The OTP DATA PROGRAM (80h-10h) command is used to write data to the pages within the OTP area. An OTP page allows only four partial-page programs. There is no ERASE operation for OTP pages.

PROGRAM PAGE enables programming into an offset of an OTP page using two bytes of the column address (CA[12:0]). The command is compatible with the RANDOM DATA INPUT (85h) command. The PROGRAM PAGE command will not execute if the OTP area has been protected.

To use the PROGRAM PAGE command, issue the 80h command. Issue *n* address cycles. The first two address cycles are the column address. For the remaining cycles, select a page in the range of 02h-00h through 1Fh-00h. Next, write *n* bytes of data. After data input is complete, issue the 10h command. The internal control logic automatically executes the proper programming algorithm and controls the necessary timing for programming and verification.


R/B# goes LOW for the duration of the array programming time (^tPROG). The READ STATUS (70h) command is the only valid command for reading status in OTP operation mode. Bit 5 of the status register reflects the state of R/B#. When the device is ready, read bit 0 of the status register to determine whether the operation passed or failed (see Status Operations). Each OTP page can be programmed to 8 partial-page programming.



RANDOM DATA INPUT (85h)

After the initial OTP data set is input, additional data can be written to a new column address with the RANDOM DATA INPUT (85h) command. The RANDOM DATA INPUT command can be used any number of times in the same page prior to the OTP PAGE WRITE (10h) command being issued.






Note: 1. The OTP page must be within the 02h–1Fh range.







OTP DATA PROTECT (80h-10)

The OTP area is protected on a block basis. To protect a block, set the device to OTP protect mode, then issue the PROGRAM PAGE (80h-10h) command and write OTP address 00h, 00h, 00h, 00h. To set the device to OTP protect mode, issue the SET FEATURE (EFh) command to 90h (feature address) and write 03h to P1, followed by three cycles of 00h to P2-P4.

After the data is protected, it cannot be programmed further. When the OTP area is protected, the pages within the area are no longer programmable and cannot be unprotected.


To use the PROGRAM PAGE command to protect the OTP area, issue the 80h command, followed by n address cycles, write 00h data, data cycle of 00h, followed by the 10h command. (An example of the address sequence is shown in the following figure.) If an OTP DATA PROGRAM command is issued after the OTP area has been protected, R/B# will go LOW for ^tOBSY.

The READ STATUS (70h) command is the only valid command for reading status in OTP operation mode. Bit 5 of the status register reflects the state of R/B#.

When the device is ready, read bit 0 of the status register to determine whether the operation passed or failed (see Status Operations).



Figure 60: OTP DATA PROTECT Operation (After Entering OTP Protect Mode)



Note: 1. OTP data is protected following a good status confirmation.



OTP DATA READ (00h-30h)

To read data from the OTP area, set the device to OTP operation mode, then issue the PAGE READ (00h-30h) command. Data can be read from OTP pages within the OTP area whether the area is protected or not.

To use the PAGE READ command for reading data from the OTP area, issue the 00h command, and then issue five address cycles: for the first two cycles, the column address; and for the remaining address cycles, select a page in the range of 02h-00h-00h through 1Fh-00h-00h. Lastly, issue the 30h command. The PAGE READ CACHE MODE command is not supported on OTP pages.

R/B# goes LOW (^tR) while the data is moved from the OTP page to the data register. The READ STATUS (70h) command is the only valid command for reading status in OTP operation mode. Bit 5 of the status register reflects the state of R/B# (see Status Operations).

Normal READ operation timings apply to OTP read accesses. Additional pages within the OTP area can be selected by repeating the OTP DATA READ command.

The PAGE READ command is compatible with the RANDOM DATA OUTPUT (05h-E0h) command.

Only data on the current page can be read. Pulsing RE# outputs data sequentially.





Figure 61: OTP DATA READ

Note: 1. The OTP page must be within the 02h–1Fh range.



Figure 62: OTP DATA READ with RANDOM DATA READ Operation



Note: 1. The OTP page must be within the range 02h–1Fh.



Two-Plane Operations

Each NAND Flash logical unit (LUN) is divided into multiple physical planes. Each plane contains a cache register and a data register independent of the other planes. The planes are addressed via the low-order block address bits. Specific details are provided in Device and Array Organization.

Two-plane operations make better use of the NAND Flash arrays on these physical planes by performing concurrent READ, PROGRAM, or ERASE operations on multiple planes, significantly improving system performance. Two-plane operations must be of the same type across the planes; for example, it is not possible to perform a PROGRAM operation on one plane with an ERASE operation on another.

When issuing two-plane program or erase operations, use the READ STATUS (70h) command and check whether the previous operation(s) failed. If the READ STATUS (70h) command indicates that an error occurred (FAIL = 1 and/or FAILC = 1), use the READ STATUS ENHANCED (78h) command to determine which plane operation failed.

Two-Plane Addressing


Two-plane commands require multiple, five-cycle addresses, one address per operational plane. For a given two-plane operation, these addresses are subject to the following requirements:

- The LUN address bit(s) must be identical for all of the issued addresses.
- The plane select bit, BA[6], must be different for each issued address.
- The page address bits, PA[5:0], must be identical for each issued address.

The READ STATUS (70h) command should be used following two-plane program page and erase block operations on a single die (LUN).



Figure 63: TWO-PLANE PAGE READ



- Notes: 1. Column and page addresses must be the same.
 - 2. The least significant block address bit, BA6, must be different for the first- and second-plane addresses.



Figure 64: TWO-PLANE PAGE READ with RANDOM DATA READ




Figure 65: TWO-PLANE PROGRAM PAGE






Figure 66: TWO-PLANE PROGRAM PAGE with RANDOM DATA INPUT






Figure 67: TWO-PLANE PROGRAM PAGE CACHE MODE






Figure 68: TWO-PLANE INTERNAL DATA MOVE






Figure 69: TWO-PLANE INTERNAL DATA MOVE with TWO-PLANE RANDOM DATA READ






Figure 70: TWO-PLANE INTERNAL DATA MOVE with RANDOM DATA INPUT






Figure 71: TWO-PLANE BLOCK ERASE





Figure 72: TWO-PLANE/MULTIPLE-DIE READ STATUS Cycle





137-Ball NAND Flash with LPDDR MCP Interleaved Die (Multi-LUN) Operations

Interleaved Die (Multi-LUN) Operations

In devices that have more than one die (LUN) per target, it is possible to improve performance by interleaving operations between the die (LUNs). An interleaved die (multi-LUN) operation is one that is issued to an idle die (LUN) (RDY = 1) while another die (LUN) is busy (RDY = 0).

Interleaved die (multi-LUN) operations are prohibited following RESET (FFh), identification (90h, ECh, EDh), and configuration (EEh, EFh) operations until ARDY =1 for all of the die (LUNs) on the target.

During an interleaved die (multi-LUN) operation, there are two methods to determine operation completion. The R/B# signal indicates when all of the die (LUNs) have finished their operations. R/B# remains LOW while any die (LUN) is busy. When R/B# goes HIGH, all of the die (LUNs) are idle and the operations are complete. Alternatively, the READ STATUS ENHANCED (78h) command can report the status of each die (LUN) individually.

If a die (LUN) is performing a cache operation, like PROGRAM PAGE CACHE (80h-15h), then the die (LUN) is able to accept the data for another cache operation when status register bit 6 is 1. All operations, including cache operations, are complete on a die when status register bit 5 is 1.

During and following interleaved die (multi-LUN) operations, the READ STATUS (70h) command is prohibited. Instead, use the READ STATUS ENHANCED (78h) command to monitor status. This command selects which die (LUN) will report status. When two-plane commands are used with interleaved die (multi-LUN) operations, the two-plane commands must also meet the requirements in Two-Plane Operations.

See Command Definitions for the list of commands that can be issued while other die (LUNs) are busy.

During an interleaved die (multi-LUN) operation that involves a PROGRAM series (80h-10h, 80h-15h) operation and a READ operation, the PROGRAM series operation must be issued before the READ series operation. The data from the READ series operation must be output to the host before the next PROGRAM series operation is issued. This is because the 80h command clears the cache register contents of all cache registers on all planes.



137-Ball NAND Flash with LPDDR MCP Error Management

Error Management

Each NAND Flash die (LUN) is specified to have a minimum number of valid blocks (NVB) of the total available blocks. This means the die (LUNs) could have blocks that are invalid when shipped from the factory. An invalid block is one that contains at least one page that has more bad bits than can be corrected by the minimum required ECC. Additional blocks can develop with use. However, the total number of available blocks per die (LUN) will not fall below NVB during the endurance life of the product.

Although NAND Flash memory devices could contain bad blocks, they can be used quite reliably in systems that provide bad block management and error-correction algorithms. This type of software environment ensures data integrity.

Internal circuitry isolates each block from other blocks, so the presence of a bad block does not affect the operation of the rest of the NAND Flash array.

NAND Flash devices are shipped from the factory erased. The factory identifies invalid blocks before shipping by attempting to program the bad block mark into every location in the first page of each invalid block. It may not be possible to program every location with the bad block mark. However, the first spare area location in each bad block is guaranteed to contain the bad block mark. This method is compliant with ONFI Factory Defect Mapping requirements. See the following table for the first spare area location and the bad block mark.

System software should check the first spare area location on the first page of each block prior to performing any PROGRAM or ERASE operations on the NAND Flash device. A bad block table can then be created, enabling system software to map around these areas. Factory testing is performed under worst-case conditions. Because invalid blocks could be marginal, it may not be possible to recover this information if the block is erased.

Over time, some memory locations may fail to program or erase properly. In order to ensure that data is stored properly over the life of the NAND Flash device, the following precautions are required:

- Always check status after a PROGRAM or ERASE operation
- Under typical conditions, use the minimum required ECC (see table below)
- Use bad block management and wear-leveling algorithms

The first block (physical block address 00h) for each CE# is guaranteed to be valid with ECC when shipped from the factory.

Table 23: Error Management Details

Description	Requirement
Minimum number of valid blocks (NVB) per LUN	2008
Total available blocks per LUN	2048
First spare area location	x8: byte 4096 x16: word 2048
Bad-block mark	x8: 00h x16: 0000h
Minimum required ECC	8-bit ECC per 540 bytes of data



137-Ball NAND Flash with LPDDR MCP Electrical Specifications

Electrical Specifications

Stresses greater than those listed can cause permanent damage to the device. This is stress rating only, and functional operation of the device at these or any other conditions above those indicated in the operational sections of this specification is not guaranteed. Exposure to absolute maximum rating conditions for extended periods can affect reliability.

Table 24: Absolute Maximum Ratings

Parameter/Conditio	n	Symbol	Min	Max	Unit
Voltage input	1.8V	V _{IN}	-0.6	+2.4	V
	3.3V		-0.6	+4.6	V
Vcc supply voltage	1.8V	V _{cc}	-0.6	+2.4	V
	3.3V		-0.6	+4.6	V
Storage temperature		T _{STG}	-65	+150	°C
Short circuit output c	urrent, I/Os	_	-	5	mA

Voltage on any pin relative to V_{SS}

Table 25: Recommended Operating Conditions

Parameter/Condition	Symbol	Min	Тур	Max	Unit	
Operating temperature	Commercial	T _A	0	-	+70	°C
	Extended		-40	-	+85	°C
V _{CC} supply voltage	1.8V	V _{cc}	1.7	1.8	1.95	V
	3.3V		2.7	3.3	3.6	V
Ground supply voltage		V _{SS}	0	0	0	V

Table 26: Valid Blocks

Note 1 applies to all

Parameter	Symbol	Device	Min	Max	Unit	Notes
Valid block number	NVB	MT29F4G	2008	2048	Blocks	2

 Invalid blocks are blocks that contain one or more bad bits. The device may contain bad blocks upon shipment. Additional bad blocks may develop over time; however, the total number of available blocks will not drop below NVB during the endurance life of the device. Do not erase or program blocks marked invalid by the factory.

2. Block 00h (the first block) is guaranteed to be valid with ECC when shipped from the factory.



137-Ball NAND Flash with LPDDR MCP Electrical Specifications

Table 27: Capacitance

Capacitance	(c -	c _	20nE)	for	MT20E16C
Capacitance	$(C_{IN} =$	$C_{0} =$	ZUPF)	101	1011296100

Description	Symbol Max		Unit	Notes
Input capacitance	C _{IN}	10	pF	1, 2
Input/output capacitance (I/O)	C _{IO}	10	pF	1, 2

Notes: 1. These parameters are verified in device characterization and are not 100% tested.

2. Test conditions: $T_C = 25^{\circ}C$; f = 1 MHz; Vin = 0V.

Table 28: Test Conditions

Parameter	Value	Notes
Input pulse levels	0.0V to V _{CC}	
Input rise and fall times	5ns	
Input and output timing levels	V _{CC} /2	
Output load	1 TTL GATE and CL = 30pF (1.8V)	1
	1 TTL GATE and CL = 50pF (3.3V)	
Output load	1 TTL GATE and CL = 30pF (1.8V)	1
	1 TTL GATE and CL = 50pF (3.3V)	

Note: 1. Verified in device characterization, not 100% tested.



Electrical Specifications – DC Characteristics and Operating Conditions

Parameter	Conditions	Symbol	Min	Тур	Мах	Unit	Notes
Sequential READ current	${}^{t}RC = {}^{t}RC (MIN); CE# = V_{IL};$ $I_{OUT} = 0mA$	I _{CC1}	-	15	30	mA	4
PROGRAM current	-	I _{CC2}	-	15	30	mA	4
ERASE current	-	I _{CC3}	-	15	30	mA	4
Standby current (TTL)	CE# = V _{IH} ; WP# = 0V/V _{CC}	I _{SB1}	-	-	1	mA	
Standby current (CMOS)	CE# = V _{CC} - 0.2V; WP# = 0V/V _{CC}	I _{SB2}	-	20	100	μA	
Staggered power-up cur- rent	Rise time = 1ms Line capacitance = 0.1µF	I _{ST}	-	-	10 per die	mA	1
Input leakage current	$V_{IN} = 0V$ to V_{CC}	Ι _U	-	_	±10	μA	
Output leakage current	$V_{OUT} = 0V$ to V_{CC}	I _{LO}	-	_	±10	μA	
Input high voltage	I/O[7:0], I/O[15:0], CE#, CLE, ALE, WE#, RE#, WP#, R/B#	V _{IH}	0.8 x V _{CC}	-	V _{CC} + 0.3	V	
Input low voltage, all in- puts	-	V _{IL}	-0.3	-	0.2 x V _{CC}	V	
Output high voltage	I _{OH} = -400μA	V _{OH}	0.67 x V _{CC}	_	_	V	2
Output low voltage	I _{OL} = -2.1mA	V _{OL}	_	_	0.4	V	2
Output low current	V _{OL} = 0.4V	I _{OL} (R/B#)	8	10	_	mA	3

Table 29: DC Characteristics and Operating Conditions (3.3V)

Notes: 1. Measurement is taken with 1ms averaging intervals and begins after V_{CC} reaches V_{CC} (MIN).

2. I_{OL} (R/B#) may need to be relaxed if R/B pull-down strength is not set to full.

3. V_{OH} and V_{OL} may need to be relaxed if I/O drive strength is not set to full.

4. Typical and maximum values are for single-plane operation only. If the device supports dual-plane operation, values are 25mA (TYP) and 35mA (Max).



137-Ball NAND Flash with LPDDR MCP Electrical Specifications – DC Characteristics and Operating Conditions

Table 30: DC Characteristics and Operating Conditions (1.8V)

Parameter	Conditions	Symbol	Min	Тур	Мах	Unit	Notes
Sequential READ current	$^{t}RC = {}^{t}RC$ (MIN); CE# = V _{IL} ; I _{OUT} = 0mA	I _{CC1}	-	13	20	mA	1, 2
PROGRAM current	-	I _{CC2}	-	10	20	mA	1, 2
ERASE current	-	I _{CC3}	-	10	20	mA	1, 2
Standby current (TTL)	CE# = V _{IH} ; LOCK = WP# = 0V/V _{CC}	I _{SB1}	-	-	1	mA	
Standby current (CMOS)	$CE\# = V_{CC} - 0.2V;$ $LOCK = WP\# = 0V/V_{CC}$	I _{SB2}	-	10	50	μA	
Staggered power-up cur- rent	Rise time = 1ms Line capacitance = 0.1µF	I _{ST}	-	-	10 per die	mA	3
Input leakage current	$V_{IN} = 0V$ to V_{CC}	Ι _U	-	_	±10	μΑ	
Output leakage current	$V_{OUT} = 0V$ to V_{CC}	I _{LO}	-	_	±10	μΑ	
Input high voltage	I/O[7:0], I/O[15:0], CE#, CLE, ALE, WE#, RE#, WP#, R/B#, LOCK	V _{IH}	0.8 x V _{CC}	_	V _{CC} + 0.3	V	
Input low voltage, all in- puts	-	V _{IL}	-0.3	-	0.2 x V _{CC}	V	
Output high voltage	I _{OH} = −100μA	V _{OH}	V _{CC} - 0.1	_	_	V	4
Output low voltage	I _{OL} = -100μA	V _{OL}	-	_	0.1	V	4
Output low current	V _{OL} = 0.2V	I _{OL} (R/B#)	3	4	-	mA	5

Notes: 1. Typical and maximum values are for single-plane operation only. Dual-plane operation values are 20mA (TYP) and 40mA (MAX).

2. Values are for single die operations. Values could be higher for interleaved die operations.

3. Measurement is taken with 1ms averaging intervals and begins after V_{CC} reaches V_{CC} (MIN).

- 4. Test conditions for V_{OH} and V_{OL} .
- 5. DC characteristics may need to be relaxed if R/B# pull-down strength is not set to full.



Electrical Specifications – AC Characteristics and Operating Conditions

Parameter	Symbol	Min	Max	Unit	Notes
ALE to data start	^t ADL	70	_	ns	1
ALE hold time	tALH	5	-	ns	
ALE setup time	^t ALS	10	-	ns	
CE# hold time	^t CH	5	-	ns	
CLE hold time	tCLH	5	-	ns	
CLE setup time	tCLS	10	-	ns	
CE# setup time	tCS	15	_	ns	
Data hold time	^t DH	5	_	ns	
Data setup time	^t DS	7	_	ns	
WRITE cycle time	tWC	20	_	ns	1
WE# pulse width HIGH	tWH	7	_	ns	1
WE# pulse width	tWP	10	-	ns	1
WP# transition to WE# LOW	tWW	100	-	ns	

Table 31: AC Characteristics: Command, Data, and Address Input (3.3V)

Note: 1. Timing for ^tADL begins in the address cycle, on the final rising edge of WE#, and ends with the first rising edge of WE# for data input.

Table 32: AC Characteristics: Command, Data, and Address Input (1.8V)

Parameter	Symbol	Min	Max	Unit	Notes
ALE to data start	^t ADL	100	-	ns	1
ALE hold time	^t ALH	5	-	ns	
ALE setup time	^t ALS	10	-	ns	
CE# hold time	^t CH	5	-	ns	
CLE hold time	^t CLH	5	-	ns	
CLE setup time	^t CLS	10	-	ns	
CE# setup time	tCS	25	-	ns	
Data hold time	^t DH	5	-	ns	
Data setup time	^t DS	10	-	ns	
WRITE cycle time	tWC	30	-	ns	1
WE# pulse width HIGH	tWH	10	-	ns	1
WE# pulse width	tWP	15	-	ns	1
WP# transition to WE# LOW	tWW	100	-	ns	

Note: 1. Timing for ^tADL begins in the address cycle on the final rising edge of WE#, and ends with the first rising edge of WE# for data input.



137-Ball NAND Flash with LPDDR MCP Electrical Specifications – AC Characteristics and Operating Conditions

Table 33: AC Characteristics: Normal Operation (1.8V)

Parameter	Symbol	Min	Max	Unit	Notes
ALE to RE# delay	^t AR	10	_	ns	
CE# access time	^t CEA	-	30	ns	
CE# HIGH to output High-Z	^t CHZ	-	50	ns	2
CLE to RE# delay	^t CLR	10	_	ns	
CE# HIGH to output hold	tCOH	15	-	ns	
Output High-Z to RE# LOW	^t IR	0	-	ns	
READ cycle time	^t RC	30	-	ns	
RE# access time	^t REA	-	25	ns	
RE# HIGH hold time	tREH	10	-	ns	
RE# HIGH to output hold	^t RHOH	15	-	ns	
RE# HIGH to WE# LOW	^t RHW	100	-	ns	
RE# HIGH to output High-Z	^t RHZ	-	65	ns	2
RE# pulse width	^t RP	15	-	ns	
Ready to RE# LOW	^t RR	20	-	ns	
Reset time (READ/PROGRAM/ERASE)	^t RST	-	5/10/500	μs	3
WE# HIGH to busy	tWB	-	100	ns	4
WE# HIGH to RE# LOW	tWHR	80	_	ns	

Notes: 1. AC characteristics may need to be relaxed if I/O drive strength is not set to full.

- 2. Transition is measured ±200mV from steady-state voltage with load. This parameter is sampled and not 100% tested.
- 3. The first time the RESET (FFh) command is issued while the device is idle, the device will be busy for a maximum of 1ms. Thereafter, the device is busy for a maximum of 5µs.
- 4. Do not issue a new command during ^tWB, even if R/B# is ready.

137-Ball NAND Flash with LPDDR MCP Electrical Specifications – AC Characteristics and Operating Conditions

Table 34: AC Characteristics: Normal Operation (3.3V)

Note 1 applies to all					
Parameter	Symbol	Min	Мах	Unit	Notes
ALE to RE# delay	^t AR	10	_	ns	
CE# access time	^t CEA	-	25	ns	
CE# HIGH to output High-Z	^t CHZ	-	30	ns	2
CLE to RE# delay	tCLR	10	-	ns	
CE# HIGH to output hold	^t COH	15	-	ns	
Output High-Z to RE# LOW	^t IR	0	-	ns	
READ cycle time	^t RC	20	-	ns	
RE# access time	^t REA	-	16	ns	
RE# HIGH hold time	tREH	7	_	ns	
RE# HIGH to output hold	^t RHOH	15	_	ns	
RE# HIGH to WE# LOW	tRHW	100	_	ns	2
RE# HIGH to output High-Z	^t RHZ	-	100	ns	
RE# LOW to output hold	^t RLOH	5	_	ns	
RE# pulse width	^t RP	10	_	ns	
Ready to RE# LOW	^t RR	20	_	ns	
Reset time (READ/PROGRAM/ERASE)	^t RST	-	5/10/500	μs	3
WE# HIGH to busy	tWB	-	100	ns	4
WE# HIGH to RE# LOW	tWHR	60	_	ns	

Notes: 1. AC characteristics may need to be relaxed if I/O drive strength is not set to "full."

2. Transition is measured ±200mV from steady-state voltage with load. This parameter is sampled and not 100% tested.

3. The first time the RESET (FFh) command is issued while the device is idle, the device will go busy for a maximum of 1ms. Thereafter, the device goes busy for a maximum of 5µs.

4. Do not issue a new command during ^tWB, even if R/B# is ready.



Electrical Specifications – Program/Erase Characteristics

Table 35: Program/Erase Characteristics

Parameter	Symbol	Тур	Мах	Unit	Notes
Number of partial-page programs	NOP	_	4	cycles	1
BLOCK ERASE operation time	^t BERS	2	10	ms	2
Busy time for PROGRAM CACHE operation	^t CBSY	3	600	μs	3
Busy time for TWO-PLANE PROGRAM PAGE or TWO-PLANE BLOCK ERASE operation	^t DBSY	0.5	1	μs	
Cache read busy time	tRCBSY	3	25	μs	
Busy time for SET FEATURES and GET FEATURES operations	tFEAT	_	1	μs	
LAST PAGE PROGRAM operation time	^t LPROG	_	-	-	4
Busy time for OTP DATA PROGRAM operation if OTP is pro- tected	tOBSY	-	30	μs	
Busy time for PROGRAM/ERASE on locked blocks	^t LBSY	_	3	μs	
PROGRAM PAGE operation time	^t PROG	200	600	μs	2
Power-on reset time	^t POR	-	1	ms	
READ PAGE operation time	^t R	-	25	μs	

Notes: 1. Four total partial-page programs to the same page.

2. Typical ^tPROG and ^tBERS time may increase for two-plane operations.


3. ^tCBSY MAX time depends on timing between internal program completion and data-in.

^tLPROG = ^tPROG (last page) + ^tPROG (last - 1 page) - command load time (last page) - address load time (last page) - data load time (last page).



Asynchronous Interface Timing Diagrams

Figure 73: RESET Operation










Figure 75: READ STATUS ENHANCED Cycle




Figure 76: READ PARAMETER PAGE






Figure 77: READ PAGE






Figure 78: READ PAGE Operation with CE# "Don't Care"






Figure 79: RANDOM DATA READ






Figure 80: READ PAGE CACHE SEQUENTIAL






Figure 81: READ PAGE CACHE RANDOM







Figure 82: READ ID Operation










Figure 84: PROGRAM PAGE Operation with CE# "Don't Care"




Figure 85: PROGRAM PAGE Operation with RANDOM DATA INPUT






Figure 86: PROGRAM PAGE CACHE




Figure 87: PROGRAM PAGE CACHE Ending on 15h






Figure 88: INTERNAL DATA MOVE





Figure 89: ERASE BLOCK Operation





137-Ball NAND Flash with LPDDR MCP 2Gb: x16, x32 Mobile LPDDR SDRAM

2Gb: x16, x32 Mobile LPDDR SDRAM

Features

- $V_{DD}/V_{DDQ} = 1.70 1.95V$
- Bidirectional data strobe per byte of data (DQS)
- Internal, pipelined double data rate (DDR) architecture; two data accesses per clock cycle
- Differential clock inputs (CK and CK#)
- Commands entered on each positive CK edge
- DQS edge-aligned with data for READs; center-aligned with data for WRITEs
- 4 internal banks for concurrent operation
- Data masks (DM) for masking write data; one mask per byte
- Programmable burst lengths (BL): 2, 4, 8, or 16
- Concurrent auto precharge option is supported
- Auto refresh and self refresh modes
- 1.8V LVCMOS-compatible inputs
- Temperature-compensated self refresh (TCSR)
- Partial-array self refresh (PASR)
- Deep power-down (DPD)
- Status read register (SRR)
- Selectable output drive strength (DS)
- Clock stop capability
- 64ms refresh

Table 36: Configuration Addressing – 2Gb

Architecture	128 Meg x 16	64 Meg x 32
Configuration	32 Meg x 16 x 4 banks	16 Meg x 32 x 4 banks
Refresh count	8K	8К
Row addressing	16K A[13:0]	16K A[13:0]
Column addressing	2K A11, A[9:0]	1K A[9:0]



137-Ball NAND Flash with LPDDR MCP 2Gb: x16, x32 Mobile LPDDR SDRAM

General Description

The 2Gb Mobile low-power DDR SDRAM is a high-speed CMOS, dynamic random-access memory containing 2,147,483,648 bits. It is internally configured as a quad-bank DRAM. Each of the x16's 536,870,912-bit banks is organized as 16,384 rows by 2048 columns by 16 bits. Each of the x32's 536,870,912-bit banks is organized as 16,384 rows by 1024 columns by 32 bits. **Note:**

1. Throughout this data sheet, various figures and text refer to DQs as "DQ." DQ should be interpreted as any and all DQ collectively, unless specifically stated otherwise. Additionally, the x16 is divided into 2 bytes: the lower byte and the upper byte. For the lower byte (DQ[7:0]), DM refers to LDM and DQS refers to LDQS. For the upper byte (DQ[15:8]), DM refers to UDM and DQS refers to UDQS. The x32 is divided into 4 bytes. For DQ[7:0], DM refers to DM0 and DQS refers to DQS0. For DQ[15:8], DM refers to DM1 and DQS refers to DQS1. For DQ[23:16], DM refers to DM2 and DQS refers to DQS2. For DQ[31:24], DM refers to DM3 and DQS refers to DQS3.

2. Complete functionality is described throughout the document; any page or diagram may have been simplified to convey a topic and may not be inclusive of all requirements.

3. Any specific requirement takes precedence over a general statement.



137-Ball NAND Flash with LPDDR MCP Electrical Specifications

Electrical Specifications

Stresses greater than those listed may cause permanent damage to the device. This is a stress rating only, and functional operation of the device at these or any other conditions above those indicated in the operational sections of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect reliability.

Table 37: Absolute Maximum Ratings

Note 1 applies to all parameters in this table

Parameter	Symbol	Min	Max	Unit
V_{DD}/V_{DDQ} supply voltage relative to V_{SS}	V _{DD} /V _{DDQ}	-1.0	2.4	V
Voltage on any pin relative to V _{SS}	V _{IN}	-0.5	2.4 or (V _{DDQ} + 0.3V), whichever is less	V
Storage temperature (plastic)	T _{STG}	-55	150	°C

Note: 1. V_{DD} and V_{DDQ} must be within 300mV of each other at all times. V_{DDQ} must not exceed V_{DD} .

Table 38: AC/DC Electrical Characteristics and Operating Conditions

Parameter/Condition	Symbol	Min	Мах	Unit	Notes
Supply voltage	V _{DD}	1.70	1.95	V	6, 7
I/O supply voltage	V _{DDQ}	1.70	1.95	V	6, 7
Address and command inputs	•				·
Input voltage high	V _{IH}	$0.8 \times V_{DDQ}$	V _{DDQ} + 0.3	V	8, 9
Input voltage low	V _{IL}	-0.3	$0.2 \times V_{DDQ}$	V	8, 9
Clock inputs (CK, CK#)	•				·
DC input voltage	V _{IN}	-0.3	V _{DDQ} + 0.3	V	10
DC input differential voltage	V _{ID(DC)}	$0.4 \times V_{DDQ}$	V _{DDQ} + 0.6	V	10, 11
AC input differential voltage	V _{ID(AC)}	$0.6 \times V_{DDQ}$	V _{DDQ} + 0.6	V	10, 11
AC differential crossing voltage	V _{IX}	$0.4 \times V_{DDQ}$	$0.6 \times V_{DDQ}$	V	10, 12
Data inputs					·
DC input high voltage	V _{IH(DC)}	$0.7 \times V_{DDQ}$	V _{DDQ} + 0.3	V	8, 9, 13
DC input low voltage	V _{IL(DC)}	-0.3	$0.3 \times V_{DDQ}$	V	8, 9, 13
AC input high voltage	V _{IH(AC)}	$0.8 \times V_{DDQ}$	V _{DDQ} + 0.3	V	8, 9, 13
AC input low voltage	V _{IL(AC)}	-0.3	$0.2 \times V_{DDQ}$	V	8, 9, 13
Data outputs					·
DC output high voltage: Logic 1 ($I_{OH} = -0.1$ mA)	V _{OH}	$0.9 \times V_{DDQ}$	_	V	
DC output low voltage: Logic 0 (I _{OL} = 0.1mA)	V _{OL}	-	$0.1 \times V_{DDQ}$	V	
Leakage current					
Input leakage current	l	-1	1	μA	
Any input $0V \le V_{IN} \le V_{DD}$					
(All other pins not under test = 0V)					



137-Ball NAND Flash with LPDDR MCP **Electrical Specifications**


Table 38: AC/DC Electrical Characteristics and Operating Conditions (Continued)

Parameter/Condition	Symbol	Min	Мах	Unit	Notes
Output leakage current (DQ are disabled; 0V ≤ V _{OUT} ≤ V _{DDQ})	I _{oz}	-1.5	1.5	μA	
Operating temperature	I				
Commercial	T _A	0	70	°C	
Wireless	T _A	-25	85	°C	
Industrial	T _A	-40	85	°C	
Automotive	T _A	-40	105	°C	

Notes: 1. All voltages referenced to V_{ss}.

- 2. All parameters assume proper device initialization.
- 3. Tests for AC timing, I_{DD}, and electrical AC and DC characteristics may be conducted at nominal supply voltage levels, but the related specifications and device operation are guaranteed for the full voltage range specified.

4. Outputs measured with equivalent load; transmission line delay is assumed to be very small:



- 5. Timing and I_{DD} tests may use a V_{IL} -to- V_{IH} swing of up to 1.5V in the test environment, but input timing is still referenced to $V_{DDO/2}$ (or to the crossing point for CK/CK#). The output timing reference voltage level is V_{DDO/2}.
- 6. Any positive glitch must be less than one-third of the clock cycle and not more than +200mV or 2.0V, whichever is less. Any negative glitch must be less than one-third of the clock cycle and not exceed either -150mV or +1.6V, whichever is more positive.
- 7. V_{DD} and V_{DDO} must track each other and V_{DDO} must be less than or equal to V_{DD} .
- 8. To maintain a valid level, the transitioning edge of the input must:

8a. Sustain a constant slew rate from the current AC level through to the target AC level, V_{IL(AC)} Or V_{IH(AC)}.

8b. Reach at least the target AC level.

8c. After the AC target level is reached, continue to maintain at least the target DC level, V_{IL(DC)} or V_{IH(DC)}.

- 9. V_{IH} overshoot: V_{IHmax} = V_{DDQ} + 1.0V for a pulse width \leq 3ns and the pulse width cannot be greater than one-third of the cycle rate. V_{IL} undershoot: $V_{ILmin} = -1.0V$ for a pulse width \leq 3ns and the pulse width cannot be greater than one-third of the cycle rate.
- 10. CK and CK# input slew rate must be ≥1 V/ns (2 V/ns if measured differentially).
- 11. V_{ID} is the magnitude of the difference between the input level on CK and the input level on CK#.
- 12. The value of V_{IX} is expected to equal $V_{DDO/2}$ of the transmitting device and must track variations in the DC level of the same.
- 13. DQ and DM input slew rates must not deviate from DQS by more than 10%. 50ps must be added to ^tDS and ^tDH for each 100 mV/ns reduction in slew rate. If slew rate exceeds 4 V/ns, functionality is uncertain.



137-Ball NAND Flash with LPDDR MCP Electrical Specifications

Table 39: Capacitance (x16, x32)

Notes 1 and 2 apply to all the parameters in this table

Parameter	Symbol	Min	Мах	Unit	Notes
Input capacitance: CK, CK#	С _{СК}	1.0	2.0	pF	
Delta input capacitance: CK, CK#	C _{DCK}	0	0.25	pF	3
Input capacitance: command and address	CI	1.0	2.0	pF	
Delta input capacitance: command and address	C _{DI}	- 0.5	0.5	pF	3
Input/output capacitance: DQ, DQS, DM	C _{IO}	1.25	2.5	pF	
Delta input/output capacitance: DQ, DQS, DM	C _{DIO}	- 0.6	0.6	pF	4

Notes: 1. This parameter is sampled. $V_{DD}/V_{DDQ} = 1.70-1.95V$, f = 100 MHz, $T_A = 25^{\circ}C$, $V_{OUT(DC)} = V_{DDQ}/2$, V_{OUT} (peak-to-peak) = 0.2V. DM input is grouped with I/O pins, reflecting the fact that they are matched in loading.

2. This parameter applies to die devices only (does not include package capacitance).

3. The input capacitance per pin group will not differ by more than this maximum amount for any given device.

4. The I/O capacitance per DQS and DQ byte/group will not differ by more than this maximum amount for any given device.



Electrical Specifications – I_{DD} Parameters

Table 40: I_{DD} Specifications and Conditions, -40°C to +85°C (x16)

			М	ax		
Parameter/Condition		Symbol	-48	-5	Unit	Notes
Operating 1 bank active precharge current: ${}^{t}RC = {}^{t}RC$ ((MIN); CKE is HIGH; CS is HIGH between valid comman are switching every 2 clock cycles; Data bus inputs are	ds; Address inputs	I _{DD0}	100	100	mA	6
Precharge power-down standby current: All banks idle HIGH; ^t CK = ^t CK (MIN); Address and control inputs are bus inputs are stable		I _{DD2P}	900	900	μA	7, 8
Precharge power-down standby current: Clock stopped CKE is LOW; CS is HIGH; CK = LOW, CK# = HIGH; Addre puts are switching; Data bus inputs are stable		I _{DD2PS}	900	900	μA	7
Precharge nonpower-down standby current: All banks $CS = HIGH$; ^t CK = ^t CK (MIN); Address and control inputs ta bus inputs are stable		I _{DD2N}	15	15	mA	9
Precharge nonpower-down standby current: Clock stopped; All banks idle; CKE = HIGH; CS = HIGH; CK = LOW, CK# = HIGH; Address and control inputs are switching; Data bus inputs are stable		I _{DD2NS}	9	9	mA	9
Active power-down standby current: 1 bank active; CK HIGH; ${}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are bus inputs are stable		I _{DD3P}	5	5	mA	8
Active power-down standby current: Clock stopped; 1 LOW; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable	-	I _{DD3PS}	5	5	mA	
Active nonpower-down standby: 1 bank active; $CKE = {}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are switch puts are stable		I _{DD3N}	17	17	mA	6
Active nonpower-down standby: Clock stopped; 1 ban HIGH; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable		I _{DD3NS}	14	14	mA	6
Operating burst read: 1 bank active; BL = 4; ^t CK = ^t CK READ bursts; lout = 0mA; Address inputs are switching cles; 50% data changing each burst		I _{DD4R}	130	130	mA	6
Operating burst write: 1 bank active; $BL = 4$; ${}^{t}CK = {}^{t}CK$ WRITE bursts; Address inputs are switching; 50% data burst		I _{DD4W}	130	130	mA	6
Auto refresh: Burst refresh; CKE = HIGH; Address and	^t RFC = 138ns	I _{DD5}	170	170	mA	10
control inputs are switching; Data bus inputs are stable	^t RFC = ^t REFI	I _{DD5A}	12	12	mA	10, 11
Deep power-down current: Address and control balls a inputs are stable	are stable; Data bus	I _{DD8}	10	10	μA	7, 13



Table 41: I_{DD} Specifications and Conditions, -40°C to +85°C (x32)

			Max			
Parameter/Condition		Symbol	-48	-5	Unit	Notes
Operating 1 bank active precharge current: ${}^{t}RC = {}^{t}RC$ ((MIN); CKE is HIGH; CS is HIGH between valid commanare switching every 2 clock cycles; Data bus inputs are	ds; Address inputs	I _{DD0}	100	100	mA	6
Precharge power-down standby current: All banks idle HIGH; ^t CK = ^t CK (MIN); Address and control inputs are bus inputs are stable		I _{DD2P}	900	900	μA	7, 8
Precharge power-down standby current: Clock stopped CKE is LOW; CS is HIGH; CK = LOW, CK# = HIGH; Addre puts are switching; Data bus inputs are stable		I _{DD2PS}	900	900	μA	7
Precharge nonpower-down standby current: All banks $CS = HIGH$; ^t CK = ^t CK (MIN); Address and control inputs ta bus inputs are stable		I _{DD2N}	15	15	mA	9
Precharge nonpower-down standby current: Clock stopped; All banks idle; CKE = HIGH; CS = HIGH; CK = LOW, CK# = HIGH; Address and control inputs are switching; Data bus inputs are stable		I _{DD2NS}	9	9	mA	9
Active power-down standby current: 1 bank active; CK HIGH; ${}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are bus inputs are stable		I _{DD3P}	5	5	mA	8
Active power-down standby current: Clock stopped; 1 LOW; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable		I _{DD3PS}	5	5	mA	
Active nonpower-down standby: 1 bank active; $CKE = {}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are switch puts are stable		I _{DD3N}	17	17	mA	6
Active nonpower-down standby: Clock stopped; 1 ban HIGH; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable		I _{DD3NS}	14	14	mA	6
Operating burst read: 1 bank active; $BL = 4$; ${}^{t}CK = {}^{t}CK$ (READ bursts; lout = 0mA; Address inputs are switching cles; 50% data changing each burst		I _{DD4R}	150	150	mA	6
Operating burst write: 1 bank active; BL = 4; ^t CK = ^t CK WRITE bursts; Address inputs are switching; 50% data burst		I _{DD4W}	150	150	mA	6
Auto refresh: Burst refresh; CKE = HIGH; Address and	^t RFC = 138ns	I _{DD5}	170	170	mA	10
control inputs are switching; Data bus inputs are sta- ble	^t RFC = ^t REFI	I _{DD5A}	12	12	mA	10, 11
Deep power-down current: Address and control balls a inputs are stable	are stable; Data bus	I _{DD8}	10	10	μA	7, 13



Table 42: I_{DD} Specifications and Conditions, -40°C to +105°C (x16)

			М	Max		
Parameter/Condition		Symbol	-48	-5	Unit	Notes
Operating 1 bank active precharge current: ${}^{t}RC = {}^{t}RC$ ((MIN); CKE is HIGH; CS is HIGH between valid comman are switching every 2 clock cycles; Data bus inputs are	ds; Address inputs	I _{DD0}	100	100	mA	6
Precharge power-down standby current: All banks idle HIGH; ^t CK = ^t CK (MIN); Address and control inputs are bus inputs are stable		I _{DD2P}	1500	1500	μA	7, 8
Precharge power-down standby current: Clock stopped CKE is LOW; CS is HIGH; CK = LOW, CK# = HIGH; Addre puts are switching; Data bus inputs are stable		I _{DD2PS}	1500	1500	μA	7
Precharge nonpower-down standby current: All banks $CS = HIGH$; ${}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs ta bus inputs are stable		I _{DD2N}	19	19	mA	9
Precharge nonpower-down standby current: Clock stopped; All banks idle; CKE = HIGH; CS = HIGH; CK = LOW, CK# = HIGH; Address and control inputs are switching; Data bus inputs are stable			13	13	mA	9
Active power-down standby current: 1 bank active; $CKE = LOW$; $CS = HIGH$; ${}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are switching; Data bus inputs are stable			9	9	mA	8
Active power-down standby current: Clock stopped; 1 bank active; CKE = LOW; CS = HIGH; CK = LOW; CK# = HIGH; Address and control inputs are switching; Data bus inputs are stable			9	9	mA	
Active nonpower-down standby: 1 bank active; $CKE = {}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are switch puts are stable		I _{DD3N}	21	21	mA	6
Active nonpower-down standby: Clock stopped; 1 ban HIGH; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable		I _{DD3NS}	18	18	mA	6
Operating burst read: 1 bank active; BL = 4; ^t CK = ^t CK (READ bursts; lout = 0mA; Address inputs are switching cles; 50% data changing each burst		I _{DD4R}	130	130	mA	6
Operating burst write: 1 bank active; $BL = 4$; ^t CK = ^t CK WRITE bursts; Address inputs are switching; 50% data burst		I _{DD4W}	130	130	mA	6
Auto refresh: Burst refresh; CKE = HIGH; Address and	^t RFC = 138ns	I _{DD5}	170	170	mA	10
control inputs are switching; Data bus inputs are sta- ble	^t RFC = ^t REFI	I _{DD5A}	13	13	mA	10, 11
Deep power-down current: Address and control balls a inputs are stable	are stable; Data bus	I _{DD8}	15	15	μA	7, 13



Table 43: I_{DD} Specifications and Conditions, -40°C to +105°C (x32)

				Мах		
Parameter/Condition		Symbol	-48	-5	Unit	Notes
Operating 1 bank active precharge current: ${}^{t}RC = {}^{t}RC$ ((MIN); CKE is HIGH; CS is HIGH between valid commanare switching every 2 clock cycles; Data bus inputs are	ds; Address inputs	I _{DD0}	100	100	mA	6
Precharge power-down standby current: All banks idle HIGH; ^t CK = ^t CK (MIN); Address and control inputs are inputs are stable		I _{DD2P}	1500	1500	μA	7, 8
Precharge power-down standby current: Clock stopped CKE is LOW; CS is HIGH, CK = LOW, CK# = HIGH; Addre puts are switching; Data bus inputs are stable		I _{DD2PS}	1500	1500	μA	7
Precharge nonpower-down standby current: All banks CS = HIGH; ^t CK = ^t CK (MIN); Address and control inputs ta bus inputs are stable		I _{DD2N}	19	19	mA	9
Precharge nonpower-down standby current: Clock stopped; All banks idle; CKE = HIGH; CS = HIGH; CK = LOW, CK# = HIGH; Address and control inputs are switching; Data bus inputs are stable			13	13	mA	9
Active power-down standby current: 1 bank active; CK HIGH; ${}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are inputs are stable		I _{DD3P}	9	9	mA	8
Active power-down standby current: Clock stopped; 1 LOW; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable		I _{DD3PS}	9	9	mA	
Active nonpower-down standby: 1 bank active; $CKE = {}^{t}CK = {}^{t}CK$ (MIN); Address and control inputs are switch puts are stable		I _{DD3N}	21	21	mA	6
Active nonpower-down standby: Clock stopped; 1 ban HIGH; CS = HIGH; CK = LOW; CK# = HIGH; Address and switching; Data bus inputs are stable		I _{DD3NS}	18	18	mA	6
Operating burst read: 1 bank active; BL = 4; CL = 3; ^t CK tinuous READ bursts; lout = 0mA; Address inputs are sy clock cycles; 50% data changing each burst		I _{DD4R}	150	150	mA	6
Operating burst write: One bank active; $BL = 4$; ${}^{t}CK = {}^{t}$ ous WRITE bursts; Address inputs are switching; 50% d burst		I _{DD4W}	150	150	mA	6
Auto refresh: Burst refresh; CKE = HIGH; Address and	^t RFC = 138ns	I _{DD5}	170	170	mA	10
control inputs are switching; Data bus inputs are sta- ble	^t RFC = ^t REFI	I _{DD5A}	13	13	mA	10, 11
Deep power-down current: Address and control pins a inputs are stable	re stable; Data bus	I _{DD8}	15	15	μA	7, 13



Table 44: IDD6 Specifications and Conditions

Notes 1–5, 7, and 12 apply to all the parameters/conditions in this table; V_{DD}/V_{DDO} = 1.70–1.95V

Parameter/Condition		Symbol	Value	Units
Self refresh:	Full array, 105°C	I _{DD6}	n/a ¹⁴	μA
CKE = LOW; ^t CK = ^t CK (MIN); Address and control inputs are stable; Data bus inputs are stable	Full array, 85°C		2000	μA
	Full array, 45°C		900	μA
	1/2 array, 85°C		1450	μA
	1/2 array, 45°C		700	μA
	1/4 array, 85°C		1230	μA
	1/4 array, 45°C		600	μA
	1/8 array, 85°C		1090	μA
	1/8 array, 45°C		575	μA
	1/16 array, 85°C		1020	μA
	1/16 array, 45°C		550	μΑ


Notes: 1. All voltages referenced to V_{SS}.

2. Tests for I_{DD} characteristics may be conducted at nominal supply voltage levels, but the related specifications and device operation are guaranteed for the full voltage range specified.

- 3. Timing and I_{DD} tests may use a V_{IL}-to-V_{IH} swing of up to 1.5V in the test environment, but input timing is still referenced to V_{DDQ/2} (or to the crossing point for CK/CK#). The output timing reference voltage level is V_{DDQ/2}.
- 4. I_{DD} is dependent on output loading and cycle rates. Specified values are obtained with minimum cycle time with the outputs open.
- 5. I_{DD} specifications are tested after the device is properly initialized and values are averaged at the defined cycle rate.
- 6. MIN (^tRC or ^tRFC) for I_{DD} measurements is the smallest multiple of ^tCK that meets the minimum absolute value for the respective parameter. ^tRASmax for I_{DD} measurements is the largest multiple of ^tCK that meets the maximum absolute value for ^tRAS.
- 7. Measurement is taken 500ms after entering into this operating mode to provide settling time for the tester.
- 8. V_{DD} must not vary more than 4% if CKE is not active while any bank is active.
- 9. I_{DD2N} specifies DQ, DQS, and DM to be driven to a valid high or low logic level.
- 10. CKE must be active (HIGH) during the entire time a REFRESH command is executed. From the time the AUTO REFRESH command is registered, CKE must be active at each rising clock edge until ^tRFC later.
- 11. This limit is a nominal value and does not result in a fail. CKE is HIGH during REFRESH command period (^tRFC (MIN)) else CKE is LOW (for example, during standby).
- 12. Values for I_{DD6} 85°C are guaranteed for the entire temperature range. All other I_{DD6} values are estimated.
- 13. Typical values at 25°C, not a maximum value.
- 14. Self refresh is not supported for AT (85°C to 105°C) operation.



Figure 90: Typical Self Refresh Current vs. Temperature





137-Ball NAND Flash with LPDDR MCP Electrical Specifications – AC Operating Conditions

Electrical Specifications – AC Operating Conditions

Table 45: Electrical Characteristics and Recommended AC Operating Conditions

			-4	8	-5			
Parameter		Symbol	Min	Мах	Min	Max	Unit	Notes
Access window of DQ from CK/CK#	CL = 3	^t AC	2.0	5.0	2.0	5.0	ns	
	CL = 2		2.0	6.5	2.0	6.5		
Clock cycle time	CL = 3	^t CK	4.8	_	5.0	-	ns	10
	CL = 2		12	-	12	_		
CK high-level width		^t CH	0.45	0.55	0.45	0.55	^t CK	
CK low-level width		^t CL	0.45	0.55	0.45	0.55	^t CK	
CKE minimum pulse width (high and	low)	^t CKE	1	_	1	-	^t CK	11
Auto precharge write recovery + pre- time	charge	^t DAL	-	_	-	_	-	12
DQ and DM input hold time relative (fast slew rate)	to DQS	^t DH _f	0.48	-	0.48	-	ns	13, 14, 15
DQ and DM input hold time relative (slow slew rate)	to DQS	^t DH _s	0.58	-	0.58	-	ns	
DQ and DM input setup time relative (fast slew rate)	e to DQS	^t DS _f	0.48	_	0.48	-	ns	13, 14, 15
DQ and DM input setup time relative (slow slew rate)	e to DQS	^t DS _s	0.58	_	0.58	-	ns	
DQ and DM input pulse width (for ea put)	ach in-	^t DIPW	1.8	_	1.8	_	ns	16
Access window of DQS from CK/CK#	CL = 3	^t DQSCK	2.0	5.0	2.0	5.0	ns	
	CL = 2		2.0	6.5	2.0	6.5	ns	1
DQS input high pulse width		^t DQSH	0.4	0.6	0.4	0.6	^t CK	
DQS input low pulse width		^t DQSL	0.4	0.6	0.4	0.6	^t CK	
DQS–DQ skew, DQS to last DQ valid, group, per access	per	^t DQSQ	-	0.4	-	0.4	ns	13, 17
WRITE command to first DQS latching tion	g transi-	^t DQSS	0.75	1.25	0.75	1.25	^t CK	
DQS falling edge from CK rising – hold time		^t DSH	0.2	_	0.2	-	^t CK	
DQS falling edge to CK rising – setup time		^t DSS	0.2	-	0.2	-	^t CK	
Data valid output window (DVW)		n/a		^t QH -	^t DQSQ		ns	17
Half-clock period		^t HP	^t CH, ^t CL	_	^t CH, ^t CL	_	ns	18
Data-out High-Z window from	CL = 3	^t HZ	-	5.0	-	5.0	ns	19, 20
CK/CK#	CL = 2		-	6.5	_	6.5	ns	1
Data-out Low-Z window from CK/CK	#	^t LZ	1.0	_	1.0	_	ns	19



137-Ball NAND Flash with LPDDR MCP Electrical Specifications – AC Operating Conditions

Table 45: Electrical Characteristics and Recommended AC Operating Conditions (Continued)

			-4	-48		-5		
Parameter		Symbol	Min	Мах	Min	Max	Unit	Notes
Address and control input hold time (fast slew rate)		^t IH _F	0.9	-	0.9	-	ns	15, 21
Address and control input hold time (slow slew rate)		^t IH _s	1.1	-	1.1	-	ns	
Address and control input setup time (fast slew rate)		^t IS _F	0.9	-	0.9	-	ns	15, 21
Address and control input setup time (slow slew rate)		^t IS _S	1.1	-	1.1	-	ns	
Address and control input pulse widt	h	^t IPW	2.3	_	2.3	_	ns	16
LOAD MODE REGISTER command cycle time		^t MRD	2	-	2	-	^t CK	
DQ–DQS hold, DQS to first DQ to go nonvalid, per access		^t QH	^t HP - ^t QHS	-	^t HP - ^t QHS	-	ns	13, 17
Data hold skew factor		^t QHS	_	0.5	_	0.5	ns	
ACTIVE-to-PRECHARGE command		^t RAS	38.4	70,000	40	70,000	ns	22
ACTIVE to ACTIVE/ACTIVE to AUTO REFRESH command period		^t RC	52.8	-	55	-	ns	23
Active to read or write delay		^t RCD	14.4	_	15	_	ns	
Refresh period		^t REF	_	64	_	64	ms	29
Average periodic refresh interval: 64Mb, 128Mb, and 256Mb (x32)		^t REFI	-	15.6	_	15.6	μs	29
Average periodic refresh interval: 256Mb, 512Mb, 1Gb, 2Gb		^t REFI	-	7.8	-	7.8	μs	29
AUTO REFRESH command period		^t RFC	72	-	72	-	ns	
PRECHARGE command period		^t RP	14.4	-	15	-	ns	
DQS read preamble	CL = 3	^t RPRE	0.9	1.1	0.9	1.1	^t CK	
	CL = 2	^t RPRE	0.5	1.1	0.5	1.1	^t CK	
DQS read postamble		^t RPST	0.4	0.6	0.4	0.6	^t CK	
Active bank a to active bank b comm	and	^t RRD	9.6	_	10	_	ns	
Read of SRR to next valid command		^t SRC	CL + 1	-	CL + 1	-	^t CK	
SRR to read		^t SRR	2	_	2	_	^t CK	
Internal temperature sensor valid ter ture output enable	npera-	^t TQ	2	-	2	-	ms	
DQS write preamble		tWPRE	0.25	_	0.25	_	^t CK	
DQS write preamble setup time		tWPRES	0	-	0	_	ns	24, 25
DQS write postamble		tWPST	0.4	0.6	0.4	0.6	^t CK	26
Write recovery time		^t WR	14.4	_	15	_	ns	27



137-Ball NAND Flash with LPDDR MCP Electrical Specifications – AC Operating Conditions


Table 45: Electrical Characteristics and Recommended AC Operating Conditions (Continued)

Notes 1–9 apply to all the parameters in this table; $V_{DD}/V_{DDQ} = 1.70-1.95V$

		-48		-5			
Parameter	Symbol	Min	Мах	Min	Max	Unit	Notes
Internal WRITE-to-READ command delay	^t WTR	2	-	2	-	^t CK	
Exit power-down mode to first valid com- mand	^t ХР	2	-	2	-	^t CK	
Exit self refresh to first valid command	^t XSR	110	-	112.5	-	ns	28

Notes: 1. All voltages referenced to V_{SS}.

- 2. All parameters assume proper device initialization.
- 3. Tests for AC timing and electrical AC and DC characteristics may be conducted at nominal supply voltage levels, but the related specifications and device operation are guaranteed for the full voltage ranges specified.
- 4. The circuit shown below represents the timing reference load used in defining the relevant timing parameters of the device. It is not intended to be either a precise representation of the typical system environment or a depiction of the actual load presented by a production tester. System designers will use IBIS or other simulation tools to correlate the timing reference load to system environment. Specifications are correlated to production test conditions (generally a coaxial transmission line terminated at the tester electronics). For the half-strength driver with a nominal 10pF load, parameters ^tAC and ^tQH are expected to be in the same range. However, these parameters are not subject to production test but are estimated by design/characterization. Use of IBIS or other simulation tools for system design validation is suggested.



- 5. The CK/CK# input reference voltage level (for timing referenced to CK/CK#) is the point at which CK and CK# cross; the input reference voltage level for signals other than CK/CK# is V_{DDQ/2}.
- 6. A CK and CK# input slew rate ≥1 V/ns (2 V/ns if measured differentially) is assumed for all parameters.
- 7. All AC timings assume an input slew rate of 1 V/ns.
- 8. CAS latency definition: with CL = 2, the first data element is valid at (^tCK + ^tAC) after the clock at which the READ command was registered; for CL = 3, the first data element is valid at ($2 \times {}^{t}CK + {}^{t}AC$) after the first clock at which the READ command was registered.
- Timing tests may use a V_{IL}-to-V_{IH} swing of up to 1.5V in the test environment, but input timing is still referenced to V_{DDQ/2} or to the crossing point for CK/CK#. The output timing reference voltage level is V_{DDQ/2}.
- 10. Clock frequency change is only permitted during clock stop, power-down, or self refresh mode.
- 11. In cases where the device is in self refresh mode for ^tCKE, ^tCKE starts at the rising edge of the clock and ends when CKE transitions HIGH.
- 12. ^tDAL = (^tWR/^tCK) + (^tRP/^tCK): for each term, if not already an integer, round up to the next highest integer.

Micron Confidential and Proprietary



137-Ball NAND Flash with LPDDR MCP Electrical Specifications – AC Operating Conditions

- Referenced to each output group: for x16, LDQS with DQ[7:0]; and UDQS with DQ[15:8]. For x32, DQS0 with DQ[7:0]; DQS1 with DQ[15:8]; DQS2 with DQ[23:16]; and DQS3 with DQ[31:24].
- 14. DQ and DM input slew rates must not deviate from DQS by more than 10%. If the DQ/DM/DQS slew rate is less than 1.0 V/ns, timing must be derated: 50ps must be added to ^tDS and ^tDH for each 100 mV/ns reduction in slew rate. If the slew rate exceeds 4 V/ns, functionality is uncertain.
- The transition time for input signals (CAS#, CKE, CS#, DM, DQ, DQS, RAS#, WE#, and addresses) are measured between V_{IL(DC)} to V_{IH(AC)} for rising input signals and V_{IH(DC)} to V_{IL(AC)} for falling input signals.
- 16. These parameters guarantee device timing but are not tested on each device.
- 17. The valid data window is derived by achieving other specifications: ^tHP (^tCK/2), ^tDQSQ, and ^tQH (^tHP ^tQHS). The data valid window derates directly proportional with the clock duty cycle and a practical data valid window can be derived. The clock is provided a maximum duty cycle variation of 45/55. Functionality is uncertain when operating beyond a 45/55 ratio.
- 18. ^tHP (MIN) is the lesser of ^tCL (MIN) and ^tCH (MIN) actually applied to the device CK and CK# inputs, collectively.
- 19. ^tHZ and ^tLZ transitions occur in the same access time windows as valid data transitions. These parameters are not referenced to a specific voltage level, but specify when the device output is no longer driving (^tHZ) or begins driving (^tLZ).
- 20. ^tHZ (MAX) will prevail over ^tDQSCK (MAX) + ^tRPST (MAX) condition.
- 21. Fast command/address input slew rate ≥1 V/ns. Slow command/address input slew rate ≥0.5 V/ns. If the slew rate is less than 0.5 V/ns, timing must be derated: ^tIS has an additional 50ps per each 100 mV/ns reduction in slew rate from the 0.5 V/ns. ^tIH has 0ps added, therefore, it remains constant. If the slew rate exceeds 4.5 V/ns, functionality is uncertain.
- 22. READs and WRITEs with auto precharge must not be issued until ^tRAS (MIN) can be satisfied prior to the internal PRECHARGE command being issued.
- 23. DRAM devices should be evenly addressed when being accessed. Disproportionate accesses to a particular row address may result in reduction of the product lifetime.
- 24. This is not a device limit. The device will operate with a negative value, but system performance could be degraded due to bus turnaround.
- 25. It is recommended that DQS be valid (HIGH or LOW) on or before the WRITE command. The case shown (DQS going from High-Z to logic low) applies when no WRITEs were previously in progress on the bus. If a previous WRITE was in progress, DQS could be HIGH during this time, depending on ^tDQSS.
- 26. The maximum limit for this parameter is not a device limit. The device will operate with a greater value for this parameter, but system performance (bus turnaround) will degrade accordingly.
- 27. At least 1 clock cycle is required during ^tWR time when in auto precharge mode.
- 28. Clock must be toggled a minimum of two times during the ^tXSR period.
- 29. For the Automotive Temperature parts, ${}^{t}REF = {}^{t}REF$ /2 and ${}^{t}REF I = {}^{t}REF$ I/2.



137-Ball NAND Flash with LPDDR MCP Output Drive Characteristics

Output Drive Characteristics

Table 46: Target Output Drive Characteristics (Full Strength)

Notes 1–2 apply to all values; characteristics are specified under best and worst process variations/conditions

		Current (mA)	Pull-Up Cu	irrent (mA)
Voltage (V)	Min	Мах	Min	Мах
0.00	0.00	0.00	0.00	0.00
0.10	2.80	18.53	-2.80	-18.53
0.20	5.60	26.80	-5.60	-26.80
0.30	8.40	32.80	-8.40	-32.80
0.40	11.20	37.05	-11.20	-37.05
0.50	14.00	40.00	-14.00	-40.00
0.60	16.80	42.50	-16.80	-42.50
0.70	19.60	44.57	-19.60	-44.57
0.80	22.40	46.50	-22.40	-46.50
0.85	23.80	47.48	-23.80	-47.48
0.90	23.80	48.50	-23.80	-48.50
0.95	23.80	49.40	-23.80	-49.40
1.00	23.80	50.05	-23.80	-50.05
1.10	23.80	51.35	-23.80	-51.35
1.20	23.80	52.65	-23.80	-52.65
1.30	23.80	53.95	-23.80	-53.95
1.40	23.80	55.25	-23.80	-55.25
1.50	23.80	56.55	-23.80	-56.55
1.60	23.80	57.85	-23.80	-57.85
1.70	23.80	59.15	-23.80	-59.15
1.80	-	60.45	-	-60.45
1.90	-	61.75	-	-61.75

Notes: 1. Based on nominal impedance of 25Ω (full strength) at V_{DDQ}/2.

2. The full variation in driver current from minimum to maximum, due to process, voltage, and temperature, will lie within the outer bounding lines of the I-V curves.



137-Ball NAND Flash with LPDDR MCP Output Drive Characteristics

	Pull-Down C	Current (mA)	Pull-Up Cu	rrent (mA)
Voltage (V)	Min	Мах	Min	Max
0.00	0.00	0.00	0.00	0.00
0.10	1.96	12.97	-1.96	-12.97
0.20	3.92	18.76	-3.92	-18.76
0.30	5.88	22.96	-5.88	-22.96
0.40	7.84	25.94	-7.84	-25.94
0.50	9.80	28.00	-9.80	-28.00
0.60	11.76	29.75	-11.76	-29.75
0.70	13.72	31.20	-13.72	-31.20
0.80	15.68	32.55	-15.68	-32.55
0.85	16.66	33.24	-16.66	-33.24
0.90	16.66	33.95	-16.66	-33.95
0.95	16.66	34.58	-16.66	-34.58
1.00	16.66	35.04	-16.66	-35.04
1.10	16.66	35.95	-16.66	-35.95
1.20	16.66	36.86	-16.66	-36.86
1.30	16.66	37.77	-16.66	-37.77
1.40	16.66	38.68	-16.66	-38.68
1.50	16.66	39.59	-16.66	-39.59
1.60	16.66	40.50	-16.66	-40.50
1.70	16.66	41.41	-16.66	-41.41
1.80	_	42.32	_	-42.32
1.90	-	43.23	_	-43.23

Notes: 1. Based on nominal impedance of 37Ω (three-quarter drive strength) at V_{DDQ}/2.

2. The full variation in driver current from minimum to maximum, due to process, voltage, and temperature, will lie within the outer bounding lines of the I-V curves.

3. Contact factory for availability of three-quarter drive strength.



137-Ball NAND Flash with LPDDR MCP Output Drive Characteristics

Table 48: Target Output Drive Characteristics (One-Half Strength)

Notes 1-3 apply to all values; characteristics are specified under best and worst process variations/conditions

	Pull-Down	Current (mA)	Pull-Up Cu	rrent (mA)	
Voltage (V)	Min	Max	Min	Max	
0.00	0.00	0.00	0.00	0.00	
0.10	1.27	8.42	-1.27	-8.42	
0.20	2.55	12.30	-2.55	-12.30	
0.30	3.82	14.95	-3.82	-14.95	
0.40	5.09	16.84	-5.09	-16.84	
0.50	6.36	18.20	-6.36	-18.20	
0.60	7.64	19.30	-7.64	-19.30	
0.70	8.91	20.30	-8.91	-20.30	
0.80	10.16	21.20	-10.16	-21.20	
0.85	10.80	21.60	-10.80	-21.60	
0.90	10.80	22.00	-10.80	-22.00	
0.95	10.80	22.45	-10.80	-22.45	
1.00	10.80	22.73	-10.80	-22.73	
1.10	10.80	23.21	-10.80	-23.21	
1.20	10.80	23.67	-10.80	-23.67	
1.30	10.80	24.14	-10.80	-24.14	
1.40	10.80	24.61	-10.80	-24.61	
1.50	10.80	25.08	-10.80	-25.08	
1.60	10.80	25.54	-10.80	-25.54	
1.70	10.80	26.01	-10.80	-26.01	
1.80	-	26.48	-	-26.48	
1.90	_	26.95	-	-26.95	

Notes: 1. Based on nominal impedance of 55Ω (one-half drive strength) at V_{DDQ}/2.

2. The full variation in driver current from minimum to maximum, due to process, voltage, and temperature, will lie within the outer bounding lines of the I-V curves.

3. The I-V curve for one-quarter drive strength is approximately 50% of one-half drive strength.



137-Ball NAND Flash with LPDDR MCP Functional Description

Functional Description

The Mobile LPDDR SDRAM uses a double data rate architecture to achieve high-speed operation. The double data rate architecture is essentially a 2*n*-prefetch architecture, with an interface designed to transfer two data words per clock cycle at the I/O. Single read or write access for the device consists of a single 2*n*-bit-wide, one-clock-cycle data transfer at the internal DRAM core and two corresponding *n*-bit-wide, one-half-clock-cycle data transfers at the I/O.

A bidirectional data strobe (DQS) is transmitted externally, along with data, for use in data capture at the receiver. DQS is a strobe transmitted by the device during READs and by the memory controller during WRITES. DQS is edge-aligned with data for READs and center-aligned with data for WRITES. The x16 device has two data strobes, one for the lower byte and one for the upper byte; the x32 device has four data strobes, one per byte.

The LPDDR device operates from a differential clock (CK and CK#); the crossing of CK going HIGH and CK# going LOW will be referred to as the positive edge of CK. Commands (address and control signals) are registered at every positive edge of CK. Input data is registered on both edges of DQS, and output data is referenced to both edges of DQS, as well as to both edges of CK.

Read and write accesses to the device are burst-oriented; accesses start at a selected location and continue for a programmed number of locations in a programmed sequence. Accesses begin with the registration of an ACTIVE command, followed by a READ or WRITE command. The address bits registered coincident with the ACTIVE command are used to select the bank and row to be accessed. The address bits registered coincident with the READ or WRITE command are used to select the starting column location for the burst access.

The device provides for programmable READ or WRITE burst lengths of 2, 4, 8, or 16. An auto precharge function can be enabled to provide a self-timed row precharge that is initiated at the end of the burst access.

As with standard DDR SDRAM, the pipelined, multibank architecture of LPDDR supports concurrent operation, thereby providing high effective bandwidth by hiding row precharge and activation time.

An auto refresh mode is provided, along with a power-saving power-down mode. Deep power-down mode is offered to achieve maximum power reduction by eliminating the power of the memory array. Data will not be retained after the device enters deep power-down mode.

Two self refresh features, temperature-compensated self refresh (TCSR) and partial-array self refresh (PASR), offer additional power savings. TCSR is controlled by the automatic on-chip temperature sensor. PASR can be customized using the extended mode register settings. The two features can be combined to achieve even greater power savings.

The DLL that is typically used on standard DDR devices is not necessary on LPDDR devices. It has been omitted to save power.



Commands

A quick reference for available commands is provided in Table 49 and Table 50 (page 144), followed by a written description of each command. Three additional truth tables (Table 51 (page 150), Table 52 (page 152), and Table 53 (page 154)) provide CKE commands and current/next state information.

Table 49: Truth Table – Commands

CKE is HIGH for all commands shown except SELF REFRESH and DEEP POWER-DOWN; all states and sequences not shown are reserved and/or illegal

Name (Function)	CS#	RAS#	CAS#	WE#	Address	Notes
DESELECT (NOP)	Н	X	Х	Х	Х	1
NO OPERATION (NOP)	L	н	н	Н	Х	1
ACTIVE (select bank and activate row)	L	L	н	Н	Bank/row	2
READ (select bank and column, and start READ burst)	L	н	L	Н	Bank/column	3
WRITE (select bank and column, and start WRITE burst)	L	н	L	L	Bank/column	3
BURST TERMINATE or DEEP POWER-DOWN (enter deep power-down mode)	L	Н	Н	L	х	4, 5
PRECHARGE (deactivate row in bank or banks)	L	L	н	L	Code	6
AUTO REFRESH (refresh all or single bank) or SELF RE- FRESH (enter self refresh mode)	L	L	L	Н	х	7, 8
LOAD MODE REGISTER	L	L	L	L	Op-code	9

Notes: 1. DESELECT and NOP are functionally interchangeable.

- 2. BA0–BA1 provide bank address and A[0:/] provide row address (where *I* = the most significant address bit for each configuration).
- 3. BA0–BA1 provide bank address; A[0:/] provide column address (where *I* = the most significant address bit for each configuration); A10 HIGH enables the auto precharge feature (nonpersistent); A10 LOW disables the auto precharge feature.
- 4. Applies only to READ bursts with auto precharge disabled; this command is undefined and should not be used for READ bursts with auto precharge enabled and for WRITE bursts.
- 5. This command is a BURST TERMINATE if CKE is HIGH and DEEP POWER-DOWN if CKE is LOW.
- 6. A10 LOW: BA0–BA1 determine which bank is precharged. A10 HIGH: all banks are precharged and BA0–BA1 are "Don't Care."
- 7. This command is AUTO REFRESH if CKE is HIGH, SELF REFRESH if CKE is LOW.
- 8. Internal refresh counter controls row addressing; in self refresh mode all inputs and I/Os are "Don't Care" except for CKE.
- 9. BA0-BA1 select the standard mode register, extended mode register, or status register.



137-Ball NAND Flash with LPDDR MCP Commands

Table 50: DM Operation Truth Table

Name (Function)	nction) DM DQ			
Write enable	L	Valid	1, 2	
Write inhibit	Н	Х	1, 2	

Notes: 1. Used to mask write data; provided coincident with the corresponding data.

2. All states and sequences not shown are reserved and/or illegal.

DESELECT

The DESELECT function (CS# HIGH) prevents new commands from being executed by the device. Operations already in progress are not affected.

NO OPERATION

The NO OPERATION (NOP) command is used to instruct the selected device to perform a NOP. This prevents unwanted commands from being registered during idle or wait states. Operations already in progress are not affected.


LOAD MODE REGISTER

The mode registers are loaded via inputs A[0:*n*]. See mode register descriptions in Standard Mode Register and Extended Mode Register. The LOAD MODE REGISTER command can only be issued when all banks are idle, and a subsequent executable command cannot be issued until ^tMRD is met.

ACTIVE

The ACTIVE command is used to activate a row in a particular bank for a subsequent access. The values on the BA0 and BA1 inputs select the bank, and the address provided on inputs A[0:*n*] selects the row. This row remains active for accesses until a PRE-CHARGE command is issued to that bank. A PRECHARGE command must be issued before opening a different row in the same bank.

Figure 91: ACTIVE Command




READ

The READ command is used to initiate a burst read access to an active row. The values on the BA0 and BA1 inputs select the bank; the address provided on inputs A[*I*:0] (where I = the most significant column address bit for each configuration) selects the starting column location. The value on input A10 determines whether auto precharge is used. If auto precharge is selected, the row being accessed will be precharged at the end of the READ burst; if auto precharge is not selected, the row will remain open for subsequent accesses.



Figure 92: READ Command



Note: 1. EN AP = enable auto precharge; DIS AP = disable auto precharge.


WRITE

The WRITE command is used to initiate a burst write access to an active row. The values on the BA0 and BA1 inputs select the bank; the address provided on inputs A[*I*:0] (where I = the most significant column address bit for each configuration) selects the starting column location. The value on input A10 determines whether auto precharge is used. If auto precharge is selected, the row being accessed will be precharged at the end of the WRITE burst; if auto precharge is not selected, the row will remain open for subsequent accesses. Input data appearing on the DQ is written to the memory array, subject to the DM input logic level appearing coincident with the data. If a given DM signal is registered LOW, the corresponding data will be written to memory; if the DM signal is registered HIGH, the corresponding data inputs will be ignored, and a WRITE will not be executed to that byte/column location.

If a WRITE or a READ is in progress, the entire data burst must be complete prior to stopping the clock (see Clock Change Frequency (page 204)). A burst completion for WRITEs is defined when the write postamble and ^tWR or ^tWTR are satisfied.



Figure 93: WRITE Command




Note: 1. EN AP = enable auto precharge; DIS AP = disable auto precharge.


PRECHARGE

The PRECHARGE command is used to deactivate the open row in a particular bank or the open row in all banks. The bank(s) will be available for a subsequent row access a specified time (^tRP) after the PRECHARGE command is issued. Input A10 determines whether one or all banks will be precharged, and in the case where only one bank is precharged, inputs BA0 and BA1 select the bank. Otherwise, BA0 and BA1 are treated as "Don't Care." After a bank has been precharged, it is in the idle state and must be activated prior to any READ or WRITE commands being issued to that bank.



Figure 94: PRECHARGE Command





BURST TERMINATE

The BURST TERMINATE command is used to truncate READ bursts with auto precharge disabled. The most recently registered READ command prior to the BURST TER-MINATE command will be truncated, as described in READ Operation. The open page from which the READ was terminated remains open.

AUTO REFRESH

AUTO REFRESH is used during normal operation of the device and is analogous to CAS#-BEFORE-RAS# (CBR) REFRESH in FPM/EDO DRAM. The AUTO REFRESH command is nonpersistent and must be issued each time a refresh is required.

Addressing is generated by the internal refresh controller. This makes the address bits a "Don't Care" during an AUTO REFRESH command.

For improved efficiency in scheduling and switching between tasks, some flexibility in the absolute refresh interval is provided. The auto refresh period begins when the AUTO REFRESH command is registered and ends ^tRFC later.



SELF REFRESH


The SELF REFRESH command is used to place the device in self refresh mode; self refresh mode is used to retain data in the memory device while the rest of the system is powered down. When in self refresh mode, the device retains data without external clocking. The SELF REFRESH command is initiated like an AUTO REFRESH command, except that CKE is disabled (LOW). After the SELF REFRESH command is registered, all inputs to the device become "Don't Care" with the exception of CKE, which must remain LOW.

Micron recommends that, prior to self refresh entry and immediately upon self refresh exit, the user perform a burst auto refresh cycle for the number of refresh rows. Alternatively, if a distributed refresh pattern is used, this pattern should be immediately resumed upon self refresh exit.

DEEP POWER-DOWN

The DEEP POWER-DOWN (DPD) command is used to enter DPD mode, which achieves maximum power reduction by eliminating the power to the memory array. Data will not be retained when the device enters DPD mode. The DPD command is the same as a BURST TERMINATE command with CKE LOW.

Figure 95: DEEP POWER-DOWN Command





Truth Tables

Table 51: Truth Table – Current State Bank n – Command to Bank n

Notes 1–6 apply to all	parameters in this table
Notes 1–0 apply to all	parameters in this table

Current State	CS#	RAS#	CAS#	WE#	Command/Action	Notes
Any	н	X	Х	Х	DESELECT (NOP/continue previous operation)	
	L	н	Н	н	NO OPERATION (NOP/continue previous operation)	
Idle	dle L L H H ACTIVE (select and activate row)		ACTIVE (select and activate row)			
	L	L	L	н	AUTO REFRESH	7
	L	L	L	L	LOAD MODE REGISTER	7
Row active	L	н	L	н	READ (select column and start READ burst)	10
	L	н	L	L	WRITE (select column and start WRITE burst)	10
	L	L	н	L	PRECHARGE (deactivate row in bank or banks)	8
Read (auto pre-	L	н	L	Н	READ (select column and start new READ burst)	10
charge disabled)	L	н	L	L	WRITE (select column and start WRITE burst)	10, 12
	L	L	н	L	PRECHARGE (truncate READ burst, start PRECHARGE)	8
	L	н	н	L	BURST TERMINATE	9
Write (auto pre-	L	н	L	н	READ (select column and start READ burst)	10, 11
charge disabled)	L	н	L	L	WRITE (select column and start new WRITE burst)	10
	L	L	Н	L	PRECHARGE (truncate WRITE burst, start PRECHARGE)	8, 11

Notes: 1. This table applies when CKE_{n-1} was HIGH, CKE_n is HIGH and after ^tXSR has been met (if the previous state was self refresh), after ^tXP has been met (if the previous state was power-down), or after a full initialization (if the previous state was deep power-down).

- 2. This table is bank-specific, except where noted (for example, the current state is for a specific bank and the commands shown are supported for that bank when in that state). Exceptions are covered in the notes below.
- 3. Current state definitions:

Idle: The bank has been precharged, and ^tRP has been met.

Row active: A row in the bank has been activated, and ^tRCD has been met. No data bursts/accesses and no register accesses are in progress.

Read: A READ burst has been initiated with auto precharge disabled and has not yet terminated or been terminated.

Write: A WRITE burst has been initiated with auto precharge disabled and has not yet terminated or been terminated.

4. The states listed below must not be interrupted by a command issued to the same bank. COMMAND INHIBIT or NOP commands, or supported commands to the other bank, must be issued on any clock edge occurring during these states. Supported commands to any other bank are determined by that bank's current state.

Precharging: Starts with registration of a PRECHARGE command and ends when ^tRP is met. After ^tRP is met, the bank will be in the idle state.

Row activating: Starts with registration of an ACTIVE command and ends when ^tRCD is met. After ^tRCD is met, the bank will be in the row active state.



Read with auto-precharge enabled: Starts with registration of a READ command with auto precharge enabled and ends when ^tRP has been met. After ^tRP is met, the bank will be in the idle state.

Write with auto-precharge enabled: Starts with registration of a WRITE command with auto precharge enabled and ends when ^tRP has been met. After ^tRP is met, the bank will be in the idle state.

5. The states listed below must not be interrupted by any executable command; DESELECT or NOP commands must be applied on each positive clock edge during these states.

Refreshing: Starts with registration of an AUTO REFRESH command and ends when ^tRFC is met, the device will be in the all banks idle state.

Accessing mode register: Starts with registration of a LOAD MODE REGISTER command and ends when ^tMRD has been met. After ^tMRD is met, the device will be in the all banks idle state.

Precharging all: Starts with registration of a PRECHARGE ALL command and ends when ^tRP is met. After ^tRP is met, all banks will be in the idle state.

- 6. All states and sequences not shown are illegal or reserved.
- 7. Not bank-specific; requires that all banks are idle, and bursts are not in progress.
- 8. May or may not be bank-specific; if multiple banks need to be precharged, each must be in a valid state for precharging.
- 9. Not bank-specific; BURST TERMINATE affects the most recent READ burst, regardless of bank.
- 10. READs or WRITEs listed in the Command/Action column include READs or WRITEs with auto precharge enabled and READs or WRITEs with auto precharge disabled.
- 11. Requires appropriate DM masking.
- 12. A WRITE command can be applied after the completion of the READ burst; otherwise, a BURST TERMINATE must be used to end the READ burst prior to asserting a WRITE command.



Table 52: Truth Table – Current State Bank *n* – Command to Bank *m*

Current State	CS#	RAS#	CAS#	WE#	Command/Action Note	
Any	Н	X	х	Х	DESELECT (NOP/continue previous operation)	
	L	н	н	Н	NO OPERATION (NOP/continue previous operation)	
Idle	Х	Х	Х	Х	Any command supported to bank <i>m</i>	
Row activating,	L	L	Н	н	ACTIVE (select and activate row)	
active, or pre-	L	н	L	н	READ (select column and start READ burst)	
charging	L	н	L	L	WRITE (select column and start WRITE burst)	
	L	L	н	L	PRECHARGE	
Read (auto pre-	L	L	н	н	ACTIVE (select and activate row)	
charge disabled)	L	н	L	н	READ (select column and start new READ burst)	
	L	н	L	L	WRITE (select column and start WRITE burst)	7
	L	L	н	L	PRECHARGE	
Write (auto pre-	L	L	н	н	ACTIVE (select and activate row)	
charge disabled)	L	н	L	н	READ (select column and start READ burst)	
	L	н	L	L	WRITE (select column and start new WRITE burst)	
	L	L	н	L	PRECHARGE	
Read (with auto	L	L	н	н	ACTIVE (select and activate row)	
precharge)	L	н	L	Н	READ (select column and start new READ burst)	
	L	н	L	L	WRITE (select column and start WRITE burst)	7
	L	L	н	L	PRECHARGE	
Write (with auto	L	L	н	н	ACTIVE (select and activate row)	
precharge)	L	н	L	н	READ (select column and start READ burst)	
	L	н	L	L	WRITE (select column and start new WRITE burst)	
	L	L	н	L	PRECHARGE	

Notes 1–6 apply to all parameters in this table

Notes: 1. This table applies when CKE_{n-1} was HIGH, CKE_n is HIGH and after ^tXSR has been met (if the previous state was self refresh), after ^tXP has been met (if the previous state was power-down) or after a full initialization (if the previous state was deep power-down).

- 2. This table describes alternate bank operation, except where noted (for example, the current state is for bank *n* and the commands shown are those supported for issue to bank *m*, assuming that bank *m* is in such a state that the given command is supported). Exceptions are covered in the notes below.
- 3. Current state definitions:

Idle: The bank has been precharged, and ^tRP has been met.

Row active: A row in the bank has been activated, and ^tRCD has been met. No data bursts/accesses and no register accesses are in progress.

Read: A READ burst has been initiated and has not yet terminated or been terminated.

Write: A WRITE burst has been initiated and has not yet terminated or been terminated.

3a. Both the read with auto precharge enabled state or the write with auto precharge enabled state can be broken into two parts: the access period and the precharge period. For read with auto precharge, the precharge period is defined as if the same burst was



executed with auto precharge disabled and then followed with the earliest possible PRECHARGE command that still accesses all of the data in the burst. For write with auto precharge, the precharge period begins when ^tWR ends, with ^tWR measured as if auto precharge was disabled. The access period starts with registration of the command and ends when the precharge period (or ^tRP) begins. This device supports concurrent auto precharge such that when a read with auto precharge is enabled or a write with auto precharge is enabled, any command to other banks is supported, as long as that command does not interrupt the read or write data transfer already in process. In either case, all other related limitations apply (i.e., contention between read data and write data must be avoided).

3b. The minimum delay from a READ or WRITE command (with auto precharge enabled) to a command to a different bank is summarized below.

From Command	To Command	Minimum Delay (with Concurrent Auto Precharge)
WRITE with Auto Precharge	READ or READ with auto precharge WRITE or WRITE with auto pre- charge PRECHARGE ACTIVE	[1 + (BL/2)] ^t CK + ^t WTR (BL/2) ^t CK 1 ^t CK 1 ^t CK
READ with Auto Precharge	READ or READ with auto precharge WRITE or WRITE with auto pre- charge PRECHARGE ACTIVE	(BL/2) × ^t CK [CL + (BL/2)] ^t CK 1 ^t CK 1 ^t CK

- 4. AUTO REFRESH and LOAD MODE REGISTER commands can only be issued when all banks are idle.
- 5. All states and sequences not shown are illegal or reserved.
- 6. Requires appropriate DM masking.
- 7. A WRITE command can be applied after the completion of the READ burst; otherwise, a BURST TERMINATE must be used to end the READ burst prior to asserting a WRITE command.



Table 53: Truth Table – CKE

Notes 1-4 apply to all parameters in this table

Current State	CKE _{n - 1}	CKEn	COMMAND _n	ACTIONn	Notes
Active power-down	L	L	Х	Maintain active power-down	
Deep power-down	L	L	Х	Maintain deep power-down	
Precharge power-down	L	L	Х	Maintain precharge power-down	
Self refresh	L	L	Х	Maintain self refresh	
Active power-down	L	Н	DESELECT or NOP	Exit active power-down	5
Deep power-down	L	Н	DESELECT or NOP	Exit deep power-down	6
Precharge power-down	L	Н	DESELECT or NOP	Exit precharge power-down	
Self refresh	L	Н	DESELECT or NOP	Exit self refresh	5, 7
Bank(s) active	н	L	DESELECT or NOP	Active power-down entry	
All banks idle	н	L	BURST TERMINATE	Deep power-down entry	
All banks idle	н	L	DESELECT or NOP	Precharge power-down entry	
All banks idle	н	L	AUTO REFRESH	Self refresh entry	
	н	Н	See Table 52 (page 152)		
	н	Н	See Table 52 (page 152)		

Notes: 1. CKE_n is the logic state of CKE at clock edge n; CKE_{n-1} was the state of CKE at the previous clock edge.


- 2. Current state is the state of the DDR SDRAM immediately prior to clock edge *n*.
- 3. COMMAND_n is the command registered at clock edge *n*, and ACTION_n is a result of COMMAND_n.
- 4. All states and sequences not shown are illegal or reserved.
- 5. DESELECT or NOP commands should be issued on each clock edge occurring during the ^tXP or ^tXSR period.
- 6. After exiting deep power-down mode, a full DRAM initialization sequence is required.
- 7. The clock must toggle at least two times during the ^tXSR period.



137-Ball NAND Flash with LPDDR MCP **State Diagram**

State Diagram

Figure 96: Simplified State Diagram



BST = BURST TERMINATE CKEH = Exit power-down CKEL = Enter power-down DPD = Enter deep power-down PRE = PRECHARGE PREALL = PRECHARGE all banks READ = READ w/o auto precharge READ A = READ w/ auto precharge SRR = STATUS REGISTER READ WRITE = WRITE w/o auto precharge WRITE A = WRITE w/ auto precharge



137-Ball NAND Flash with LPDDR MCP Initialization

Initialization

Prior to normal operation, the device must be powered up and initialized in a predefined manner. Using initialization procedures other than those specified will result in undefined operation.

If there is an interruption to the device power, the device must be re-initialized using the initialization sequence described below to ensure proper functionality of the device.

To properly initialize the device, this sequence must be followed:


- 1. The core power (V_{DD}) and I/O power (V_{DDQ}) must be brought up simultaneously. It is recommended that V_{DD} and V_{DDQ} be from the same power source, or V_{DDQ} must never exceed V_{DD} . Standard initialization requires that CKE be asserted HIGH (see Figure 97 (page 157)). Alternatively, initialization can be completed with CKE LOW provided that CKE transitions HIGH ^tIS prior to T0 (see Figure 98 (page 158)).
- 2. When power supply voltages are stable and the CKE has been driven HIGH, it is safe to apply the clock.
- 3. When the clock is stable, a 200µs minimum delay is required by the Mobile LPDDR prior to applying an executable command. During this time, NOP or DESELECT commands must be issued on the command bus.
- 4. Issue a PRECHARGE ALL command.
- 5. Issue NOP or DESELECT commands for at least ^tRP time.
- 6. Issue an AUTO REFRESH command followed by NOP or DESELECT commands for at least ^tRFC time. Issue a second AUTO REFRESH command followed by NOP or DESELECT commands for at least ^tRFC time. Two AUTO REFRESH commands must be issued. Typically, both of these commands are issued at this stage as described above.
- 7. Using the LOAD MODE REGISTER command, load the standard mode register as desired.
- 8. Issue NOP or DESELECT commands for at least ^tMRD time.
- 9. Using the LOAD MODE REGISTER command, load the extended mode register to the desired operating modes. Note that the sequence in which the standard and extended mode registers are programmed is not critical.
- 10. Issue NOP or DESELECT commands for at least ^tMRD time.

After steps 1–10 are completed, the device has been properly initialized and is ready to receive any valid command.



137-Ball NAND Flash with LPDDR MCP Initialization






- Notes: 1. PRE = PRECHARGE command; LMR = LOAD MODE REGISTER command; AR = AUTO RE-FRESH command; ACT = ACTIVE command.
 - 2. NOP or DESELECT commands are required for at least 200 $\!\mu s.$
 - 3. Other valid commands are possible.
 - 4. NOPs or DESELECTs are required during this time.



137-Ball NAND Flash with LPDDR MCP Initialization





- FRESH command; ACT = ACTIVE command.
 - 2. NOP or DESELECT commands are required for at least 200µs.
 - 3. Other valid commands are possible.




Standard Mode Register

The standard mode register bit definition enables the selection of burst length, burst type, CAS latency (CL), and operating mode, as shown in Figure 99. Reserved states should not be used as this may result in setting the device into an unknown state or cause incompatibility with future versions of LPDDR devices. The standard mode register is programmed via the LOAD MODE REGISTER command (with BA0 = 0 and BA1 = 0) and will retain the stored information until it is programmed again, until the device goes into deep power-down mode, or until the device loses power.

Reprogramming the mode register will not alter the contents of the memory, provided it is performed correctly. The mode register must be loaded when all banks are idle and no bursts are in progress, and the controller must wait ^tMRD before initiating the subsequent operation. Violating any of these requirements will result in unspecified operation.

Figure 99: Standard Mode Register Definition



Note: 1. The integer *n* is equal to the most significant address bit.



Burst Length

Read and write accesses to the device are burst-oriented, and the burst length (BL) is programmable. The burst length determines the maximum number of column locations that can be accessed for a given READ or WRITE command. Burst lengths of 2, 4, 8, or 16 locations are available for both sequential and interleaved burst types.

When a READ or WRITE command is issued, a block of columns equal to the burst length is effectively selected. All accesses for that burst take place within this block, meaning that the burst will wrap when a boundary is reached. The block is uniquely selected by A[i:1] when BL = 2, by A[i:2] when BL = 4, by A[i:3] when BL = 8, and by A[i:4] when BL = 16, where Ai is the most significant column address bit for a given configuration. The remaining (least significant) address bits are used to specify the starting location within the block. The programmed burst length applies to both READ and WRITE bursts.

Burst Type

Accesses within a given burst can be programmed to be either sequential or interleaved via the standard mode register.

The ordering of accesses within a burst is determined by the burst length, the burst type, and the starting column address.

Burst					Order of Accesses Within a Burst		
Length	Starting Column Address				Type = Sequential	Type = Interleaved	
2							
				0	0-1	0-1	
				1	1-0	1-0	
4		A1		A0			
			0	0	0-1-2-3	0-1-2-3	
			0	1	1-2-3-0	1-0-3-2	
			1	0	2-3-0-1	2-3-0-1	
			1	1	3-0-1-2	3-2-1-0	
8		A2	A1	A0			
		0	0	0	0-1-2-3-4-5-6-7	0-1-2-3-4-5-6-7	
		0	0	1	1-2-3-4-5-6-7-0	1-0-3-2-5-4-7-6	
		0	1	0	2-3-4-5-6-7-0-1	2-3-0-1-6-7-4-5	
		0	1	1	3-4-5-6-7-0-1-2	3-2-1-0-7-6-5-4	
		1	0	0	4-5-6-7-0-1-2-3	4-5-6-7-0-1-2-3	
		1	0	1	5-6-7-0-1-2-3-4	5-4-7-6-1-0-3-2	
		1	1	0	6-7-0-1-2-3-4-5	6-7-4-5-2-3-0-1	
		1	1	1	7-0-1-2-3-4-5-6	7-6-5-4-3-2-1-0	
16	A3	A2	A1	A0			

Table 54: Burst Definition Table



Burst	Starting Column Address				Order of Accesses Within a Burst		
Length				dress	Type = Sequential	Type = Interleaved	
	0	0	0	0	0-1-2-3-4-5-6-7-8-9-A-B-C-D-E-F	0-1-2-3-4-5-6-7-8-9-A-B-C-D-E-F	
	0	0	0	1	1-2-3-4-5-6-7-8-9-A-B-C-D-E-F-0	1-0-3-2-5-4-7-6-9-8-B-A-D-C-F-E	
	0	0	1	0	2-3-4-5-6-7-8-9-A-B-C-D-E-F-0-1	2-3-0-1-6-7-4-5-A-B-8-9-E-F-C-D	
	0	0	1	1	3-4-5-6-7-8-9-A-B-C-D-E-F-0-1-2	3-2-1-0-7-6-5-4-B-A-9-8-F-E-D-C	
	0	1	0	0	4-5-6-7-8-9-A-B-C-D-E-F-0-1-2-3	4-5-6-7-0-1-2-3-C-D-E-F-8-9-A-B	
	0	1	0	1	5-6-7-8-9-A-B-C-D-E-F-0-1-2-3-4	5-4-7-6-1-0-3-2-D-C-F-E-9-8-B-A	
	0	1	1	0	6-7-8-9-A-B-C-D-E-F-0-1-2-3-4-5	6-7-4-5-2-3-0-1-E-F-C-D-A-B-8-9	
	0	1	1	1	7-8-9-A-B-C-D-E-F-0-1-2-3-4-5-6	7-6-5-4-3-2-1-0-F-E-D-C-B-A-9-8	
	1	0	0	0	8-9-A-B-C-D-E-F-0-1-2-3-4-5-6-7	8-9-A-B-C-D-E-F-0-1-2-3-4-5-6-7	
	1	0	0	1	9-A-B-C-D-E-F-0-1-2-3-4-5-6-7-8	9-8-B-A-D-C-F-E-1-0-3-2-5-4-7-6	
	1	0	1	0	A-B-C-D-E-F-0-1-2-3-4-5-6-7-8-9	A-B-8-9-E-F-C-D-2-3-0-1-6-7-4-5	
	1	0	1	1	B-C-D-E-F-0-1-2-3-4-5-6-7-8-9-A	B-A-9-8-F-E-D-C-3-2-1-0-7-6-5-4	
	1	1	0	0	C-D-E-F-0-1-2-3-4-5-6-7-8-9-A-B	C-D-E-F-8-9-A-B-4-5-6-7-0-1-2-3	
	1	1	0	1	D-E-F-0-1-2-3-4-5-6-7-8-9-A-B-C	D-C-F-E-9-8-B-A-5-4-7-6-1-0-3-2	
	1	1	1	0	E-F-0-1-2-3-4-5-6-7-8-9-A-B-C-D	E-F-C-D-A-B-8-9-6-7-4-5-2-3-0-1	
	1	1	1	1	F-0-1-2-3-4-5-6-7-8-9-A-B-C-D-E	F-E-D-C-B-A-9-8-7-6-5-4-3-2-1-0	

Table 54: Burst Definition Table (Continued)


CAS Latency

The CAS latency (CL) is the delay, in clock cycles, between the registration of a READ command and the availability of the first output data. The latency can be set to 2 or 3 clocks, as shown in Figure 100 (page 162).

For CL = 3, if the READ command is registered at clock edge *n*, then the data will be nominally available at $(n + 2 \text{ clocks} + {}^{t}\text{AC})$. For CL = 2, if the READ command is registered at clock edge *n*, then the data will be nominally available at $(n + 1 \text{ clock} + {}^{t}\text{AC})$.



Figure 100: CAS Latency



Operating Mode

The normal operating mode is selected by issuing a LOAD MODE REGISTER command with bits A[*n*:7] each set to zero, and bits A[6:0] set to the desired values.

All other combinations of values for A[n:7] are reserved for future use. Reserved states should not be used because unknown operation or incompatibility with future versions may result.




Extended Mode Register

The EMR controls additional functions beyond those set by the mode registers. These additional functions include drive strength, TCSR, and PASR.

The EMR is programmed via the LOAD MODE REGISTER command with BA0 = 0 and BA1 = 1. Information in the EMR will be retained until it is programmed again, the device goes into deep power-down mode, or the device loses power.

Figure 101: Extended Mode Register



- Notes: 1. On-die temperature sensor is used in place of TCSR. Setting these bits will have no effect.
 - 2. The integer *n* is equal to the most significant address bit.

Temperature-Compensated Self Refresh

This device includes a temperature sensor that is implemented for automatic control of the self refresh oscillator. Programming the temperature-compensated self refresh (TCSR) bits will have no effect on the device. The self refresh oscillator will continue to refresh at the optimal factory-programmed rate for the device temperature.



Partial-Array Self Refresh

For further power savings during self refresh, the partial-array self refresh (PASR) feature enables the controller to select the amount of memory to be refreshed during self refresh. The refresh options include:

- Full array: banks 0, 1, 2, and 3
- One-half array: banks 0 and 1
- One-quarter array: bank 0
- One-eighth array: bank 0 with row address most significant bit (MSB) = 0
- One-sixteenth array: bank 0 with row address MSB = 0 and row address MSB 1 = 0

READ and WRITE commands can still be issued to the full array during standard operation, but only the selected regions of the array will be refreshed during self refresh. Data in regions that are not selected will be lost.

Output Drive Strength

Because the device is designed for use in smaller systems that are typically point-topoint connections, an option to control the drive strength of the output buffers is provided. Drive strength should be selected based on the expected loading of the memory bus. The output driver settings are 25Ω , 37Ω , and 55Ω internal impedance for full, threequarter, and one-half drive strengths, respectively.



137-Ball NAND Flash with LPDDR MCP Status Read Register

Status Read Register

The status read register (SRR) is used to read the manufacturer ID, revision ID, refresh multiplier, width type, and density of the device, as shown in Figure 103 (page 166). The SRR is read via the LOAD MODE REGISTER command with BA0 = 1 and BA1 = 0. The sequence to perform an SRR command is as follows:

- 1. The device must be properly initialized and in the idle or all banks precharged state.
- 2. Issue a LOAD MODE REGISTER command with BA[1:0] = 01 and all address pins set to 0.
- 3. Wait ^tSRR; only NOP or DESELECT commands are supported during the ^tSRR time.
- 4. Issue a READ command.
- 5. Subsequent commands to the device must be issued ^tSRC after the SRR READ command is issued; only NOP or DESELECT commands are supported during ^tSRC.

SRR output is read with a burst length of 2. SRR data is driven to the outputs on the first bit of the burst, with the output being "Don't Care" on the second bit of the burst.




Figure 102: Status Read Register Timing


Notes: 1. All banks must be idle prior to status register read.

- 2. NOP or DESELECT commands are required between the LMR and READ commands (^tSRR), and between the READ and the next VALID command (^tSRC).
- 3. CAS latency is predetermined by the programming of the mode register. CL = 3 is shown as an example only.
- 4. Burst length is fixed to 2 for SRR regardless of the value programmed by the mode register.
- 5. The second bit of the data-out burst is a "Don't Care."



137-Ball NAND Flash with LPDDR MCP Status Read Register

Figure 103: Status Register Definition



- Notes: 1. Reserved bits should be set to 0 for future compatibility.
 - 2. Refresh multiplier is based on the memory device on-board temperature sensor. Required average periodic refresh interval = ^tREFI × multiplier.



137-Ball NAND Flash with LPDDR MCP Bank/Row Activation

Bank/Row Activation

Before any READ or WRITE commands can be issued to a bank within the device, a row in that bank must be opened. This is accomplished via the ACTIVE command, which selects both the bank and the row to be activated (see the ACTIVE Command figure). After a row is opened with the ACTIVE command, a READ or WRITE command can be issued to that row, subject to the ^tRCD specification.

A subsequent ACTIVE command to a different row in the same bank can only be issued after the previous active row has been precharged. The minimum time interval between successive ACTIVE commands to the same bank is defined by ^tRC.

A subsequent ACTIVE command to another bank can be issued while the first bank is being accessed, which results in a reduction of total row access overhead. The minimum time interval between successive ACTIVE commands to different banks is defined by ^tRRD.



READ Operation

READ burst operations are initiated with a READ command, as shown in Figure 92 (page 146). The starting column and bank addresses are provided with the READ command, and auto precharge is either enabled or disabled for that burst access. If auto precharge is enabled, the row being accessed is precharged at the completion of the burst. For the READ commands used in the following illustrations, auto precharge is disabled.

During READ bursts, the valid data-out element from the starting column address will be available following the CL after the READ command. Each subsequent data-out element will be valid nominally at the next positive or negative clock edge. Figure 104 (page 169) shows general timing for each possible CL setting.

DQS is driven by the device along with output data. The initial LOW state on DQS is known as the read preamble; the LOW state coincident with the last data-out element is known as the read postamble. The READ burst is considered complete when the read postamble is satisfied.

Upon completion of a burst, assuming no other commands have been initiated, the DQ will go to High-Z. A detailed explanation of ^tDQSQ (valid data-out skew), ^tQH (data-out window hold), and the valid data window is depicted in Figure 111 (page 176) and Figure 112 (page 177). A detailed explanation of ^tDQSCK (DQS transition skew to CK) and ^tAC (data-out transition skew to CK) is depicted in Figure 113 (page 178).

Data from any READ burst can be truncated by a READ or WRITE command to the same or alternate bank, by a BURST TERMINATE command, or by a PRECHARGE command to the same bank, provided that the auto precharge mode was not activated.

Data from any READ burst can be concatenated with or truncated with data from a subsequent READ command. In either case, a continuous flow of data can be maintained. The first data element from the new burst either follows the last element of a completed burst or the last desired data element of a longer burst that is being truncated. The new READ command should be issued *x* cycles after the first READ command, where *x* equals the number of desired data element pairs (pairs are required by the 2n-prefetch architecture). This is shown in Figure 105 (page 170).

A READ command can be initiated on any clock cycle following a previous READ command. Nonconsecutive read data is shown in Figure 106 (page 171). Full-speed random read accesses within a page (or pages) can be performed as shown in Figure 107 (page 172).


Data from any READ burst can be truncated with a BURST TERMINATE command, as shown in Figure 108 (page 173). The BURST TERMINATE latency is equal to the READ (CAS) latency; for example, the BURST TERMINATE command should be issued *x* cycles after the READ command, where *x* equals the number of desired data element pairs (pairs are required by the 2*n*-prefetch architecture).

Data from any READ burst must be completed or truncated before a subsequent WRITE command can be issued. If truncation is necessary, the BURST TERMINATE command must be used, as shown in Figure 109 (page 174). A READ burst can be followed by, or truncated with, a PRECHARGE command to the same bank, provided that auto precharge was not activated. The PRECHARGE command should be issued *x* cycles after the READ command, where *x* equals the number of desired data element pairs. This is shown in Figure 110 (page 175). Following the PRECHARGE command, a subsequent



command to the same bank cannot be issued until ${}^t\!RP$ is met. Part of the row precharge time is hidden during the access of the last data elements.

Figure 104: READ Burst




2. BL = 4.

3. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.




Figure 105: Consecutive READ Bursts



- Notes: 1. $D_{OUT}n$ (or *b*) = data-out from column *n* (or column *b*).
 - 2. BL = 4, 8, or 16 (if 4, the bursts are concatenated; if 8 or 16, the second burst interrupts the first).
 - 3. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.
 - 4. Example applies only when READ commands are issued to same device.




Figure 106: Nonconsecutive READ Bursts



- Notes: 1. $D_{OUT}n$ (or *b*) = data-out from column *n* (or column *b*).
 - 2. BL = 4, 8, or 16 (if burst is 8 or 16, the second burst interrupts the first).
 - 3. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.
 - 4. Example applies when READ commands are issued to different devices or nonconsecutive READs.




Figure 107: Random Read Accesses



- Notes: 1. $D_{OUT}n$ (or x, b, g) = data-out from column n (or column x, column b, column g).
 - 2. BL = 2, 4, 8, or 16 (if 4, 8, or 16, the following burst interrupts the previous).
 - 3. READs are to an active row in any bank.
 - 4. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.



Figure 108: Terminating a READ Burst




2. BST = BURST TERMINATE command; page remains open.

- 3. $D_{OUT}n = data-out from column n$.
- 4. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.
- 5. CKE = HIGH.




Figure 109: READ-to-WRITE



- Notes: 1. BL = 4 in the cases shown (applies for bursts of 8 and 16 as well; if BL = 2, the BST command shown can be NOP).
 - 2. BST = BURST TERMINATE command; page remains open.
 - 3. $D_{OUT}n = \text{data-out from column } n$.
 - 4. $D_{IN}b = data-in from column b$.
 - 5. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.
 - 6. CKE = HIGH.




Figure 110: READ-to-PRECHARGE



- Notes: 1. BL = 4, or an interrupted burst of 8 or 16.
 - 2. PRE = PRECHARGE command.
 - 3. ACT = ACTIVE command.
 - 4. $D_{OUT}n = \text{data-out from column } n$.
 - 5. Shown with nominal ^tAC, ^tDQSCK, and ^tDQSQ.
 - 6. READ-to-PRECHARGE equals 2 clocks, which enables 2 data pairs of data-out.
 - 7. A READ command with auto precharge enabled, provided ^tRAS (MIN) is met, would cause a precharge to be performed at x number of clock cycles after the READ command, where x = BL/2.



Figure 111: Data Output Timing – ^tDQSQ, ^tQH, and Data Valid Window (x16)




Notes: 1. ^tHP is the lesser of ^tCL or ^tCH clock transition collectively when a bank is active.

- 2. ^tDQSQ is derived at each DQS clock edge and is not cumulative over time and begins with DQS transition and ends with the last valid DQ transition.
- 3. DQ transitioning after DQS transitions define the ^tDQSQ window. LDQS defines the lower byte and UDQS defines the upper byte.
- 4. DQ0, DQ1, DQ2, DQ3, DQ4, DQ5, DQ6, or DQ7.
- 5. ^tQH is derived from ^tHP: ^tQH = ^tHP ^tQHS.
- 6. The data valid window is derived for each DQS transitions and is defined as ^tQH ^tDQSQ.
- 7. DQ8, DQ9, DQ10, DQ11, DQ12, DQ13, DQ14, or DQ15.




Figure 112: Data Output Timing – ^tDQSQ, ^tQH, and Data Valid Window (x32)



- Notes: 1. ^tHP is the lesser of ^tCL or ^tCH clock transition collectively when a bank is active.
 - 2. DQ transitioning after DQS transitions define the ^tDQSQ window.
 - 3. ^tDQSQ is derived at each DQS clock edge and is not cumulative over time; it begins with DQS transition and ends with the last valid DQ transition.
 - 4. Byte 0 is DQ[7:0], byte 1 is DQ[15:8], byte 2 is DQ[23:16], byte 3 is DQ[31:24].
 - 5. ${}^{t}QH$ is derived from ${}^{t}HP$: ${}^{t}QH = {}^{t}HP {}^{t}QHS$.
 - 6. The data valid window is derived for each DQS transition and is ${}^t\!QH$ ${}^t\!DQSQ.$
 - DQ[7:0] and DQS0 for byte 0; DQ[15:8] and DQS1 for byte 1; DQ[23:16] and DQS2 for byte 2; DQ[31:23] and DQS3 for byte 3.



Figure 113: Data Output Timing – ^tAC and ^tDQSCK



- Notes: 1. Commands other than NOP can be valid during this cycle.
 - 2. DQ transitioning after DQS transitions define ^tDQSQ window.
 - 3. All DQ must transition by ^tDQSQ after DQS transitions, regardless of ^tAC.
 - 4. ${}^{\rm t}{\rm AC}$ is the DQ output window relative to CK and is the long-term component of DQ skew.



WRITE Operation

WRITE bursts are initiated with a WRITE command, as shown in Figure 93 (page 147). The starting column and bank addresses are provided with the WRITE command, and auto precharge is either enabled or disabled for that access. If auto precharge is enabled, the row being accessed is precharged at the completion of the burst. For the WRITE commands used in the following illustrations, auto precharge is disabled. Basic data input timing is shown in Figure 114 (page 180) (this timing applies to all WRITE operations).

Input data appearing on the data bus is written to the memory array subject to the state of data mask (DM) inputs coincident with the data. If DM is registered LOW, the corresponding data will be written; if DM is registered HIGH, the corresponding data will be ignored, and the write will not be executed to that byte/column location. DM operation is illustrated in Figure 115 (page 181).

During WRITE bursts, the first valid data-in element will be registered on the first rising edge of DQS following the WRITE command, and subsequent data elements will be registered on successive edges of DQS. The LOW state of DQS between the WRITE command and the first rising edge is known as the write preamble; the LOW state of DQS following the last data-in element is known as the write postamble. The WRITE burst is complete when the write postamble and ^tWR or ^tWTR are satisfied.

The time between the WRITE command and the first corresponding rising edge of DQS (^tDQSS) is specified with a relatively wide range (75%–125% of one clock cycle). All WRITE diagrams show the nominal case. Where the two extreme cases (that is, ^tDQSS [MIN] and ^tDQSS [MAX]) might not be obvious, they have also been included. Figure 116 (page 182) shows the nominal case and the extremes of ^tDQSS for a burst of 4. Upon completion of a burst, assuming no other commands have been initiated, the DQ will remain High-Z and any additional input data will be ignored.

Data for any WRITE burst can be concatenated with or truncated by a subsequent WRITE command. In either case, a continuous flow of input data can be maintained. The new WRITE command can be issued on any positive edge of clock following the previous WRITE command. The first data element from the new burst is applied after either the last element of a completed burst or the last desired data element of a longer burst that is being truncated. The new WRITE command should be issued *x* cycles after the first WRITE command, where *x* equals the number of desired data element pairs (pairs are required by the 2*n*-prefetch architecture).

Figure 117 (page 183) shows concatenated bursts of 4. An example of nonconsecutive WRITEs is shown in Figure 118 (page 183). Full-speed random write accesses within a page or pages can be performed, as shown in Figure 119 (page 184).

Data for any WRITE burst can be followed by a subsequent READ command. To follow a WRITE without truncating the WRITE burst, ^tWTR should be met, as shown in Figure 120 (page 185).


Data for any WRITE burst can be truncated by a subsequent READ command, as shown in Figure 121 (page 186). Note that only the data-in pairs that are registered prior to the ¹WTR period are written to the internal array, and any subsequent data-in should be masked with DM, as shown in Figure 122 (page 187).

Data for any WRITE burst can be followed by a subsequent PRECHARGE command. To follow a WRITE without truncating the WRITE burst, ^tWR should be met, as shown in Figure 123 (page 188).



Data for any WRITE burst can be truncated by a subsequent PRECHARGE command, as shown in Figure 124 (page 189) and Figure 125 (page 190). Note that only the data-in pairs that are registered prior to the ^tWR period are written to the internal array, and any subsequent data-in should be masked with DM, as shown in Figure 124 (page 189) and Figure 125 (page 190). After the PRECHARGE command, a subsequent command to the same bank cannot be issued until ^tRP is met.


Figure 114: Data Input Timing



- Notes: 1. WRITE command issued at T0.
 - 2. ^tDSH (MIN) generally occurs during ^tDQSS (MIN).
 - 3. ^tDSS (MIN) generally occurs during ^tDQSS (MAX).
 - For x16, LDQS controls the lower byte; UDQS controls the upper byte. For x32, DQS0 controls DQ[7:0], DQS1 controls DQ[15:8], DQS2 controls DQ[23:16], and DQS3 controls DQ[31:24].
 - For x16, LDM controls the lower byte; UDM controls the upper byte. For x32, DM0 controls DQ[7:0], DM1 controls DQ[15:8], DM2 controls DQ[23:16], and DM3 controls DQ[31:24].




Figure 115: Write – DM Operation



- Notes: 1. NOP commands are shown for ease of illustration; other commands may be valid at these times.
 - 2. BL = 4 in the case shown.
 - 3. PRE = PRECHARGE.
 - 4. Disable auto precharge.
 - 5. Bank x at T8 is "Don't Care" if A10 is HIGH at T8.
 - 6. $D_{IN}n = \text{data-in from column } n$.



Figure 116: WRITE Burst




Notes: 1. An uninterrupted burst of 4 is shown.

- 2. A10 is LOW with the WRITE command (auto precharge is disabled).
- 3. $D_{IN}b = data-in for column b$.




Figure 117: Consecutive WRITE-to-WRITE



Notes: 1. Each WRITE command can be to any bank.

- 2. An uninterrupted burst of 4 is shown.
- 3. $D_{IN}b(n) = data-in \text{ for column } b(n)$.


Figure 118: Nonconsecutive WRITE-to-WRITE



3. $D_{\text{IN}}b(n) = \text{data-in for column } b(n)$.




Figure 119: Random WRITE Cycles



- Notes: 1. Each WRITE command can be to any bank.
 - 2. Programmed BL = 2, 4, 8, or 16 in cases shown.
 - 3. $D_{IN}b$ (or x, n, a, g) = data-in for column b (or x, n, a, g).
 - 4. b' (or *x*, *n*, *a*, *g*) = the next data-in following $D_{IN}b(x, n, a, g)$ according to the programmed burst order.




Figure 120: WRITE-to-READ – Uninterrupting



- Notes: 1. The READ and WRITE commands are to the same device. However, the READ and WRITE commands may be to different devices, in which case ^tWTR is not required and the READ command could be applied earlier.
 - 2. A10 is LOW with the WRITE command (auto precharge is disabled).
 - 3. An uninterrupted burst of 4 is shown.
 - 4. ^tWTR is referenced from the first positive CK edge after the last data-in pair.
 - 5. $D_{IN}b = data-in$ for column *b*; $D_{OUT}n = data-out$ for column *n*.



Figure 121: WRITE-to-READ – Interrupting




Notes: 1. An interrupted burst of 4 is shown; 2 data elements are written.

- 2. A10 is LOW with the WRITE command (auto precharge is disabled).
- 3. ^tWTR is referenced from the first positive CK edge after the last data-in pair.
- 4. DQS is required at T2 and T2n (nominal case) to register DM.
- 5. $D_{IN}b = data-in$ for column *b*; $D_{OUT}n = data-out$ for column *n*.



Figure 122: WRITE-to-READ – Odd Number of Data, Interrupting




Notes: 1. An interrupted burst of 4 is shown; 1 data element is written, 3 are masked.

- 2. A10 is LOW with the WRITE command (auto precharge is disabled).
- 3. ^tWTR is referenced from the first positive CK edge after the last data-in pair.
- 4. DQS is required at T2 and T2n (nominal case) to register DM.
- 5. $D_{IN}b = data-in$ for column *b*; $D_{OUT}n = data-out$ for column *n*.



Figure 123: WRITE-to-PRECHARGE – Uninterrupting




Notes: 1. An uninterrupted burst 4 of is shown.

- 2. A10 is LOW with the WRITE command (auto precharge is disabled).
- 3. PRE = PRECHARGE.
- 4. The PRECHARGE and WRITE commands are to the same device. However, the PRE-CHARGE and WRITE commands can be to different devices; in this case, ^tWR is not required and the PRECHARGE command can be applied earlier.
- 5. ^tWR is referenced from the first positive CK edge after the last data-in pair.
- 6. $D_{IN}b = data-in \text{ for column } b$.




Figure 124: WRITE-to-PRECHARGE – Interrupting



- Notes: 1. An interrupted burst of 8 is shown; two data elements are written.
 - 2. A10 is LOW with the WRITE command (auto precharge is disabled).
 - 3. PRE = PRECHARGE.
 - 4. ^tWR is referenced from the first positive CK edge after the last data-in pair.
 - 5. DQS is required at T4 and T4n to register DM.
 - 6. $D_{IN}b = data-in \text{ for column } b$.



Figure 125: WRITE-to-PRECHARGE – Odd Number of Data, Interrupting



Notes: 1. An interrupted burst of 8 is shown; one data element is written.

- 2. A10 is LOW with the WRITE command (auto precharge is disabled).
- 3. PRE = PRECHARGE.
- 4. ^tWR is referenced from the first positive CK edge after the last data-in pair.
- 5. DQS is required at T4 and T4n to register DM.
- 6. If a burst of 4 is used, DQS and DM are not required at T3, T3n, T4, and T4n.
- 7. $D_{IN}b = data-in \text{ for column } b$.



137-Ball NAND Flash with LPDDR MCP PRECHARGE Operation

PRECHARGE Operation

The PRECHARGE command is used to deactivate the open row in a particular bank or the open row in all banks. The bank(s) will be available for a subsequent row access some specified time (^tRP) after the PRECHARGE command is issued. Input A10 determines whether one or all banks will be precharged, and in the case where only one bank is precharged (A10 = LOW), inputs BA0 and BA1 select the bank. When all banks are precharged (A10 = HIGH), inputs BA0 and BA1 are treated as "Don't Care." After a bank has been precharged, it is in the idle state and must be activated prior to any READ or WRITE commands being issued to that bank. A PRECHARGE command will be treated as a NOP if there is no open row in that bank (idle state), or if the previously open row is already in the process of precharging.

Auto Precharge

Auto precharge is a feature that performs the same individual bank PRECHARGE function described previously, without requiring an explicit command. This is accomplished by using A10 to enable auto precharge in conjunction with a specific READ or WRITE command. A precharge of the bank/row that is addressed with the READ or WRITE command is automatically performed upon completion of the READ or WRITE burst. Auto precharge is nonpersistent; it is either enabled or disabled for each individual READ or WRITE command.

Auto precharge ensures that the precharge is initiated at the earliest valid stage within a burst. This earliest valid stage is determined as if an explicit PRECHARGE command was issued at the earliest possible time without violating ¹RAS (MIN), as described for each burst type in Table 52 (page 152). The READ with auto precharge enabled state or the WRITE with auto precharge enabled state can each be broken into two parts: the access period and the precharge period. The access period starts with registration of the command and ends where ¹RP (the precharge period) begins. For READ with auto precharge disabled, followed by the earliest possible PRECHARGE command that still accesses all the data in the burst. For WRITE with auto precharge, the precharge period begins when ¹WR ends, with ¹WR measured as if auto precharge was disabled. In addition, during a WRITE with auto precharge, at least one clock is required during ¹WR time. During the precharge period, the user must not issue another command to the same bank until ¹RP is satisfied.

This device supports ^tRAS lock-out. In the case of a single READ with auto precharge or single WRITE with auto precharge issued at ^tRCD (MIN), the internal precharge will be delayed until ^tRAS (MIN) has been satisfied.

Bank READ operations with and without auto precharge are shown in Figure 126 (page 193) and Figure 127 (page 195). Bank WRITE operations with and without auto precharge are shown in Figure 128 (page 196) and Figure 129 (page 197).



Concurrent Auto Precharge

This device supports concurrent auto precharge such that when a READ with auto precharge is enabled or a WRITE with auto precharge is enabled, any command to another bank is supported, as long as that command does not interrupt the read or write data transfer already in process. This feature enables the precharge to complete in the bank in which the READ or WRITE with auto precharge was executed, without requiring an explicit PRECHARGE command, thus freeing the command bus for operations in other banks.






Figure 126: Bank Read – With Auto Precharge

- Notes: 1. NOP commands are shown for ease of illustration; other commands may be valid at these times.
 - 2. BL = 4 in the case shown.
 - 3. Enable auto precharge.
 - 4. Refer to Figure 111 (page 176) and Figure 112 (page 177) for detailed DQS and DQ timing.



5. $D_{OUT} n = data-out from column n$.







Figure 127: Bank Read – Without Auto Precharge

- Notes: 1. NOP commands are shown for ease of illustration; other commands may be valid at these times.
 - 2. BL = 4 in the case shown.
 - 3. PRE = PRECHARGE.
 - 4. Disable auto precharge.
 - 5. Bank x at T5 is "Don't Care" if A10 is HIGH at T5.
 - 6. The PRECHARGE command can only be applied at T5 if ^tRAS (MIN) is met.
 - 7. Refer to Figure 111 (page 176) and Figure 112 (page 177) for DQS and DQ timing details.
 - 8. $D_{OUT}n = data out from column n.$




Figure 128: Bank Write - With Auto Precharge



- Notes: 1. NOP commands are shown for ease of illustration; other commands may be valid at these times.
 - 2. BL = 4 in the case shown.
 - 3. Enable auto precharge.
 - 4. $D_{IN}n = \text{data-out from column } n$.



Figure 129: Bank Write – Without Auto Precharge



- Notes: 1. NOP commands are shown for ease of illustration; other commands may be valid at these times.
 - 2. BL = 4 in the case shown.
 - 3. PRE = PRECHARGE.
 - 4. Disable auto precharge.
 - 5. Bank x at T8 is "Don't Care" if A10 is HIGH at T8.
 - 6. $D_{OUT}n = data-out from column n$.



137-Ball NAND Flash with LPDDR MCP AUTO REFRESH Operation


AUTO REFRESH Operation

Auto refresh mode is used during normal operation of the device and is analogous to CAS#-BEFORE-RAS# (CBR) REFRESH in FPM/EDO DRAM. The AUTO REFRESH command is nonpersistent and must be issued each time a refresh is required.

The addressing is generated by the internal refresh controller. This makes the address bits a "Don't Care" during an AUTO REFRESH command.

For improved efficiency in scheduling and switching between tasks, some flexibility in the absolute refresh interval is provided. The auto refresh period begins when the AUTO REFRESH command is registered and ends ^tRFC later.

Figure 130: Auto Refresh Mode



Don't Care

Notes: 1. PRE = PRECHARGE; AR = AUTO REFRESH.

- 2. NOP commands are shown for ease of illustration; other commands may be valid during this time. CKE must be active during clock positive transitions.
- 3. NOP or COMMAND INHIBIT are the only commands supported until after ^tRFC time; CKE must be active during clock positive transitions.
- 4. The second AUTO REFRESH is not required and is only shown as an example of two back-to-back AUTO REFRESH commands.
- 5. Bank x at T1 is "Don't Care" if A10 is HIGH at this point; A10 must be HIGH if more than one bank is active (for example, must precharge all active banks).
- 6. DM, DQ, and DQS signals are all "Don't Care"/High-Z for operations shown.

Although it is not a JEDEC requirement, CKE must be active (HIGH) during the auto refresh period to provide support for future functional features. The auto refresh period begins when the AUTO REFRESH command is registered and ends ^tRFC later.



137-Ball NAND Flash with LPDDR MCP SELF REFRESH Operation

SELF REFRESH Operation

The SELF REFRESH command can be used to retain data in the device while the rest of the system is powered down. When in self refresh mode, the device retains data without external clocking. The SELF REFRESH command is initiated like an AUTO REFRESH command, except that CKE is disabled (LOW). All command and address input signals except CKE are "Don't Care" during self refresh.


During self refresh, the device is refreshed as defined in the extended mode register. (see Partial-Array Self Refresh (page 164).) An internal temperature sensor adjusts the refresh rate to optimize device power consumption while ensuring data integrity. (See Temperature-Compensated Self Refresh (page 163).)

The procedure for exiting self refresh requires a sequence of commands. First, CK must be stable prior to CKE going HIGH. When CKE is HIGH, the device must have NOP commands issued for ^tXSR to complete any internal refresh already in progress.

During SELF REFRESH operation, refresh intervals are scheduled internally and may vary. These refresh intervals may differ from the specified ^tREFI time. For this reason, the SELF REFRESH command must not be used as a substitute for the AUTO REFRESH command.



Figure 131: Self Refresh Mode



- Notes: 1. Clock must be stable, cycling within specifications by Ta0, before exiting self refresh mode.
 - 2. CKE must remain LOW to remain in self refresh.
 - 3. AR = AUTO REFRESH.
 - 4. Device must be in the all banks idle state prior to entering self refresh mode.
 - 5. Either a NOP or DESELECT command is required for ^tXSR time with at least two clock pulses.

Power-Down

Power-down is entered when CKE is registered LOW. If power-down occurs when all banks are idle, this mode is referred to as precharge power-down; if power-down occurs when there is a row active in any bank, this mode is referred to as active power-down. Entering power-down deactivates all input and output buffers, including CK and CK# and excluding CKE. Exiting power-down requires the device to be at the same voltage as when it entered power-down and received a stable clock. Note that the power-down duration is limited by the refresh requirements of the device.

When in power-down, CKE LOW must be maintained at the inputs of the device, while all other input signals are "Don't Care." The power-down state is synchronously exited when CKE is registered HIGH (in conjunction with a NOP or DESELECT command). NOP or DESELECT commands must be maintained on the command bus until ^tXP is satisfied. See Figure 133 (page 202) for a detailed illustration of power-down mode.



Figure 132: Power-Down Entry (in Active or Precharge Mode)







Figure 133: Power-Down Mode (Active or Precharge)



- Notes: 1. ^tCKE applies if CKE goes LOW at Ta2 (entering power-down); ^tXP applies if CKE remains HIGH at Ta2 (exit power-down).
 - 2. If this command is a PRECHARGE (or if the device is already in the idle state), then the power-down mode shown is precharge power-down. If this command is an ACTIVE (or if at least 1 row is already active), then the power-down mode shown is active power-down.
 - 3. No column accesses can be in progress when power-down is entered.


Deep Power-Down

Deep power-down (DPD) is an operating mode used to achieve maximum power reduction by eliminating power to the memory array. Data will not be retained after the device enters DPD mode.

Before entering DPD mode the device must be in the all banks idle state with no activity on the data bus (^tRP time must be met). DPD mode is entered by holding CS# and WE# LOW with RAS# and CAS# HIGH at the rising edge of the clock while CKE is LOW. CKE must be held LOW to maintain DPD mode. The clock must be stable prior to exiting DPD mode. To exit DPD mode, assert CKE HIGH with either a NOP or DESELECT command present on the command bus. After exiting DPD mode, a full DRAM initialization sequence is required.



Figure 134: Deep Power-Down Mode



Notes: 1. Clock must be stable prior to CKE going HIGH.

- 2. DPD = deep power-down.
- 3. Upon exit of deep power-down mode, a full DRAM initialization sequence is required.
- 4. DQ and DQS bus may not be High-Z during this period. Packages or applications that share the data bus are not allowed to have other activity on the data bus for 200µs after the deep power-down exit.



137-Ball NAND Flash with LPDDR MCP Clock Change Frequency

Clock Change Frequency

One method of controlling the power efficiency in applications is to throttle the clock that controls the device. The clock can be controlled by changing the clock frequency or stopping the clock.

The device enables the clock to change frequency during operation only if all timing parameters are met and all refresh requirements are satisfied.

The clock can be stopped altogether if there are no DRAM operations in progress that would be affected by this change. Any DRAM operation already in process must be completed before entering clock stop mode; this includes the following timings: ^tRCD, ^tRP, ^tRFC, ^tMRD, ^tWR, and ^tRPST. In addition, any READ or WRITE burst in progress must be complete. (See READ Operation and WRITE Operation.)

CKE must be held HIGH with CK = LOW and CK# = HIGH for the full duration of the clock stop mode. One clock cycle and at least one NOP or DESELECT is required after the clock is restarted before a valid command can be issued.




Figure 135: Clock Stop Mode

- Notes: 1. Prior to Ta1, the device is in clock stop mode. To exit, at least one NOP is required before issuing any valid command.
 - 2. Any valid command is supported; device is not in clock suspend mode.



Revision History

Rev. A, Preliminary - 04/14

Initial release

8000 S. Federal Way, P.O. Box 6, Boise, ID 83707-0006, Tel: 208-368-3900 www.micron.com/productsupport Customer Comment Line: 800-932-4992 Micron and the Micron logo are trademarks of Micron Technology, Inc. All other trademarks are the property of their respective owners. This data sheet contains minimum and maximum limits specified over the power supply and temperature range set forth herein.

Although considered final, these specifications are subject to change, as further product development and data characterization sometimes occur.