



TEST REPORT

No.: C3190701008-CO DATE: Jul. 5, 2019

APPLICANT:

Ningbo Zhongdi Industry & Trade Co.,Ltd Jishigang Industry Zone, Yinzhou District, Ningbo 315171, P. R. China

DESCRIPTION OF SAMPLES:

Sample Name : Soldring Paste

Model No. : ZD-170

Brand Name : /

Manufacturer Name : Ningbo Zhongdi Industry & Trade Co.,Ltd

Buyer Name : /
Country of Origin : /

Country of Destination : Overseas
Sample Receiving Date : Jul. 1, 2019

Testing Period : Jul. 1, 2019 to Jul. 5, 2019

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in

accordance with Regulation (EC) No 1907/2006, 1272/2008, Regulation (EU) No 2015/830 and are provided per attached.

Authorized by: CTS (Ningbo) Testing Service Technology Co., Ltd.



Lab Manager

The measurement results only apply to the submitted samples. Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Soldering Paste

• Product code: ZD-170

· Registration number: Data not available

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against on
- · Application of the substance/ mixture: Soldering.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ningbo Zhongdi Industry & Trade Co.,Ltd

Jishigang Industry Zone, Yinzhou District, Ningbo 315171, P. R. China

Tel: +86-574-88036106 Fax: Data not available Email: Data not available

- · Only Representative/other EU contact point: Information not available
- · Further information obtainable from: Ningbo Zhongdi Industry & Trade Co., Ltd
- · 1.4 Emergency telephone number

General in EU

Tel: 112 (Available 24 hours a day)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008:



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage



GHS07 Exclamation mark

STOT SE 3 H335 May cause respiratory irritation



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects

· Classification system:

The classification is according to the latest edition of Regulation 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labeling according to Regulation (EC) No 1272/2008: The product is labeled according to CLP regulation.
- · Hazard pictograms:







GHS05

GHS07 GHS09

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

· Signal word: Danger

· Hazard statements:

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H411 Toxic to aquatic life with long lasting effects

· Precautionary statement:

P260 Do not breathe dust/vapor.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P303 + P361 + P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterization: Mixture

· Description:

Mixture of the substances listed below with nonhazardous additions; For the wording of the listed risk phrases refer to section 16.

· Component:			
CAS No.: 8009-03-8	Vaseline		
EC No.: 232-373-2	The full reefing history is known and it can be shown that the substance from which it is	80%	
Index No. 649-254-00-X	produced is not a carcinogen.		
CAS No.:7646-85-7	Zinc Chloride		
EC No.: 231-592-0	\Leftrightarrow Skin Corr. 1B, H314; \diamondsuit Acute Tox. 4, H302; STOT SE 3, H335($C \ge 5\%$); \diamondsuit Aquatic	20%	
Index No.: 030-003-00-2	Acute 1, H400; Aquatic Chronic 1, H410		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General advice: If feel unwell, get medical advice/attention.

After inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention if you feel unwell.

After skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.. If eye irritation persists: Get medical advice/attention.

After swallowing: Wash mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

• 4.2 Most important symptoms and effects, both acute and delayed: Causes severe skin burns and eye damage; May cause respiratory irritation.

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

• 4.3 Indication of any immediate medical attention and special treatment needed: Treatment according to symptoms, no known specific medicine.

SECTION 5: Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO₂, chemical dry powder, water spray, foam or sandy clay.
- 5.2 Special hazards arising from the substance or mixture: Carbon monoxide, carbon dioxide and hydrogen chloride may be formed during combustion.
- · 5.3 Advice for firefighters

Protective equipment: Wear an approved positive pressure self-contained breathing apparatus (Comply with EN 133).

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures:

Cut off leakage source and collect spillage timely if safe do it; Ensure adequate ventilation; Avoid breathing dust/vapor; Use personal protective equipment; Avoid contact with the skin and eyes; Avoid release to the environment.

· 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so; Prevent spillage from entering drains, sewer, basement or confined areas; if the spillage contaminates rivers, lakes or drains inform respective authorities.

· 6.3 Methods and material for containment and cleaning up:

Sweep up and shovel into suitable containers for disposal; Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections:

See section 7 for information on safe handing; See section 8 for information on personal protection equipment; See section 13 for disposal in formation.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Use personal protective equipment; Ensure good ventilation/exhaustion at the workplace; Avoid breathing vapour; Prevent to contact with eyes and skin; Avoid release to the environment.

- · Information about fire and explosion protection: Keep away from heat, sparks, open flames and hot surfaces; Avoid all sources of ignition.
- · 7.2 Conditions for safe storage, including any non-compatibility
- · Requirements to be met by storerooms and receptacles: Store in a cool, dry and well-ventilation location.
- · Information about storage in one common storage facility: Keep away from sources of heat and ignition.
- · Further information about storage conditions: Keep container tightly closed and sealed.
- · 7.3 Specific end use(s): Soldering.

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Country Limit value - Eight hours Limit value - Short term		Limit value - Short term		
7646-85-7 Zinc Chloride (20%)				
Finland	lmg/m^3	-		

· DNELs:

DNEL type		DNEL worker value	DNEL consumer value
8009-03-8 Vaseline	?	·	·
	Long-term, inhalation exposure	2.73 mg/m³	-
Systemic effects	Long-term, dermal exposure	5.81 mg/kg bw/day	-
	Long-term, oral exposure	-	740 μg/kg bw/day
7646-85-7 Zinc Ci	hloride		
Systemic effects	Long-term, inhalation exposure	1 mg/m^3	1.25 mg/m^3
	Long-term, dermal exposure	8.3 mg/kg bw/day	8.3 mg/kg bw/day
	Long-term, oral exposure	-	830 μg/kg bw/day

· PNECs:

PNEC type	Value	
7646-85-7 Zinc Chloride		
Freshwater	20.6 μg/L	
Marine water	6.1 µg/L	
Sewage treatment plant (STP)	$100~\mu\mathrm{g/L}$	
Sediment (freshwater)	117.8 mg/kg sediment dw	
Sediment (marine water)	56.5 mg/kg sediment dw	

[•] Additional information: The lists valid during the marking were used as basis.

· 8.2 Exposure controls

- · Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face before breaks and at the end of work; Take off contaminated clothing and wash it before reuse; See section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Respiration protection: Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.
- · Protection of hands:



Protective gloves

Gloves made from butyl rubber NeopreneTM rubber, nitrile rubber (thickness> 0.3mm; breakthrough times up to 480 minutes).

· Eye protection:



Safety glasses

Protective goggles with side-shields.

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

SECTION 9: Physical and chemical properties			
· 9.1 Information on basic physical and c			
· Appearance:	nemical properties		
Form	Paste		
Color	White		
Odor	Odorless		
Odor threshold	Not applicable		
· pH-value	Not determined		
• Change in condition			
Melting point/melting range	Not determined		
Boiling point and boiling range	Not applicable		
· Freezing point	Not determined		
· Flash point	>93		
· Flammability(solid, gas)	Not applicable		
· Decomposition temperature	Not determined		
· Self-ignition	Not determined		
· Danger of explosion	Not determined		
· Explosion limits			
Lower:	Not determined		
Upper:	Not determined		
· Oxidizing properties	Not determined		
· Vapor pressure	Not determined		
· Density	Not determined		
· Relative density	Not determined		
· Vapor density	Not determined		
· Evaporation rate	Not determined		
· Solubility in/Miscibility with			
Water	Not determined		
· Partition coefficient (n-octanol/water)	Not determined		
· Viscosity			
Dynamic	Not determined		
Kinematic	Not determined		
· 9.2 Other information	Data not available		

SECTION 10: Stability and reactivity

- 10.1 Reactivity: No decomposition if used according to specification.
- · 10.2 Chemical stability: Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions: No further relevant information available.
- · 10.4 Conditions to avoid: Heat/sparks/open flames/hot surfaces.
- 10.5 Incompatible materials: Strong oxidizing agents; Chlorine; Sulfides; Powdered zinc.
- 10.6 Hazardous decomposition products: No further relevant information available.

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Print Date: Jul. 5, 2019 Trade Name: Soldring Paste

Page 9 of 9

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: No animal test has been done for this product or the components.

7646-85-7 Zinc Chloride			
Guinea pig	LD50-oral	200mg/kg	
Rat	LD50-oral	350mg/kg	
Mouse	LD50-oral	329mg/kg	
Remark: All the above data are from literature.			

- · Skin corrosion/irritation: Causes severe skin burns and eye damage.
- · Serious eyes damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic to aquatic life with long lasting effects.

8009-03-8 Vaseline		
Short–term toxicity to fish	LL50 (4 days) 100 mg/L	
Short–term toxicity to aquatic invertebrates	LL50 (4 days) 10 g/L	
short term testicity to aquatic inverteerales	EL50 (48 h) 10 g/L	
7646-85-7 Zinc Chloride		
Short–term toxicity to fish	LC50 (4 days) 112 - 2 920 μg/L	
Long-term toxicity to fish	NOEC (84 days) 720 μg/L	
Short–term toxicity to aquatic invertebrates	EC50 (48 h) 155 - 2 909 μg/L	
Short-term toxicity to aquatic inverteorates	LC50 (48 h) 95 - 1 220 μg/L	
Long-term toxicity to aquatic invertebrates	NOEC (3 months) 300 μg/L	
Toxicity to acquatic alogo and manchastonia	IC50 (72 h) 136 - 150 μg/L	
Toxicity to aquatic algae and cyanobacteria	NOEC (4 days) 20 μg/L	
	EC50 (3 h) 5.2 mg/L	
Toxicity to microorganisms	IC50 (4 h) 350 μg/L	
	NOEC (4 h) 100 μg/L	

- 12.2 Persistence and degradability: Readily degradable.
- · 12.3 Bio-accumulative potential: High bio-accumulative.
- · 12.4 Mobility in soil: Low mobility in soil.
- · 12.5 Results of PBT and vPvB assessment

PBT: Not applicable

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

vPvB: Not applicable

· 12.6 Other adverse effects: No further relevant information available.

- · 12.7 Additional ecological information
- · General notes: Water hazard class 2 (German Regulation) (self-assessment): Hazard to waters.

Do not allow the product to reach ground water, water course or sewage system.

SECTION 13:Disposal consideration

- · 13.1 Waste treatment methods
- · Recommendation: Must not be disposed together with household garbage. Avoid disposing into drainage systems and into the environment.
- · 13.2 Un-cleaned packaging
- Recommendation: Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information

	Land transport(ADR/RID)	Sea transport(IMDG)	Air transport(ICAO/ IATA)
UN-Number	Not regulated	Not regulated	Not regulated
UN Proper shipping name	Not regulated	Not regulated	Not regulated
Transport hazard class	Not regulated	Not regulated	Not regulated
Packing group	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Special precautions for user	See section 2.2	See section 2.2	See section 2.2
Transport in bulk according			
to Annex II of Marpol and	Not regulated	Not regulated	Not regulated
the IBC Code			

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concentration): None of the ingredients is listed.
- · Directive 2012/18/EU
- · Named dangerous substances-ANNEX I: None of the ingredients is listed.
- · Seveso category: E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements: 200 ton(net)
- Qualifying quantity (tonnes) for the application of upper-tier requirements: 500 ton(net)
- · National regulations.
- · Water hazard class: Water hazard class 2 (German Regulation) (self-assessment): Hazard to waters.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization: None of the ingredients is listed.
- · REACH Regulation Annex XVII Restriction: None of the ingredients is listed.
- · REACH Regulation Annex XIV Authorization List: None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safe Assessment has not been carried out.

Version No.: 1.0

Issuing Date: Jul. 5, 2019 Trade Name: Soldring Paste Print Date: Jul. 5, 2019

Page 9 of 9

SECTION 16: Other information

Relevant phrases:

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

IC50: Half maximal inhibitory concentration

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration LL50:Lethal loading rate, 50 percent EL50: Effective loading rate, 50 percent

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1B: Skin corrosion/irritation, hazard category 1B

STOT SE 3: Specific target organ toxicity after single exposure, hazard category 3

Aquatic Acute 1: Hazardous to the aquatic environment- acute toxic, hazard category 1

Aquatic Chronic 1: Hazardous to the aquatic environment- chronic toxic, hazard category 1

Aquatic Chronic 2: Hazardous to the aquatic environment- chronic toxic, hazard category 2

End of safety data sheet

EU CLP SDS Regulation (EC) No. 1907/2006, 1272/2008 Version No.: 1.0

Trade Name: Soldring Paste

Sample Reference Photo

Page 9 of 9 Issuing Date: Jul. 5, 2019

Print Date: Jul. 5, 2019

