Tinned Copper EMI Shielding Net Sleeving multicomp PRO



Description

Tinned copper shielding net sleeving offers a good solution, for which EMI shielding and light weight are required at the same time. It also provides exceptional abrasion resistance and cut-through resistance with excellent flexibility.

Applications

Used in a variety of industrial applications such as high-speed train, underground, aerospace and high-tech products.

Technical Data

Material	: Tinned Copper
Working Temperature	: -60°C to +200°C
Melt Point	: 1,084°C
Colour	: Tin
Cutting Tool	: Scissors
Storage Condition	: Each axis is put in two packs of desiccant and then sealed with \ensuremath{PE} film

Part Number Table

Description	Outer Diameter	Width	Spool Length	Part Number
Tinned Copper EMI Shielding Net Sleeving	32mm	50mm	50m	PP001421
	38mm	60mm		PP001422
	41mm	65mm		PP001423
	48mm	75mm		PP001424
	76mm	120mm		PP001425
	83mm	130mm		PP001426
	118mm	185mm		PP001427

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



RoHS

Compliant