

**Productname :** MoS2 Graphite Assembly Paste  
**Creationdate :** 05.04.04  
**Ref.Nr.:** AB14220-3-050404  
**Replaces:** 10.10.03

## 1. IDENTIFICATION OF PRODUCT AND COMPANY

**Productname :** MoS2 Graphite Assembly Paste  
Aerosol

**Application :** Lubricants

**Company :** CRC Industries Europe n.v.  
Touwslagerstraat 1  
9240 ZELE  
Belgium  
Tel.: (+32)(0)52/456011  
Fax: (+32)(0)52/450034  
E-mail : [hse@crcind.com](mailto:hse@crcind.com)

**In case of emergency :** (+32) (0)52/45 60 11

Subsidiaries		Tel	Fax
<b>CRC Industries Finland</b>	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676
<b>CRC Industries France</b>	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996
<b>CRC Industries Deutschland</b>	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266
<b>CRC Industries Iberia</b>	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270
<b>CRC Industries Sweden</b>	Kryptogatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991

## 2. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	EINECS	w/w %	symbol	R-phrases*
butane (<= 0,1 % butadiene)	106-97-8	203-448-7	25-50	F+	12
propane	74-98-6	200-827-9	25-50	F+	12
Naphtha (petroleum), hydrotreated light	64742-49-0	265-151-9	10-25	F,Xn,N	11-38-51/53-65-67

(\* Explanation risk-phrases : see chapter 16)

## 3. HAZARD IDENTIFICATION

**Health and Safety :** Extremely Flammable  
Vapours may cause drowsiness and dizziness.

**Environment :** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



<b>Productname :</b>	MoS2 Graphite Assembly Paste	<b>Creationdate :</b>	05.04.04
<b>Ref.Nr.:</b>	AB14220-3-050404	<b>Replaces:</b>	10.10.03

**Other hazards :** Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
Remark: The classification for aspiration hazards (R65) does not apply for products placed on the market in aerosol containers. (EU-Directive 67/548 Annex VI 9.4)

#### 4. FIRST AID MEASURES

**General Advice :** The usual precautions for handling chemicals should be observed  
If any symptoms should occur, seek medical advice.

**Contact with eyes :** If substance has got into eyes, immediately wash out with plenty of water

**Contact with skin :** Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water  
Seek medical attention if irritation persists

**Inhalation :** Fresh air, keep warm and at rest.  
Seek medical attention if ill effects occur

**Ingestion :** Ingestion is unlikely to occur  
If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

#### 5. FIRE-FIGHTING MEASURES

**Flash point :** < 0 °C (flammable propellant!)

**Extinguishing media :** foam, carbon dioxide or dry agent

**Fire-fighting procedures :** Keep container(s) exposed to fire cool, by spraying with water

**Unusual exposure hazard :** Aerosols may explode if heated above 50°C

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions :** Shut off all ignition sources  
Ensure adequate ventilation

**Environmental precautions :** Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

**Cleaning methods :** Absorb spillage in suitable inert material



<b>Productname :</b>	MoS2 Graphite Assembly Paste	<b>Creationdate :</b>	05.04.04
<b>Ref.Nr.:</b>	AB14220-3-050404	<b>Replaces:</b>	10.10.03

## 7. HANDLING AND STORAGE

**Handling procedures :** Use only in well ventilated areas  
Keep away from heat and sources of ignition  
Do not spray on a naked flame or incandescent material.  
Do not pierce or burn aerosols, even after use.  
Do not breathe aerosols or vapours.  
Avoid contact with skin and eyes.

**Storage procedures :** Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
Keep in a cool, dry, well ventilated place  
Keep out of reach of children.

## 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

**Control procedures :** Ensure adequate ventilation  
Keep away from heat and sources of ignition  
Take precautionary measures against static discharges

**Personal protection :** It is advisable to take precautions to avoid contact with skin and eyes when handling the product.  
Use only in well ventilated areas

**inhalation :** In case of insufficient ventilation, wear suitable respiratory equipment.  
(Filter type AX)

**hands and skin :** Wear suitable protective gloves  
(nitrile)

**eyes :** Wear safety goggles.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Apperance : physical state :** Aerosol  
propane/butane propelled liquid

**colour :** black

**odour :** solvent

**Relative density :** not available

**pH :** not applicable

**Solubility in water :** Insoluble in water

**Flash point :** < 0 °C (flammable propellant!)

**Auto-ignition :** > 200 °C



<b>Productname :</b>	MoS2 Graphite Assembly Paste	<b>Creationdate :</b>	05.04.04
<b>Ref.Nr.:</b>	AB14220-3-050404	<b>Replaces:</b>	10.10.03

## 10. STABILITY AND REACTIVITY

**Conditions to be avoided :** Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
Keep away from heat and sources of ignition

**Materials to be avoided :** Strong oxidising agent

**Hazardous decomposition compounds :** CO,CO2

## 11. TOXICOLOGICAL INFORMATION

**Inhalation :** Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness

**Ingestion :** Ingestion is unlikely to occur  
If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

**Skin contact :** Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis

**Eye contact :** Mildly irritating to eyes

## 12. ECOLOGICAL INFORMATION

**Other adverse effects :** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
Do not allow to enter public sewers and watercourses

## 13. WASTE DISPOSAL

**Product :** Do not empty into drains.  
This material and its container must be disposed of in a safe way.  
Disposal should be in accordance with local, state or national legislation

## 14. TRANSPORT

**UN-number :** 1950

**Road/Rail - ADR/RID :** UN1950 Aerosols Class : 2, PG : NA, Class code : 5F, Label : 2.1

**Sea - IMDG :** UN1950 Aerosols, Limited Quantities Class : 2, PG : NA

**EmS** F-D, S-U

**Air - IATA/ICAO :** UN1950 Aerosols, flammable Class : 2.1, PG : NA, Label : RFG



<b>Productname :</b>	MoS2 Graphite Assembly Paste	<b>Creationdate :</b>	05.04.04
<b>Ref.Nr.:</b>	AB14220-3-050404	<b>Replaces:</b>	10.10.03

<b>Packing instr. LQ</b>	Y203
<b>PAX</b>	203
<b>CAO</b>	203

**15. REGULATORY INFORMATION**

**Warning symbol(s) :** F+

**Risk-phrase(s) :** R12: Extremely flammable  
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R67: Vapours may cause drowsiness and dizziness.

**Safety-phrase(s) :** S2: Keep out of the reach of children.  
S3/9: Keep in a cool, well ventilated place  
S16: Keep away from sources of ignition - No smoking.  
S23: Do not breathe spray.  
S51: Use only in well-ventilated areas.  
S61: Avoid release to the environment. Refer to special instructions/Safety data sheets.

Without adequate ventilation formation of explosive mixtures may be possible.  
Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
Do not pierce or burn,even after use. Do not spray on a naked flame or any incandescent material.  
Remark: The classification for aspiration hazards (R65), does not apply for products placed on the market in aerosol containers. (EU-Directive 67/548 Annex VI 9.4)

**16. OTHER INFORMATION**

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.  
The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.  
Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

**REVISIONS IN CHAPTRE :** 2

**\*Explanation risk-phrases:** R11: Highly flammable  
R12: Extremely flammable  
R38: Irritating to skin.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65: Harmful: may cause lung damage if swallowed.  
R67: Vapours may cause drowsiness and dizziness.



---

**Material Safety Data Sheet**EU-Directive 2001/58

---

<b>Productname :</b>	MoS2 Graphite Assembly Paste	<b>Creationdate :</b>	05.04.04
<b>Ref.Nr.:</b>	AB14220-3-050404	<b>Replaces:</b>	10.10.03

---

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website : [www.crcind.com](http://www.crcind.com). We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

**CRC Industries Europe N.V.**

Touwslagerstraat 1, 9240 Zele – Belgium

Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – [www.crcind.com](http://www.crcind.com)**6 / 6**