



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

PCN# 20201022000.1
Qualification of TI Philippines as an additional
Assembly site for select devices
Change Notification / Sample Request

Date: November 03, 2020

To: Newark/Farnell PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

We request you acknowledge receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If you require samples or additional data to support your evaluation, please request within 30 days.

The proposed first ship date is indicated on page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Team (PCN_ww_admin_team@list.ti.com). For sample requests or sample related questions, contact your field sales representative.

Sincerely,

PCN Team
SC Business Services

20201022000
Attachment: 1

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
LP2985AIM5-3.3/NOPB	null
LP2985AIM5-5.0/NOPB	null
LP5907MFX-3.3/NOPB	null
LM321MFX/NOPB	null
LMC7101AIM5/NOPB	null
LMC7101BIM5/NOPB	null
LP2985IM5-3.3/NOPB	null
LP2985IM5-5.0/NOPB	null
LP5907MFX-4.5/NOPB	null
LMC7101BIM5X/NOPB	null
LP2980AIM5-3.3/NOPB	null
LP2980IM5-3.3/NOPB	null
LP2980IM5-5.0/NOPB	null
LP2985AIM5X-3.3/NOPB	null
LP5907MFX-1.2/NOPB	null
LM321MF/NOPB	null
LP5907MFX-1.8/NOPB	null
LP5907MFX-3.0/NOPB	null

Technical details of this Product Change follow on the next page(s).

PCN Number:	20201022000.1	PCN Date:	Nov. 3, 2020
--------------------	---------------	------------------	--------------

Title:	Qualification of TIPI as an additional Assembly site for select devices		
---------------	---	--	--

Customer Contact:	PCN Manager	Dept:	Quality Services
--------------------------	-----------------------------	--------------	------------------

Proposed 1st Ship Date:	Feb. 3, 2021	Estimated Sample Availability:	Date Provided at Sample request
---	--------------	---------------------------------------	---------------------------------

Change Type:			
<input checked="" type="checkbox"/>	Assembly Site	<input type="checkbox"/>	Design
<input type="checkbox"/>	Assembly Process	<input type="checkbox"/>	Data Sheet
<input checked="" type="checkbox"/>	Assembly Materials	<input type="checkbox"/>	Part number change
<input type="checkbox"/>	Mechanical Specification	<input type="checkbox"/>	Test Site
<input checked="" type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>	Test Process
		<input type="checkbox"/>	Wafer Bump Site
		<input type="checkbox"/>	Wafer Bump Material
		<input type="checkbox"/>	Wafer Bump Process
		<input type="checkbox"/>	Wafer Fab Site
		<input type="checkbox"/>	Wafer Fab Materials
		<input type="checkbox"/>	Wafer Fab Process

PCN Details

Description of Change:




Texas Instruments Incorporated is announcing the qualification TIPI (TI Philippines Inc.) as Additional Assembly Site for select devices listed in the "Product Affected" Section. Current assembly sites and Material differences are as follows.

Assembly Site	Assembly Site Origin	Assembly Country Code	Assembly Site City
TIEMA	CU6	MYS	Melaka
TI Philippines	PHI	PHL	Baguio City

Material Differences:

	TIEMA	TIPI
Mount compound	8075531	8095733
Mold compound	8097131	4222198
Wire Type	Au	Cu
Lead Finish	Matte Sn	NiPdAu

Marking Differences:

TIEMA	TI Philippines
<p>TOPSIDE SYMBOL</p>  <p>O = PIN 1 INDICATOR</p> <p>BACKSIDE SYMBOL</p>  <p>YM = YEAR MONTH DATE CODE L = LAST DIGIT LOT CODE O = ORIENTATION DOT</p>	<p>TOPSIDE SYMBOL</p>  <p>■ = PIN 1 STRIPE (MARKED) **** = BINARY DATECODE</p>

Reason for Change:

Continuity of supply.

Anticipated impact on Form, Fit, Function, Quality or Reliability (positive / negative):

None

Anticipated impact on Material Declaration

<input type="checkbox"/>	No Impact to the Material Declaration	<input checked="" type="checkbox"/>	Material Declarations or Product Content reports are driven from production data and will be available following the production release. Upon production release the revised reports can be obtained from the TI Eco-Info website . There is no impact to the material meeting current regulatory compliance requirements with this PCN change.
--------------------------	---------------------------------------	-------------------------------------	---

Changes to product identification resulting from this PCN:

Assembly Site		
TIEMA	Assembly Site Origin (22L)	ASO: CU6
TIPI	Assembly Site Origin (22L)	ASO: PHI

Sample product shipping label (not actual product label)

Product Affected:

LM321MF/NOPB	LP2980AIM5-5.0/NOPB	LP2985AIM5-3.3/NOPB	LP5907MFX-1.8/NOPB
LM321MFX/NOPB	LP2980AIM5X-3.0/NOPB	LP2985AIM5-5.0/NOPB	LP5907MFX-2.5/NOPB
LMC7101AIM5/NOPB	LP2980AIM5X-3.3/NOPB	LP2985AIM5X-3.3/NOPB	LP5907MFX-2.8/NOPB
LMC7101AIM5X/NOPB	LP2980AIM5X-5.0/NOPB	LP2985AIM5X-5.0/NOPB	LP5907MFX-2.85/NOPB
LMC7101BIM5/NOPB	LP2980IM5-3.0/NOPB	LP2985IM5-3.3/NOPB	LP5907MFX-2.9/NOPB
LMC7101BIM5X/NOPB	LP2980IM5-3.3/NOPB	LP2985IM5-5.0/NOPB	LP5907MFX-3.0/NOPB
LMC7101BIM5X/S7002311	LP2980IM5-5.0/NOPB	LP2985IM5X-3.3/NOPB	LP5907MFX-3.1/NOPB
LP2980AIM5-3.0/NOPB	LP2980IM5X-3.0/NOPB	LP2985IM5X-5.0/NOPB	LP5907MFX-3.2/NOPB
LP2980AIM5-3.3/NOPB	LP2980IM5X-3.3/NOPB	LP5907MFX-1.2/NOPB	LP5907MFX-3.3/NOPB
LP2980AIM5-3.3/S7002302	LP2980IM5X-5.0/NOPB	LP5907MFX-1.5/NOPB	LP5907MFX-4.5/NOPB

Qualification Report

Approve Date 22-Sep-2020

Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	Test Name / Condition	Duration	Qual Device: <u>LM321MFX/NO</u> <u>PB</u>	Qual Device: <u>LP2985AIM550</u> <u>NO</u>	Qual Device: <u>LP5907MF</u> <u>X-</u> <u>4.5/NOPB</u>	QBS Package Reference: <u>TLV1805QDBVR</u> <u>Q1</u>	QBS Package Reference: <u>TPS2051CDB</u> <u>VR</u>	QBS Package Reference: <u>TPS76933DB</u> <u>VR</u>
AC	Autoclave 121C	96 Hours	3/231/0	3/231/0	3/231/0	3/231/0	-	-
ED	Electrical Characterization, side by side	(per datasheet limits)	Pass	Pass	Pass	Pass	-	-
HAS	Biased HAST,	192 Hours	-	-	-	3/231/0	-	-

Type	Test Name / Condition	Duration	Qual Device: <u>LM321MFX/NO</u> <u>PB</u>	Qual Device: <u>LP2985AIM550</u> <u>NO</u>	Qual Device: <u>LP5907MF</u> <u>X-</u> <u>4.5/NOPB</u>	QBS Package Reference: <u>TLV1805QDBVR</u> <u>Q1</u>	QBS Package Reference: <u>TPS2051CDB</u> <u>VR</u>	QBS Package Reference: <u>TPS76933DB</u> <u>VR</u>
T	130C/85%RH	(for information)						
HAST	Biased HAST, 130C/85%RH	96 Hours	-	-	-	3/231/0	-	-
HTOL	Life Test, 125C	1000 Hours	-	-	-	3/231/0	-	-
HTSL	High Temp Storage Bake 150C	1000 Hours	-	3/231/0	-	-	-	-
HTSL	High Temp Storage Bake 175C	1000 Hours	-	-	-	3/231/0	-	-
SD	Solderability	Pb Free	-	-	-	1/15/0	3/66/0	3/66/0
TC	Temperature Cycle, -65/150C	500 Cycles	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0
WBP	Bond Pull	Wires	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0
WBS	Ball Bond Shear	Wires	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0

- QBS: Qual By Similarity

- Qual Devices LM321MFX/NOPB, LP5907MFX-4.5/NOPB, LP2985AIM550NO are qualified at LEVEL1-260CG

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable

- The following are equivalent HTOL options based on an activation energy of 0.7eV : 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours

- The following are equivalent HTSL options based on an activation energy of 0.7eV : 150C/1k Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47 : -55C/125C/700 Cycles and -65C/150C/500 Cycles
Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>

Green/Pb-free Status:

Qualified Pb-Free(SMT) and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.