Mains Power Cord






Construction and Dimension

Item		Specification	
Conductor	Size	16AWG × 3C	
	Material	Annealed Bare Copper	
	Construction	26/Ø0.25±0.008	
	Material	PVC	
	Min. Average Thickness	0.76mm	
Insulation	Min. Thickness at any point	0.69mm	
	Diameter	3.2mm ±0.1mm	
	Identification	Black, White, Green	
Core Assembly	Core Twist	3-Core	
	Filler	3-Cotton 10000D	
Γ	Assembly Pair	NA	
Taping	Mylar Foil	NA	
Shielded	A1-Mylar Foil	NA	
Drain Wire	Material	NA	
Drain Wire	Construction	NA	
	Material	PVC	
Γ	Minimum Average Thickness	0.76mm	
Jacket	Minimum Thickness at any point	0.61mm	
Γ	Overall Diameter (Approx)	8.4mm ±0.25mm	
	Colour	Any Colour	

Diagram




Dimensions : Millimetres

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



Mains Power Cord

multicomp PRO



No.	Specification	Qty.
1	SJT 16/3C 105°C Black	1PC
2	YL-915 PVC Plastic: 35P Black	32g/PC
3	D-Type Ter: 97575	2PCS
4	TER: 5475	1PC
5	YL-915 Inner Body	1PC
6	YL-915 TER S3419	2PCS
7	YC-15 PVC Plastic: 35P Black	18g/PC

No.	Specification	Qty.
8	"D" Ter: 98575	1PC
9	YC-21 Inner Body	1PC
10	TER: XD0P001380	2PCS
11	Mini Tie: L = 130 Black	1PC
12	UL Label: 13A 125V	1PC
13	Label: 230×36mm	1PC
14	Sleeve	1PC

Part Number Table

Description	Part Number
Mains Power Cord, 15 A, 125 VAC	YL-915/YC-15

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

