TE Internal #: T4061210003-004

M8/M12 Cable Assemblies, Sensor/Actuator, 3 Positions, A M8

/M12 Cable Assembly Keying, Plug, M8 Pigtail, Cable Assembly

Length 3000 mm

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > M8/M12 Cable Assemblies > M8 MALE R/A SINGLE ENDED CABLE ASSY











M8/M12 Application Type: Sensor/Actuator

Number of M8/M12 Cable Assembly Positions: 3

M8/M12 Cable Assembly Keying: A

M8/M12 Cable Assembly Connector Type: Plug

M8/M12 Cable Assembly Type: M8 Pigtail

All M8 MALE R/A SINGLE ENDED CABLE ASSY (56)

Features

Product Type Features

| LED | Without | |
|--------------------------------------|----------------|--|
| Cable Type | PVC | |
| Product Type | Cable Assembly | |
| Assembly Type | Pigtail | |
| M8/M12 Cable Assembly Connector Type | Plug | |
| M8/M12 Cable Assembly Type | M8 Pigtail | |
| M8/M12 Cable Assembly Shielded | Yes | |
| Configuration Features | | |

| Number of M8/M12 Cable Assembly Positions | 3 |
|---|--------------|
| M8/M12 Cable Assembly Keying | A |
| M8/M12 Cable Assembly Configuration | Single Ended |

Mechanical Attachment



Housing Features

| M8/M12 Cable Assembly Housing Material | PA66+25GF |
|--|-----------------|
| Dimensions | |
| Cable Assembly Length | 3000 mm |
| Operation/Application | |
| M8/M12 Application Type | Sensor/Actuator |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) SVHC > Threshold: Pb (1.9% in Pb-Alloy in Copper) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought




















Documents

Product Drawings

M8 CABLE RA M 3M 3POS PVC CABLE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_T4061210003-004_A.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_T4061210003-004_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T4061210003-004_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

Product Specifications

Application Specification

English