

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 14

SDS No.: 173733

V006.0 Revision: 19.02.2021

printing date: 20.02.2021

Replaces version from: 09.09.2019

LOCTITE SF 737 known as Loctite 737

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LOCTITE SF 737 known as Loctite 737

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

activator

1.3. Details of the supplier of the safety data sheet

Henkel Ltd Adhesives Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000 Fax-no.: +44 (1442) 278071

ua-productsafety.uk@henkel.com

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Acute toxicity Category 4

H302 Harmful if swallowed. Route of Exposure: Oral

Skin irritation Category 2

H315 Causes skin irritation.

Serious eye irritation Category 2

H319 Causes serious eye irritation.

Acute hazards to the aquatic environment Category 1

H400 Very toxic to aquatic life.

Chronic hazards to the aquatic environment Category 1

H410 Very toxic to aquatic life with long lasting effects

2.2. Label elements

Label elements (CLP):

Hazard pictogram:

Contains Diethyl-phenyl-propyl-dihydropyridine

Signal word: Warning

Hazard statement: H302 Harmful if swallowed.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental information Contains: Aniline May produce an allergic reaction.

Precautionary statement: "***For consumer use only: P101 If medical advice is needed, have product

container or label at hand. P102 Keep out of reach of children. P501 Dispose of

contents/container in accordance with national regulation.***

Precautionary statement: P273 Avoid release to the environment.

Prevention

Precautionary statement: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Response P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General chemical description:

Primer

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.	50 100 0/	A A 1
Diethyl-phenyl-propyl-dihydropyridine	252-091-3	50- 100 %	Aquatic Acute 1
34562-31-7	01-2120769712-47		H400
			Acute Tox. 4; Oral H302
			Skin Irrit. 2; Dermal H315
			Eye Irrit. 2 H319
			Aquatic Chronic 1
			H410
			M factor (Acute Aquat Tox): 10 M factor (Chron Aquat Tox): 10
N-Butylaniline	214-425-6	1-< 5 %	
1126-78-9	214-423-0	1-< 3 %	Acute Tox. 4; Oral H302
Aniline	200-539-3	0,1-< 1 %	
62-53-3	200-339-3	0,1-< 1 %	Aquatic Acute 1 H400
02-33-3			Aquatic Chronic 1
			H410
			Acute Tox. 3
			H301
			Acute Tox. 3
			H311
			Skin Sens. 1
			H317
			Eye Dam. 1
			H318
			Acute Tox. 3
			H331
			Muta. 2
			H341
			Carc. 2
			H351
			STOT RE 1
			H372
			M factor (Chron Aquat Tox): 10

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

Skin contact:

Rinse with running water and soap.

Seek medical advice.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

SKIN: Redness, inflammation.

INGESTION: Nausea, vomiting, diarrhea, abdominal pain.

EYE: Irritation, conjunctivitis.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide, foam, powder

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Additional information:

In case of fire, keep containers cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact.

Ensure adequate ventilation.

Wear protective equipment.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Wash spillage site thoroughly with soap and water or detergent solution.

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use only in well-ventilated areas.

Avoid skin and eye contact.

Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.

Ventilation will remove any ozone that may be produced by the ultra violet lamp

See advice in section 8

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

Good industrial hygiene practices should be observed.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated place.

Refer to Technical Data Sheet

7.3. Specific end use(s)

activator

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Great Britain

Ingredient [Regulated substance]	ppm	mg/m ³	Value type	Short term exposure limit category / Remarks	Regulatory list
Aniline 62-53-3 [ANILINE]	1	4	Time Weighted Average (TWA):		EH40 WEL
Aniline 62-53-3 [ANILINE]			Skin designation:	Can be absorbed through the skin.	EH40 WEL
Aniline 62-53-3 [ANILINE]	2	7,74	Time Weighted Average (TWA):	Indicative	ECTLV
Aniline 62-53-3 [ANILINE]	5	19,35	Short Term Exposure Limit (STEL):	Indicative	ECTLV
Aniline 62-53-3 [ANILINE]			Skin designation:	Can be absorbed through the skin.	ECTLV

Occupational Exposure Limits

Valid for

Ireland

Ingredient [Regulated substance]	ppm	mg/m ³	Value type	Short term exposure limit category / Remarks	Regulatory list
Aniline 62-53-3 [ANILINE]	1	3,8	Time Weighted Average (TWA):		IR_OEL
Aniline 62-53-3 [ANILINE]			Skin designation:	Can be absorbed through the skin.	IR_OEL
Aniline 62-53-3 [ANILINE]	2	7,74	Time Weighted Average (TWA):	Indicative	ECTLV
Aniline 62-53-3 [ANILINE]	5	19,35	Short Term Exposure Limit (STEL):	Indicative	ECTLV
Aniline 62-53-3 [ANILINE]			Skin designation:	Can be absorbed through the skin.	ECTLV

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; \geq 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Protective eye equipment should conform to EN166.

Skin protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid yellow
Odor characteristic

Odour threshold No data available / Not applicable

pH Not applicable

Melting point No data available / Not applicable Solidification temperature No data available / Not applicable

Initial boiling point Not applicable Flash point $93 \, ^{\circ}\text{C} \ (> 199.4 \, ^{\circ}\text{F})$

Evaporation rate No data available / Not applicable Flammability No data available / Not applicable Explosive limits No data available / Not applicable

Vapour pressure Not applicable

Relative vapour density:

No data available / Not applicable

Density 0,965 g/cm3

()

Bulk density

No data available / Not applicable
Solubility

No data available / Not applicable

Solubility (qualitative) Not miscible

(Solvent: Water)

Solubility (qualitative) Not determined

(Solvent: Acetone)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

No data available / Not applicable
Viscosity (kinematic)

No data available / Not applicable
Explosive properties

No data available / Not applicable
Oxidising properties

No data available / Not applicable
No data available / Not applicable

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Reaction with strong bases Reaction with strong acids.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

Stable under normal conditions of storage and use.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None if used for intended purpose.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Diethyl-phenyl-propyl- dihydropyridine	LD50	> 500 mg/kg	rat	other guideline:
34562-31-7				
N-Butylaniline 1126-78-9	LD50	1.620 mg/kg	rat	not specified
Aniline 62-53-3	LD50	442 mg/kg	rat	not specified
Aniline 62-53-3	Acute toxicity estimate (ATE)	100 mg/kg		Expert judgement

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Diethyl-phenyl-propyl-	LD50	> 1.000 mg/kg	rabbit	other guideline:
dihydropyridine				
34562-31-7				
Aniline	LD50	836 mg/kg	rabbit	not specified
62-53-3				_

Acute inhalative toxicity:

No data available.

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Diethyl-phenyl-propyl- dihydropyridine 34562-31-7	irritating	4 h	rabbit	EPA OTS 798.4470 (Acute Dermal Irritation)
Diethyl-phenyl-propyl- dihydropyridine 34562-31-7	not corrosive		Corrositex Biobarrier Membrane (reconstituted collagen matrix)	OECD Guideline 435 (In Vitro Membrane Barrier Test Method for Skin Corrosion)
Aniline 62-53-3	slightly irritating	20 h	rabbit	not specified

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Diethyl-phenyl-propyl- dihydropyridine 34562-31-7	irritating		rabbit	EPA OTS 798.4500 (Acute Eye Irritation)
Aniline 62-53-3	irritating		rabbit	not specified

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Test type	Species	Method
CAS-No.				
Aniline	sensitising	Mouse local lymphnode	mouse	equivalent or similar to OECD Guideline
62-53-3		assay (LLNA)		429 (Skin Sensitisation: Local Lymph
				Node Assay)
Aniline	sensitising	Guinea pig maximisation	guinea pig	equivalent or similar to OECD Guideline
62-53-3		test		406 (Skin Sensitisation)

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
Aniline	negative	bacterial reverse	with and without		OECD Guideline 471
62-53-3		mutation assay (e.g			(Bacterial Reverse Mutation
		Ames test)			Assay)
Aniline	positive	in vitro mammalian	with and without		OECD Guideline 473 (In vitro
62-53-3		chromosome			Mammalian Chromosome
		aberration test			Aberration Test)
Aniline	positive	mammalian cell	with and without		equivalent or similar to OECD
62-53-3		gene mutation assay			Guideline 476 (In vitro
					Mammalian Cell Gene
					Mutation Test)
Aniline	positive	oral: gavage		rat	OECD Guideline 474
62-53-3					(Mammalian Erythrocyte
					Micronucleus Test)
Aniline	positive	intraperitoneal		mouse	OECD Guideline 475
62-53-3					(Mammalian Bone Marrow
					Chromosome Aberration Test)
Aniline	negative	intraperitoneal		rat	OECD Guideline 478 (Genetic
62-53-3					Toxicology: Rodent Dominant
					Lethal Test)

Carcinogenicity

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Sex	Method
Aniline 62-53-3	carcinogenic	oral: feed	104 w daily	rat	male/female	equivalent or similar OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Repro	ductive	toxicity:

No data available.

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Route of	Exposure time /	Species	Method
CAS-No.		application	Frequency of		
			treatment		
Aniline	LOAEL 4 mg/kg	oral: feed	28 d	rat	equivalent or similar to
62-53-3			daily		OECD Guideline 407
					(Repeated Dose 28-Day
					Oral Toxicity in Rodents)
Aniline	NOAEL 9.2 mg/m3	inhalation:	2 w	rat	OECD Guideline 412
62-53-3		vapour	6 h/d 5 d/w		(Repeated Dose
		-			Inhalation Toxicity:
					28/14-Day)

Aspiration hazard:

No data available.

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Aniline	LC50	10,6 mg/l	96 h	Oncorhynchus mykiss	other guideline:
62-53-3					
Aniline	NOEC	0,39 mg/l	32 d	Pimephales promelas	other guideline:
62-53-3					

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Diethyl-phenyl-propyl-	EC50	0,023 mg/l	48 h	Daphnia magna	OECD Guideline 202
dihydropyridine					(Daphnia sp. Acute
34562-31-7					Immobilisation Test)
Aniline	EC50	0,16 mg/l	48 h	Daphnia magna	EPA OTS 797.1300
62-53-3					(Aquatic Invertebrate Acute
					Toxicity Test, Freshwater
					Daphnids)

Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Aniline	NOEC	0,004 mg/l	21 d	Daphnia magna	other guideline:
62-53-3					

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Diethyl-phenyl-propyl- dihydropyridine 34562-31-7	EC50	0,0431 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Diethyl-phenyl-propyl- dihydropyridine 34562-31-7	NOEC	0,017 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Aniline 62-53-3	EC50	175 mg/l	72 h	Chlorella pyrenoidosa	OECD Guideline 201 (Alga, Growth Inhibition Test)
Aniline 62-53-3	NOEC	90 mg/l	72 h	Chlorella pyrenoidosa	OECD Guideline 201 (Alga, Growth Inhibition Test)

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Aniline 62-53-3	EC50	7 mg/l	2 h	activated sludge, industrial	ISO DIS 9509 (Assessing the Inhibition of Nitrification of Activated Sludge Microorganisms by Chemicals and Waste Waters)
Aniline 62-53-3	NOEC	2 mg/l	2 h	activated sludge, industrial	ISO DIS 9509 (Assessing the Inhibition of Nitrification of Activated Sludge Microorganisms by Chemicals and Waste Waters)

12.2. Persistence and degradability

Hazardous substances	Result	Test type	Degradability	Exposure	Method
CAS-No.				time	
Diethyl-phenyl-propyl-	not readily biodegradable.	aerobic	> 0 - < 60 %	28 d	OECD 301 A - F
dihydropyridine					
34562-31-7					
Aniline	inherently biodegradable	aerobic	> 90 %	4 d	OECD Guideline 302 B (Inherent
62-53-3					biodegradability: Zahn-
					Wellens/EMPA Test)
Aniline	readily biodegradable	aerobic	90 %	30 d	OECD Guideline 301 D (Ready
62-53-3					Biodegradability: Closed Bottle
					Test)

12.3. Bioaccumulative potential

Hazardous substances CAS-No.	Bioconcentratio n factor (BCF)	Exposure time	Temperature	Species	Method
Aniline	2,6			Danio rerio	other guideline:
62-53-3					

12.4. Mobility in soil

Cured adhesives are immobile.

Hazardous substances	LogPow	Temperature	Method
CAS-No.			
Diethyl-phenyl-propyl-	6,578		QSAR (Quantitative Structure Activity Relationship)
dihydropyridine			
34562-31-7			
Aniline	0,91	25 °C	EU Method A.8 (Partition Coefficient)
62-53-3			

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Do not empty into drains / surface water / ground water.

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

Waste code

08 04 09* waste adhesives and sealants containing organic solvents and other dangerous substances
The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes
for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We
will be happy to advise you.

SECTION 14: Transport information

14.1. UN number

ADR	3082
RID	3082
ADN	3082
IMDG	3082
IATA	3082

14.2. UN proper shipping name

ADR	NMENTALLY HA			

Diethyl-1,2-dihydro-1-phenyl-2-propylpyridine)

RID ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3,5-

Diethyl-1,2-dihydro-1-phenyl-2-propylpyridine)

ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3,5-

Diethyl-1,2-dihydro-1-phenyl-2-propylpyridine)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3,5-

Diethyl-1,2-dihydro-1-phenyl-2-propylpyridine)

IATA Environmentally hazardous substance, liquid, n.o.s. (3,5-Diethyl-1,2-dihydro-1-

phenyl-2-propylpyridine)

14.3. Transport hazard class(es)

ADR	ç
RID	ç
ADN	9
IMDG	9
IATA	C

14.4. Packing group

ADR	III
RID	III
ADN	III
IMDG	III
IATA	III

14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	Marine pollutant
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
	Tunnelcode:
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

The transport classifications in this section apply generally to packed and bulk goods alike. For containers with a net volume of no more than 5 L for liquid substances or a net mass of no more than 5 kg for solid substances per individual or inner package, the exemptions SP 375 (ADR), 197 (IATA), 969 (IMDG) may be applied, which can result in a deviation from the transport classification for packed goods.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation 1005/2009/EC):

Prior Informed Consent (PIC) (Regulation 649/2012/EC):

Persistent Organic Pollutants (POPs) (Regulation 2019/1021/EC):

Not applicable

Not applicable

EU. REACH, Annex XVII, Marketing and Use Restrictions (Regulation 1907/2006/EC): Not applicable

VOC content < 3 % (2010/75/EC)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.