EKUB001NN00310001000 ACTIVE



TE Internal #: EKB001N00310001000 Standard Circular Connectors, Cable-to-Cable, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT+PA, 15 Shell Size, Shielded

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Cable

Sealable: No

Circuit Application: Signal

Connector Mounting Type: Cable Mount (Free-Hanging)

Shell Plating Material: Electrodeposited Nickel

Features

Product Type Features

Product Type	Connector
Connector System	Cable-to-Cable
Sealable	No
Shell Type	All Plastic

Electrical Characteristics

Operating Voltage	63 VAC

Body Features

Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PBT+PA

Mechanical Attachment

Housing Footures	
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention Type	Push-Pull Self-Locking

Housing Features

Circular Connector Shell Size	15	
-------------------------------	----	--

Dimensions



Cable Diameter Range	4.5 – 6.5 mm[.18 – .26 in]
Usage Conditions	
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]
Operation/Application	
Durability Rating	500 Cycles
Circuit Application	Signal
Shielded	Yes
Industry Standards	
UL Flammability Rating	UL 94V-0
Approved Standards	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (3.5% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # C0-0258-000-000
POSITIONING INSERT FOR 1 MM
CONTACTS

TE Part # C0-0201-000-000
CRIMPING TOOL MID-SIZE

TE Part # C0-0235-000-000
DIGITAL CRIMPING TOOL, SMALL


Customers Also Bought



TE Part #T4152124004-001 M12 A-CODE MS-FR DOUBLE ENDED CABLE



TE Part #1SNK705150R0000 ZK2.5-PE



TE Part #1-1879663-2 H8 140R 0.1% 15PPM

915 EXTENSION




TE Part #1871743-1

DYNAMIC D1000 REC CONT M PRE
TIN L/P



TE Part #1871744-1

DYNAMIC D1000 REC CONT L PRE
TIN L/P



TE Part #1366044-1 H.H.H.T.ASSY FOR DYNAMIC D5-L



TE Pari 915 EX







Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_EKB001N00310001000_A.2d_dxf.zip

English

Customer View Model

Standard Circular Connectors, Cable-to-Cable, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT+PA, 15 Shell Size, Shielded



ENG_CVM_CVM_EKB001N00310001000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_EKB001N00310001000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

615 Extension EKUB001NN00310001000

English

EKB001N00310001000

English

Instruction Sheets

Instruction Sheet (non U.S.)

English