
60.004.11 ~ ACTIVE

TE Internal #: 60-0004-011-000 Standard Circular Connectors, 10A Contact Current Rating (Max), Power & Signal, Brass, 23 / 17 Shell Size, 0° Alignment Keyed, Metal, Socket

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Sealable: No

Contact Current Rating (Max): 10 A

Circuit Application: Power & Signal

Shell Base Material: Brass

Circular Connector Shell Size: 17, 23

Features

Product Type Features



Sealable	No
Shell Type	Metal
Body Features	
Shell Base Material	Brass
Contact Features	
Contact Current Rating (Max)	10 A
Circular Connector Contact Type	Socket
Termination Features	
Termination Method to Wire & Cable	Solder
Housing Features	
Circular Connector Shell Size	17, 23
Alignment Keyed	0°
Operation/Application	
Durability Rating	500 Cycles

60.004.11

Standard Circular Connectors, 10A Contact Current Rating (Max), Power & Signal, Brass, 23 / 17 Shell Size, 0° Alignment Keyed, Metal, Socket



Circuit Application

Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (3.5% in Component) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Customers Also Bought

C For support call+1 800 522 6752

60.004.11

Standard Circular Connectors, 10A Contact Current Rating (Max), Power & Signal, Brass, 23 / 17 Shell Size, 0° Alignment Keyed, Metal, Socket







TE Part #ASA015N00400235000 623 PLUG



TE Part #1879335-4 CPF 0603 23R2 1% 50PPM 1K RL

Documents

Product Drawings CONTACT SOCKET 1 MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_60-0004-011-000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_60-0004-011-000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_60-0004-011-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

60.004.11

Standard Circular Connectors, 10A Contact Current Rating (Max), Power & Signal, Brass, 23 / 17 Shell Size, 0° Alignment Keyed, Metal, Socket



60-0004-011-000

English