# H52A002NN00590100000 - ACTIVE

TE Internal #: HKA002N00590100000 Standard Circular Connectors, Cable-to-Cable, Power, Signal & Data, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66+PA6

#### View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Cable

Sealable: No

Circuit Application: Power, Signal & Data

Connector Mounting Type: Cable Mount (Free-Hanging)

Shell Plating Material: Electrodeposited Nickel

## Features

#### Product Type Features



| Product Type   | Connector                             |
|--|---------------------------------------|
| Connector System   | Cable-to-Cable                        |
| Sealable   | No                                    |
| Shell Type   | Metal                                 |
| Electrical Characteristics   |                                       |
| Operating Voltage  | 30 VAC, 630 VAC                       |
| Body Features  |                                       |
| Environmental Protection   | IP67                                  |
|  |                                       |
| Shell Plating Material   | Electrodeposited Nickel               |
| Shell Plating Material<br>Shell Base Material                      | Electrodeposited Nickel<br>Zinc Alloy |
|  | ·                                     |
| Shell Base Material  | Zinc Alloy                            |
| Shell Base Material<br>Circular Connector Insulation Material Type | Zinc Alloy                            |

#### H52A002NN00590100000

Standard Circular Connectors, Cable-to-Cable, Power, Signal & Data, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66+PA6



#### **Housing Features**

| Circular Connector Shell Size            | 23                                 |
|--|------------------------------------|
| Dimensions                               |                                    |
| Cable Diameter Range                     | 14 – 17 mm[.55 – .67 in]           |
| Usage Conditions                         |                                    |
| Operating Temperature Range              | -20 – 130 °C[-4 – 266 °F]          |
| Operation/Application                    |                                    |
|  |                                    |
| Durability Rating                        | 500 Cycles                         |
| Durability Rating<br>Circuit Application | 500 Cycles<br>Power, Signal & Data |
|  |                                    |
| Circuit Application                      | Power, Signal & Data               |
| Circuit Application<br>Shielded          | Power, Signal & Data               |

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed   |
|---|--|
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUN 2020<br>(209)<br>Candidate List Declared Against: JAN 2020<br>(205)<br>SVHC > Threshold:<br>Pb (3.5% in Component)<br>Aticle Safe Usage Statements<br>Do not eat, drink or smoke when using this product. Wash thoroughly after<br>handling. Recycle if possible and dispose of the article by following all applicable<br>governmental regulations relevant to your geographic location. |
| Halogen Content                               | Not Yet Reviewed for halogen content   |
| Solder Process Capability                     | Not reviewed for solder process capability   |
|   |  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

#### H52A002NN00590100000

Standard Circular Connectors, Cable-to-Cable, Power, Signal & Data, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66+PA6



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


# **Compatible Parts**



TE Part # HSA008N00420100000 723 HTEC PLUG, SPEEDTEC

## **Customers Also Bought**





#### H52A002NN00590100000

Standard Circular Connectors, Cable-to-Cable, Power, Signal & Data, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66+PA6





## Documents

#### **CAD** Files

#### 3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_HKA002N00590100000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_HKA002N00590100000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_HKA002N00590100000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages HKA002N00590100000

English