

BSTA078NN00580235000 ✓ ACTIVE

TE Internal #: BSA078N00580235000

Standard Circular Connectors, Cable-to-Cable, Power & Signal,
Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy,
PBT GF, 23 Shell Size

[View on TE.com >](#)



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: **Cable-to-Cable**

Sealable: **No**

Circuit Application: **Power & Signal**

Connector Mounting Type: **Cable Mount (Free-Hanging)**

Shell Plating Material: **Electrodeposited Nickel**

Features

Product Type Features

| | |
|-------------------------|----------------|
| Product Type | Connector |
| Connector System | Cable-to-Cable |
| Sealable | No |
| Circular Connector Type | Plug |
| Shell Type | Metal |

Electrical Characteristics

| | |
|-------------------|---------|
| Operating Voltage | 630 VAC |
|-------------------|---------|

Body Features

| | |
|---|-------------------------|
| Environmental Protection | IP67 |
| Shell Plating Material | Electrodeposited Nickel |
| Shell Base Material | Zinc Alloy |
| Circular Connector Insulation Material Type | PBT GF |

Mechanical Attachment

| | |
|-----------------------|-------|
| Mating Retention Type | Screw |
|-----------------------|-------|



Connector Mounting Type Cable Mount (Free-Hanging)

Housing Features

| | |
|-------------------------------|----|
| Circular Connector Shell Size | 23 |
| Alignment Keyed | 0° |

Dimensions

| | |
|----------------------|------------------------------|
| Cable Diameter Range | 9.5 – 14.5 mm [.37 – .57 in] |
|----------------------|------------------------------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -20 – 130 °C [-4 – 266 °F] |
|-----------------------------|----------------------------|

Operation/Application

| | |
|---------------------|----------------|
| Durability Rating | 500 Cycles |
| Circuit Application | Power & Signal |
| Shielded | Yes |

Industry Standards

| | |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
| Approved Standards | UL |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (3.5% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # BEA120N00000200000
923 RECEPTACLE, SPEEDTEC-READY



TE Part # BKA199N00580200000
923 EXTENSION, SPEEDTEC-READY



TE Part # BKA199N00580203000
923 EXTENSION, SPEEDTEC-READY

TE Part # C0-0003-000-000
POSITIONING INSERT FOR 1 MM CONTACTS

TE Part # C0-0236-000-000
DIGITAL CRIMPING TOOL, MID SIZE

TE Part # C0-0201-000-000
CRIMPING TOOL MID-SIZE

TE Part # C0-0004-000-000
POSITIONING INSERT FOR 2 MM CONTACTS

TE Part # C0-0235-000-000
DIGITAL CRIMPING TOOL, SMALL

TE Part # C0-0101-000-000
CRIMPING TOOL SMALL WITH POSITIONER

Customers Also Bought



TE Part # CSA265N00450001000
940 PLUG



TE Part # CSA264N00260001000
940 PLUG



TE Part # BSA108N00580236000
923 PLUG, SHORT



TE Part # 2-2151018-1
OCEAN_2.0_APPLICATOR-S-090F110F

Documents



Product Drawings

923 PLUG

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_BSA078N00580235000_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_BSA078N00580235000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_BSA078N00580235000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

BSA078N00580235000

English

Instruction Sheets

Instruction Sheet (non U.S.)

English