

## Invertible Air Duster

Product Code: EADPI

### PRODUCT DESCRIPTION

**Electrolube's Airduster** aerosols of pure, compressed, inert gas are designed for the safe removal of dust and airborne contamination from very delicate or unaccessible areas of electrical and electronic equipment. **Electrolube's Airdusters** are non-flammable, non-CFC and non-HCFC products.

### PRODUCT USE

This latest addition to Electrolube's airduster range offers increased power enabling **EADPI** to be used to remove even stubborn dust and airborne contamination from all electrical and electronic equipment, e.g. computers, typewriters, control equipment etc. It can also be used on such items as cameras and Hi-Fi equipment. **EADPI** is an invertible version designed for hard to reach areas. Airduster can also be used to evacuate air from the top of cans of paint etc. to stop skin forming. May also assist in drying operations after cleaning etc.

### FEATURES

- \* Pure compressed inert gas
- \* Extremely high pressure removes contamination easily and quickly


### TYPICAL PROPERTIES

Form:	Colourless Gas
Density (liquid):	1.176
Flashpoint:	None
Boiling Point:	-26.2°C
Ozone Depleting Potential:	0.00

TECHNICAL  
DATA  
SHEET

#### Copyright Electrolube 2003

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification. Electrolube cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.



## Air Duster – Page 2

### DIRECTIONS FOR USE

EADPI is invertible and can be used at various angles in order to reach all areas.

**Caution** Do not use an **Airduster** for prolonged blasts as the surface of the can will form frost.

### PACKAGING

200ml Aerosol

### ORDER CODE

EADPI200

TECHNICAL  
DATA  
SHEET



**Copyright  
Electrolube  
2003**

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification. Electrolube cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.

