
PRODUCT CHANGE / END OF LIFE NOTICE

April 20th, 2021

Dear Valued Customer,

The Alpha Wire portfolio requires regular review to ensure our products continue to offer the most updated features and benefits, in addition to the highest quality. This letter serves as your formal notification of changes to Xtra-Guard Flex 85000CY and 65000CY series.

As of April, 20th 2021 Wall thickness of inner jacket for shielded cables in 85000 and 65000 series is being reduced. Cables with core diameter of less than or equal to 0.499" is being reduced to 20 mil and for the cables with core diameter greater than 0.500" is being reduced to 0.025" thickness. Resulting in Inner Jacket wall thickness reduction of around 17% to 67% across the two product line series.

Core Outer Diameter	New Inner Jacket Wall Thickness
<0.499"	0.020"
>0.500"	0.025"

The change results in reduced overall diameters, weight savings and improved bend radii for these cables.

Detailed list of all the part numbers effected by this change are provided at the end of this letter.

If you have any questions, please contact your Alpha Wire sales representative or channel partner.

Sincerely,



Omar Qayyum
Associate Product Line Manager
Alpha Wire

PRODUCT CHANGE / END OF LIFE NOTICE

Parts List

Product Code	Cable Core Diameter (inches)	Old Inner Jacket thickness (inches)	New Inner Jacket Wall Thickness (inches)
65003CY	0.175	0.03	0.02
65007CY	0.245	0.03	0.02
65012CY	0.337	0.032	0.02
65025CY	0.499	0.035	0.02
65103CY	0.35	0.05	0.02
65104CY	0.394	0.055	0.02
65105CY	0.443	0.06	0.02
65107CY	0.49	0.06	0.02
65203CY	0.296	0.04	0.02
65204CY	0.334	0.055	0.02
65205CY	0.375	0.055	0.02
65223CY	0.16	0.03	0.02
65224CY	0.179	0.03	0.02
65225CY	0.201	0.03	0.02
65227CY	0.224	0.03	0.02
652412CY	0.283	0.032	0.02
652418CY	0.346	0.032	0.02
652425CY	0.419	0.035	0.02
65243CY	0.147	0.03	0.02
65244CY	0.165	0.03	0.02
65245CY	0.185	0.03	0.02
65247CY	0.206	0.03	0.02
652612CY	0.262	0.032	0.02
65263CY	0.136	0.03	0.02
65264CY	0.153	0.03	0.02
65265CY	0.171	0.03	0.02
65267CY	0.19	0.03	0.02
65304CY	1.027	0.075	0.025
65403CY	0.255	0.035	0.02
65404CY	0.288	0.035	0.02
65405CY	0.323	0.035	0.02
65407CY	0.357	0.035	0.02
65412CY	0.491	0.035	0.02
65418CY	0.597	0.04	0.025

NOTE: This is an electronic form – Attachments should be electronically scanned and attached.

PRODUCT CHANGE / END OF LIFE NOTICE

Product Code	Cable Core Diameter (inches)	Old Inner Jacket thickness (inches)	New Inner Jacket Wall Thickness (inches)
65504CY	0.874	0.065	0.025
65603CY	0.224	0.03	0.02
65604CY	0.252	0.03	0.02
65605CY	0.285	0.03	0.02
65607CY	0.314	0.03	0.02
65612CY	0.432	0.032	0.02
65618CY	0.526	0.035	0.025
65625CY	0.64	0.04	0.025
65704CY	0.685	0.065	0.025
65803CY	0.196	0.03	0.02
65804CY	0.22	0.03	0.02
65805CY	0.25	0.03	0.02
65807CY	0.275	0.03	0.02
65812CY	0.378	0.03	0.02
65818CY	0.461	0.032	0.02
65825CY	0.56	0.035	0.025
65904CY	0.515	0.055	0.025
85003CY	0.181	0.025	0.02
85004CY	0.206	0.025	0.02
85005CY	0.232	0.025	0.02
85007CY	0.287	0.03	0.02
85010CY	0.35	0.03	0.02
85012CY	0.349	0.03	0.02
85018CY	0.427	0.03	0.02
85025CY	0.54	0.035	0.025
85104CY	0.429	0.04	0.02
85107CY	0.595	0.045	0.025
85204CY	0.366	0.035	0.02
85207CY	0.508	0.035	0.025
852210CY	0.308	0.03	0.02
85223CY	0.16	0.025	0.02
85224CY	0.181	0.025	0.02
85225CY	0.204	0.025	0.02
85227CY	0.253	0.03	0.02
852410CY	0.288	0.03	0.02
85243CY	0.149	0.025	0.02

NOTE: This is an electronic form – Attachments should be electronically scanned and attached.

PRODUCT CHANGE / END OF LIFE NOTICE

Product Code	Cable Core Diameter (inches)	Old Inner Jacket thickness (inches)	New Inner Jacket Wall Thickness (inches)
85244CY	0.169	0.025	0.02
85245CY	0.191	0.025	0.02
85247CY	0.237	0.03	0.02
852610CY	0.267	0.03	0.02
85263CY	0.138	0.025	0.02
85264CY	0.157	0.025	0.02
85265CY	0.177	0.025	0.02
85267CY	0.22	0.03	0.02
85304CY	1.059	0.06	0.025
85404CY	0.303	0.035	0.02
85407CY	0.421	0.035	0.02
85504CY	0.885	0.055	0.025
85603CY	0.24	0.03	0.02
85604CY	0.271	0.03	0.02
85605CY	0.305	0.03	0.02
85607CY	0.377	0.03	0.02
85612CY	0.462	0.03	0.02
85615CY	0.527	0.03	0.025
85618CY	0.563	0.03	0.025
85625CY	0.711	0.035	0.025
85634CY	0.785	0.035	0.025
85704CY	0.744	0.045	0.025
85803CY	0.207	0.025	0.02
85804CY	0.235	0.025	0.02
85805CY	0.264	0.03	0.02
85807CY	0.327	0.03	0.02
85812CY	0.399	0.03	0.02
85818CY	0.487	0.03	0.02
85825CY	0.616	0.035	0.025
85904CY	0.56	0.045	0.025

NOTE: This is an electronic form – Attachments should be electronically scanned and attached.

File: Engineer/ECN/PCN