
	PART NO.		REVISIONS								
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
		-	А	RELEASED	Geetha	24/4/08	Suresh	24/4/08	G. C	09/5/08	



Strain Relief

Specifications: Current rating Voltage rating Maximum contact resistance Minimum insulation resistance Withstanding voltage Operating temperature range Material and Finish Insulator Contact

: 1.0A ac/dc.

- : 30V ac/dc.
- : 20m ohm.
- : 1000M ohm.
- : 500V ac for one minute.
- : -40°C to +105°C.
- : High tempature plastic.
- : Copper alloy.
- : Selective plated.

Engineering Dimension

Plating

Circuits	Dimension	Dimension	Dimension	Dimension
	A	B	C	D
30	35.56	43.40	62.60	48.40

Dimensions : Millimetres

Dimensions : Millimetres

10.00 ±0.10-

2.50 ±0.10-


This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:			
information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with-	UNLESS OTHERWISE	Geetha	24/04/08		IDC Header - Lug	ged 30 Way	
out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this	SPECIFIED,	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV
data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or	DIMENSIONS ARE FOR REFERENCE	Suresh	24/04/08	Δ	M10000871	4406 6 DWG	Α
childed. Elability for loco of damage foodiling formation of the information of	PURPOSES ONLY.	APPROVED BY:	DATE:				L
or restrict the Group's liability for death or personal injury resulting from this negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Famell plc 2008.		G.Cook	09/05/08	SCALE: NTS	U.O.M.: mm	SHEET: 1 OI	F 2

	PART NO.		REVISIONS							
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Geetha	24/4/08	Suresh	24/4/08	G. C	09/5/08

Part Number Table

Description	Part Number
Header, IDC Lugged, 30 Way	4406-30SR

Part Number Explanation:



http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:			
information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with-	UNLESS OTHERWISE	Geetha	24/04/08		DC Header - Lug	ged 30 Way	
believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or	SPECIFIED, DIMENSIONS ARE	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV
		Suresh	24/04/08		M10000871	4406 6 DWG	A
		APPROVED BY:	DATE:				
		G.Cook	09/05/08	SCALE: NTS	U.O.M.: mm	SHEET: 2 OI	F 2