

CODELOCK 400 MECHANICAL



- Medium duty Codelock
- PVD, weather resistant, low maintenance finish
- Full size lever handles
- Outside lever has a slipping clutch to avoid damage to the mechanism if forced
- Easy code change as often as required
- Code Free option available
- Mortice lock and mortice latch functions

Codelock CL400 Range

This is a medium duty range with full size lever handles, allowing use as the primary lock on doors where a knob-operated lock would be unsuitable.

The functions available allow for various ways of managing entry by code, by key and by Code Free operation of the lever handle on the CL405, CL415 and CL425 models.

Throwing the deadbolt of the CL420/425 models will lock out the code users when appropriate. A safety feature ensures that the inside lever handle will retract the deadbolt so avoiding accidentally locking a person in the room.

The key can be used to retract the latchbolt and so may be issued for cleaning and security staff use.

Codelock CL400 can also be supplied as front and back plates only, for use with customer's own installed mortice locks, making it an ideal economic solution for high traffic door control in health, educational and other institutional premises.



Available in two PVD finishes
Stainless Steel, Polished Brass



CL400

The front plate is common to all functions



CL420 Mortice Lock
With safety feature

CL425 Mortice Lock
With safety feature and Code Free entry option

CL400 Plates Only
Utilising existing door lock or latch

CL405 Plates Only
As CL400 with Code Free entry option



CL410 Mortice Latch

CL415 Mortice Latch
With Code Free entry option



CL410BB Mortice Latch
May be specified as Back to Back (BB) to provide coded access in both directions
Stainless Steel finish only

CODELOCK 400 MECHANICAL



CodeLock CL400 Range TECHNICAL SPECIFICATIONS

Door thickness 35mm - 65mm ($1\frac{3}{8}$ " - $2\frac{1}{2}$ ")

Spindle type 2 part 8mm ($\frac{5}{16}$ ") spring loaded spindle

Body material Zinc alloy

Non handed Lock will fit doors hung on the left or right

Mortice Latch (CL410 & CL415)

Medium duty, stainless steel latchbolt head with "anti" shim deadlocking plunger, 8mm ($\frac{5}{16}$ ") follower.

60mm ($2\frac{3}{8}$ ") backset, requires 25mm (1") hole, 82mm ($3\frac{1}{4}$ ") deep.

70mm ($2\frac{3}{4}$ ") backset, requires 25mm (1") hole, 92mm ($3\frac{5}{16}$ ") deep.

Mortice Lock (CL420 & CL425)

Euro profile mortice sash lock with deadbolt and latchbolt. Complete with double cylinder to control deadbolt and to retract latchbolt. With the deadbolt locked it denies access to a code user. The key can be used to open doors for management functions such as security and cleaning. The split follower enables the inside lever to retract the deadbolt and latch to prevent accidental lock in when the deadbolt is thrown.

Cylinders

Double euro profile cylinders with 3 keys. May be ordered keyed alike.

Finishes available


PVD (Physical Vapour Deposition) hardwearing low maintenance finishes SS (stainless steel) and PB (polished brass).

Code Free access option via keypad on models CL405, CL415 & CL425.

Neoprene seals are included on both sides to provide friction against the face of the door and to prevent damage from over tightening of the fixing bolts.

The outside lever handle has a slipping clutch to prevent damage to the lock if the handle is forced.

Suitable for **internal and external use.**



CL410 Mortice Latch

Outside lever handle will retract the latch after a correct code is entered. The spring loaded latchbolt will lock automatically when the door is closed.

CL415 Mortice Latch

As CL410 with Code Free access option on keypad. In Code Free mode the outside lever will retract the latchbolt without using a code.


CL400 Front & backplates only NOT ILLUSTRATED

For use with existing lock or latch.

CL405 Front & backplates only NOT ILLUSTRATED

With Code Free access, for use with existing lock or latch.

NB: For CL400 & CL405 existing lock must have 22mm (7/8") fixing hole below follower (spindle).



CL420 Full Mortice Lock with Safety Feature

Outside lever handle will retract the latch after a correct code is entered. The spring loaded latchbolt will lock automatically when the door is closed. Key retracts latchbolt for entry without using a code. Key controls deadbolt position. When deadbolt is projected it denies access by code. When deadbolt is projected the safety feature allows the inside lever handle to retract the deadbolt and the latchbolt, preventing people being accidentally locked in.

CL425 Full Mortice Lock with Safety Feature

As CL420 with Code Free access function on the keypad. In Code Free mode the outside lever will retract the latchbolt without using a code.

Back to Back NOT ILLUSTRATED

The CL410 (Mortice Latch) may be ordered with two keypad plates for installation on both sides of the door to provide coded access in both directions.

Stainless Steel finish only.

Codes: All our mechanical locks are supplied with a random code commencing with the 'C' clear button. To change the code after fitting, the lock must first be removed from the door.

The code is non sequential, that is the code can be entered in any order e.g. 1234 can be 4321 or 1342 or whatever is the most convenient sequence. With the 13 buttons a total of 8,191 different codes are available, any of which may be entered in any order.