




PART NO.


IM-100065

	REVISIONS							
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	Suresh	18/05/09	Ramya	18/05/09	Farnell	01/06/09









Pin Position at Minimum Temperature

Dimensions: Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are si licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or or mission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULITICOMP is the registered trademark of the Group. © Premier Famili pic 2009.

UNLESS OTHERWISE
UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE FOR REFERENCE
FOR REFERENCE
PURPOSES ONLY.

TOLERANCES:

DRAWN BY:	DATE:
Suresh	18/05/09
CHECKED BY:	DATE:
Ramya	18/05/09
APPROVED BY:	DATE:
Farnell	01/06/09

DRAW	ING TITLE:						
		Con	trol Thermostat -	0 - 9	0 Degree	s	
SIZE A	DWG NO.		M10002222		TRONIC FILE 232_DWG		REV A
SCALE: NTS		U.O.M.: mm		SHEET: 1	OI	₹ 3	



PART NO.

IM-100065

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	Suresh	18/05/09	Ramya	18/05/09	Farnell	01/06/09

Technical Characteristics:

Temperature range : 0 to +90°C.

Tolerance : Minimum temperature : ±5°C

Maximum temperature : ±3°C.

Differential : $3 \pm 1^{\circ}$ C. Sensing element maximum temperature resistance : 120° C.

Contact rating : 16 (4) A at 250V ac

6 (1) A at 400V ac.

Rated impulsive voltage : 2.5kV.
Insulation grade : II.
Maximum head temperature : T 120°C.

Liquid filling sensing element.

Copper capillary and bulb-capillary protection with PVC R3. Degree of protection : IP00.

Incorporated electromechanical thermostat.

Mounting : Screw fixing.

Earthing connection by tab terminal.

Type of action : 1B. Pollution level of the control device : 2.

To apply heat resistant conductors of minimum : T 130°C.

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is grantled for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from regigence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Suresh	18/05/09
CHECKED BY:	DATE:
Ramya	18/05/09
APPROVED BY:	DATE:
Farnell	01/06/09


	DRAWI	NG TITLE:					
1			Cont	rol Thermostat -	0 - 9	00 Degrees	
	SIZE A	DWG NO.	N	И10002222	1	TRONIC FILE 232_DWG	REV A
SCALE: NTS			U.O.M.: mm	SHEET: 2 O		F 3	



PART NO.

IM-100065

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	Suresh	18/05/09	Ramya	18/05/09	Farnell	01/06/09



Part Number Table

Description	Part Number
Control Thermostat 0 to 90	IM-100065

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence.

SPC MULTICOMP is the registered trademank of the Group. © Premier Farnell pic 2009.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Suresh	18/05/09
CHECKED BY:	DATE:
Ramya	18/05/09
APPROVED BY:	DATE:
Farnell	01/06/09

Control Thermostat - 0 - 90 Degrees								
SIZE A	DWG NO.	M10002222	ELECTRONIC FILE 1712232_DWG	REV A				

SCALE: NTS U.O.M.: mm

DRAWING TITLE:

SHEET:

3 OF 3