Cat5e Ethernet Cables

pro-signal

RoHS Compliant



Specifications


Connector to Connector LAN Category Contact Resistance Insulation Resistance Jacket Colour

- : RJ45 Plug to RJ45 Plug
- : Cat5e

: 2Ω

: DC 300V/10ms, 10M Ω Min. : Blue

Diagram



PIN	Assignment

1	
2X2	
3 — W — 3	
4 — W — 4	
5XXXX 5	
7 — W — 7	
8M 8	

No	Description	Qty.	Unit
1	Cat5e UTP 32AWG×4P OD:6.2×1.9mm Blue LSOH	-	m
2	Transparent RJ45 UTP Pin plated Gold 3µ″	2	Pcs
3	45P TPE Blue	10	g

Part Number Table

Description	L ±T	Part Number	
	500 ±20mm	PSG90654	
	1000 ±20mm	PSG90655	
Ethernet Cable, Cat5e, RJ45 Plug to RJ45 Plug, Blue	1500 ±30mm	PSG90656	
	3000 ±40mm	PSG90658	
	5000 ±60mm	PSG90659	

Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for white any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the egosibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of Premier Farnell Limited 2019.

Newark.com/exclusive-brands Farnell.com/exclusive-brands Element14.com/exclusive-brands

