


Z-PACK | Z-PACK 2mm HM

TE Internal #: 2391875-1 Z-PACK 2mm HM, Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Mezzanine, Board-to-Board, 154 Position

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Connectors



PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s**

Number of Columns: 22

Number of Rows: 7

Backplane Architecture: Mezzanine

Features

TE

Product Type Features

Backplane Interface Type	2mm HM			
Ground Component Type	Ground Return Shielding			
PCB Connector Assembly Type	PCB Mount Header			
Connector System	Board-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Rows Loaded	A, B, C, D, E, F, Z			
Number of Columns	22			
Number of Rows	7			
Backplane Architecture	Mezzanine			
Number of Positions	154			
PCB Mount Orientation	Vertical			
Signal Characteristics				

C For support call+1 800 522 6752

Z-PACK 2mm HM, Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Mezzanine, Board-to-Board, 154 Position



Crosstalk Version	Standard	
Data Rate	≤1 Gb/s	
Contact Features		
Feedthrough Post Length	3.7 mm	
Contact Type	Pin	
Contact Underplating Material	Nickel	
PCB Contact Termination Area Plating Material	Tin	
Contact Base Material	Phosphor Bronze	
CompactPCI Designation	None	
Contact Mating Area Plating Material	Performance Based ss .5 µm[20 µin]	
Contact Mating Area Plating Material Thickness		
Contact Current Rating (Max)	1.5 A	
Termination Features		
Termination Method to Printed Circuit Board	Through Hole - Press-Fit	
Mechanical Attachment		
Front Mating Level	Level 1	
Mating Alignment Type	Multi-Purpose Center	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Polyester - GF	
Centerline (Pitch)	2 mm[.078 in]	
Housing Color	Gray	
Dimensions		
Backplane Module Length	50 mm	
Usage Conditions		
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]	
Operation/Application		
Shielded	Yes	
Circuit Application	Power & Signal	
Industry Standards		
UL Flammability Rating	UL 94V-0	
AdvancedTCA Specified Product	No	

Z-PACK 2mm HM, Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Mezzanine, Board-to-Board, 154 Position



Packaging Features

Packaging Quantity	10	
Packaging Method	Tube	
Other		
Comment	Row Configuration 5+2	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Not Yet Reviewed	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223)	

Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Z-PACK 2mm HM, Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Mezzanine, Board-to-Board, 154 Position





Also in the Series Z-PACK 2mm HM



Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	Insertion & Extraction Tools(2)	PCB Connector Covers(4)
	AND	Contraction of the second	
PCB Connector Shrouds(39)	PCB Ferrules & Shields(19)	PCB Latches, Locks & Retainers(1)	Rectangular Power Connectors(87)

Documents

Product Drawings
Z-PACK M.ASSY.154P.EON
English
CAD Files
3D PDF
3D
Customer View Model

C For support call+1 800 522 6752

Z-PACK 2mm HM, Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Mezzanine, Board-to-Board, 154 Position



ENG_CVM_CVM_2391875-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2391875-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2391875-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English