

SEIKO EPSON CORPORATION  
 Sales & Marketing Division.  
 MD Sales & Marketing Department.  
 MICRODEVICES Operations Division.  
 MD Production Control & Procurement Dept.

## 2016・2520 size TCXO tape packing specifications change notice

Dear Valued Customer,

Thank you for choosing SEIKO EPSON CORP. Timing Products as your products of choice.  
 SEIKO EPSON CORP. always tries to improve the characteristics and performance of our products.  
 We will inform you of the following changes. We apologize for the inconvenience but thank you for your prompt confirmation and approval.

### 1. Products Affected, Change point




#### (1) Products affected (2016size / 2520size TCXO)

Size	Product name	Product number
2016	TG-5006CJ	X1G004131xxxx xx
	TG2016SMN	X1G005441xxxx xx
	TG2016SNN	X1G005611xxxx xx
2520	TG2520SMN	X1G005421xxxx xx
	TG2520CEN	X1G005161xxxx xx

#### (2) Change point - Change of tape packing reel

Currently, there is only one type of  $\phi 330$ mm reel, we will add a small diameter  $\phi 180$ mm reel according to the number of packages.

There is no change in the product model number.

Item	Current	New	
Packing quantity	All types of packing quantity	Standard packing quantity 2016sizeTCXO : 12,000pcs 2520sizeTCXO : 10,000pcs (over 3,000pcs)	Packing quantity 3,000pcs or less
Reel size	diameter: $\phi 330$ mm 	diameter: $\phi 330$ mm 	<Addition> diameter: $\phi 180$ mm 

## 2. Reason

Optimizing the number of packing and reel size in taping packaging will improve the efficiency of production, shipping and logistics.

## 3. Schedule

Shipment	Changed sequentially from October 2022
----------	----------------------------------------

## 4. Conclusion

We appreciate your understanding and cooperation regarding the situation in which we are requesting approval of changes in a very short period of time.


If you have any questions or require additional information about this ECN notice, please contact your local EPSON device sales office.

Sincerely yours,  
SEIKO EPSON CORP.

■ Taping reel detail information – please see detailed Taping specification

**Current reel:  $\phi 330$  mm diameter**

Material of the Reel リール材質: PS (Black / Conductive 黒/導電性) <sup>①</sup>




Form and Size of reel window shows are one of the example <sup>①</sup>  
リールの窓の形状は代表例を掲載。 <sup>①</sup>

Unit: mm <sup>①</sup>

**Reel to add:  $\phi 180$  mm diameter**

Material of the Reel リール材質: PS (Black / Conductive 黒/導電性) <sup>①</sup>



Form and Size of reel window shows are one of the example <sup>①</sup>  
リールの窓の形状は代表例を掲載。 <sup>①</sup>

Unit: mm <sup>①</sup>