High Speed HMDI Plug to HDMI Plug Lead

pro-signal




Specifications

Connector Type A : HDMI Plug
Connector Type B : HDMI Plug
Withstanding Voltage : 500V DC 1min
Insulation Resistance : 50MΩ, 500V DC

Support Video Resolution: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 4K

Cable Length : 6.6ft (2m)
Jacket Colour : Black

Diagram





Zonductor: SCX/28AWG(1/0.32mm Cu)x1pair]
nsulation: Spairs, foamed-PE, OD: Ø0.38mm
Prain wire: SCX1/0.32mm Cu, HDPE, OD: Ø0.37mm
P10/0.022AL, Al foil
conductor: 4CX1/0.25mm Cu
nsulation: 4 core, OD: Ø0.55mm, HDPE
00/0.022AL, Al foil
prain wire: 1/0.25mm Cu
rsiding:168/0.12mm Al-Mg
lacket: Ø7.3mm PVC, Black

S50128 28AWG HDMI CABLE

No.	Description		
1	HDMI Type A Plug, Ni-Plated		
2	HDMI Type A (P) Inner Molding, PE	pe A (P) Inner Molding, PE	
3	HDMI Type A (P) Outer Molding I, PVC Black	2 Pcs	
4	HDMI Type A (P) Outer Molding II, PVC Grey		
5	HDMI Cable, Jacket PVC Black	1 Pc	

Type A PIN		Signal Assignment	Type A PIN
1		A	^ 1
3			3
5		Υ	Ľ 5
4		A	~ 4
6			6
2		Υ	<u> </u>
7		A ^	7
9			9
11		Υ	<u> </u>
10		A ^	10
12			12
8		Υ '	¥8
14		A /	→ 14
19			19
17		Υ	<u> </u>
13		CEC	13
15 .		SCL	15
16		SDA	16
18		+5 V	18
SS			SS

Part Number Table

Description	Part Number
High Speed HMDI Plug to HDMI Plug Lead, 2m, Black	PSG01040

Dimensions : Millimetres

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of Premier Farnell Limited 2019.

Newark.com/exclusive-brands Farnell.com/exclusive-brands Element14.com/exclusive-brands

