# 1SET211001R0000 ACTIVE

#### **ENTRELEC**

TE Internal #: 1SET211001R0000

Splices, Closed End Splice, 22 – 12 AWG Wire Size, .5 – 2.5 mm<sup>2</sup> Wire Size, Splice Capacity 2, Standard, Red, Length 10.5 mm, Bag,

Discrete Wire

View on TE.com >



Terminals & Splices > Splices



Wire Size: .5 – 2.5 mm<sup>2</sup>

Sealable: No

Splice Capacity: 2

Splice Features: Standard

### **Features**

## **Product Type Features**

Sealable	No
Splice Type	Closed End Splice
Serrated	No
Compatible With Discrete Wire Type	Solid
Wire Insulation Support Retention Type	Non-Insulation Support

## **Configuration Features**

Number of Conductors	1
Splice Capacity	2
Compatible With Wire & Cable Type	Discrete Wire

#### **Electrical Characteristics**

Voltage (Max)	600 VAC
Operating Voltage	450V (IEC) / 600V (UL)
Current Rating	24 A

## **Body Features**

Weight per Piece	1 g
Splice Features	Standard
Primary Product Color	Red

#### Mechanical Attachment



Wire Insulation Support	Without
Dimensions	
Profile Height	16 mm
Material Width	7.5 mm
Wire Size	$.5 - 2.5 \text{ mm}^2$
Overall Product Length	10.5 mm
Usage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Agency/Standard	CSA, IEC, UL
CSA Certified	Yes
Agency/Standard Number	IEC 60988-2-2, UL 486C
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts










# Customers Also Bought









#### **Documents**

**Product Drawings** 

ISP025-2

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SET211001R0000\_A3.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SET211001R0000\_A3.3d\_igs.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_1SET211001R0000\_A3.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Infographic - entrelec ews-linecard

English

Datasheet - ENTRELEC Push-In Connectors

English

Datasheet - ENTRELEC Push-In Connectors

French

Datasheet - ENTRELEC Push-In Connectors

**Essential Entrelec Terminal Blocks** 

French

**Essential Entrelec Terminal Blocks** 

English

**Agency Approvals** 

UL

English